



# PRODUCT DATA SHEET

3-36® Multi-Purpose Lubricant & Corrosion Inhibitor, 16 Fl Oz

No. 03007 | Item# 1003259 | Case# 1003258



|                           |   |
|---------------------------|---|
| Product Description       | A versatile petroleum based compound that forms a clear, thin film that lubricates and protects against wear and corrosion. Multi-purpose product lubricates, protects, displaces moisture, and cleans.                                     |
| Applications              | tubing, castings, gears, weld rod, wire, fixtures, dies, jigs, shim stock, chucks, drill rod, heat treated parts, machined surfaces, finished welds, aluminum extrusions, air actuated tools, conveyors, frozen joints, locks, hoists, etc. |
| Unit Package Description  | 16 Ounce Spray Bottle   |
| Brand                     | CRC   |
| Generic Description 1     | Multi-Purpose Precision Lubricant & Corrosion Inhibitor   |
| Net Fill                  | 16 Fl Oz  |
| UPC Code                  | 078254030074  |
| Unit Dimensions           | 9.38H x 2.75W x 3.75D in  |
| Units Per Case            | 12  |
| Case Dimensions           | 10.44H x 8.5W x 11.25D in   |
| Cases Per Pallet          | 95  |
| Case Weight               | 13 lbs  |
| 1 2 of 5 Code             | 30078254030075  |
| Appearance                | Clear Blue-Green Liquid   |
| Base Type                 | Petroleum   |
| Flash point (F)           | 192°F   |
| Flash point (C)           | 89°C  |
| Flammability Class - CPSC | None  |
| Spec Gravity Concentrate  | 0.83  |
| Plastic Safe              | No  |
| Film Type                 | Non-Drying  |
| Film Thickness            | 0.025 to 0.075 Mil  |
| Evaporation Rate          | Slow  |

Last revised: 11/28/2017  
Page 1 of 2



Customer Care: 800-556-5074  
Technical Assistance: 800-521-3168  
www.crcindustries.com

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.



CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.



## PRODUCT DATA SHEET



|                                 |  |
|---------------------------------|--|
| Dielectric Strength             | 38,800 Volts   |
| Working Temp (F)                | -50 to 250°F   |
| Working Temp (C)                | -45.6 to 121.1°C   |
| Propellant                      | None   |
| NSF Category Code               | H2   |
| NSF Number                      | 017429   |
| Federal Specification Number    | V-V-P-216,O-W-1284   |
| DOT Proper Shipping Name        | Not Regulated  |
| VOC % (Consumer Product def)    | 0  |
| VOC g/L (Consumer Product def)  | 0  |
| VOC lbs/gal (Consumer Prod def) | 0  |
| VOC Category                    | Multi-Purpose Lubricant  |
| Removal (How To)                | Remove with petroleum products, mineral spirits, or contact cleaner. |

Last revised: 11/28/2017  
Page 2 of 2



Customer Care: 800-556-5074  
Technical Assistance: 800-521-3168  
www.crcindustries.com

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.



CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.



# PRODUCT DATA SHEET

3-36® Multi-Purpose Lubricant & Corrosion Inhibitor, 16 Fl Oz

No. 03007 | Item# 1003259 | Case# 1003258



|                           |  |
|---------------------------|--|
| Product Description       | A versatile petroleum based compound that forms a clear, thin film that lubricates and protects against wear and corrosion. Multi-purpose product lubricates, protects, displaces moisture, and cleans.                                      |
| Applications              | Tubeing, castings, gears, weld rod, wire, fixtures, dies, jigs, shim stock, chucks, drill rod, heat treated parts, machined surfaces, finished welds, aluminum extrusions, air actuated tools, conveyors, frozen joints, locks, hoists, etc. |
| Unit Package Description  | 16 Ounce Spray Bottle  |
| Brand                     | CRC  |
| Generic Description 1     | Multi-Purpose Precision Lubricant & Corrosion Inhibitor  |
| Net Fill                  | 16 Fl Oz   |
| UPC Code                  | 078254030074   |
| Unit Dimensions           | 9.38H x 2.75W x 3.75D in   |
| Units Per Case            | 12   |
| Case Dimensions           | 10.44H x 8.5W x 11.25D in  |
| Cases Per Pallet          | 95   |
| Case Weight               | 13 lbs   |
| I 2 of 5 Code             | 30078254030075   |
| Appearance                | Clear Blue-Green Liquid  |
| Base Type                 | Petroleum  |
| Flash point (F)           | 192°F  |
| Flash point (C)           | 89°C   |
| Flammability Class - CPSC | None   |
| Spec Gravity Concentrate  | 0.83   |
| Plastic Safe              | No   |
| Film Type                 | Non-Drying   |
| Film Thickness            | 0.025 to 0.075 Mil   |
| Evaporation Rate          | Slow   |

Last revised: 11/28/2017  
Page 1 of 2



Customer Care: 800-556-5074  
Technical Assistance: 800-521-3168  
www.crcindustries.com

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.



CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.



# PRODUCT DATA SHEET



|                                 |  |
|---------------------------------|--|
| Dielectric Strength             | 38,800 Volts   |
| Working Temp (F)                | -50 to 250°F   |
| Working Temp (C)                | -45.6 to 121.1°C   |
| Propellant                      | None   |
| NSF Category Code               | H2   |
| NSF Number                      | 017429   |
| Federal Specification Number    | V-V-P-216,O-W-1284   |
| DOT Proper Shipping Name        | Not Regulated  |
| VOC % (Consumer Product def)    | 0  |
| VOC g/L (Consumer Product def)  | 0  |
| VOC lbs/gal (Consumer Prod def) | 0  |
| VOC Category                    | Multi-Purpose Lubricant  |
| Removal (How To)                | Remove with petroleum products, mineral spirits, or contact cleaner. |

Last revised: 11/28/2017  
Page 2 of 2



Customer Care: 800-556-5074  
Technical Assistance: 800-521-3168  
www.crcindustries.com

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.



CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.