


ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685





10250T397L III Pushbutton FV Order Led Separately *Eaton Corp*

Catalog Number	10250T397L	
Manufacturer	Eaton Corp	
Description	Eaton 10250T Pushbutton, 30.5 MM, Heavy-Duty, 40 MM, Nema 3, 3R, 4, 4X, 12, 13, Illuminated, Momentary, Led, Full Voltage (Without Lamp) Light Unit, Flush, Chrome Bezel, Bayonet Base	
Weight per unit	0.2200 (lbs/each)	
Product Category	Push Button Components	
atures		
dimensions	1.6300 IN X 1.5900 IN X 2.2500 IN	
media	Yes	
mensions and Weight		
Height	2.25	
Length	1.63	
Size	40 mm	
Width	1.59	
scriptions		
Description	ILL PUSHBUTTON FV ORDER LED SEPARATELY	
extra long description	ETN 10250T397L ILL PUSHBUTTON FV (O	
Features	Eaton's 10250T line of 30.5 mm pushbuttons features a heavy-duty zinc die cast construction. Reliability nibs improve contact reliability even under dry circuit and fine dust conditions In addition, drainage holes prevent the buildup of liquid inside the operator, which can prevent operation in freezing environments.	
Long Description	Eaton 10250T pushbutton, 30.5 mm, Heavy-Duty, 40 mm, NEM, 3, 3R, 4, 4X, 12, 13, Illuminated, Momentary, LED, full voltage (without lamp) light unit, Flush, Chrome bezel, Bayonet base	
Product Type	III Pushbutton FV (Order Led Separately)	
Special Features	10250T series	
anufacturer Information		
Brand	Eaton	
GTIN		
Manufacturers Part Number	10250T397L	
UPC	782114753651	

Category Description	OILTIGHT OPERATORS.30MM
Туре	PUSHBUTTON



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Pa	CK	ag	ın	g

Carton	1	
Weight Per each	0.22	

Uses, Certifications, and Standards

Application	Elec Assemblies, Panels & EOEM - Electrical Assemblies, Panels and EOEMs	
Mounting	FLUSH	
standard	CSA Certified,UL Listed,CE Marked	