

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



11102AF1213 11102A6513 W/12' Cable

| Catalog Number | 11102AF1213 |
|------------------------------------|--|
| Manufacturer | Eaton Corp |
| Description | Eaton Comet 18MM Tubular Photoelectric Sensor, Photoelectric, |
| | 0.71 Diameter, Forward Viewing, Sensor Distance: 80 FT., Lens: |
| | Polycarbonate Cable, Jacket: PVC Body, 12 FT. (3.7M) Cable, |
| | 20-264 Vac/15-30 VDC Input |
| Weight per unit | 2,875.0 (lbs/each) |
| Product Category | Photoelectric Sensors |
| Features | |
| connection | Cable |
| Dimensions and Weight | |
| Height | 2.75 |
| Length | 0.47 |
| Width | 0.71 |
| Descriptions | |
| Description | 11102A6513 W/12' CABLE |
| extra long description | ETN 11102AF1213 11102A6513 W/12' CA |
| Features | Eaton's Comet Series Photoelectric Sensors is a complete line of |
| | high performance, 18 mm tubular sensors with a variety of |
| | models and modes to solve virtually any sensing problem. |
| Long Description | Eaton Comet 18mm tubular photoelectric sensor, Photoelectric, |
| | 0.71 diameter, Forward Viewing, Sensor distance: 80 Ft., Lens: |
| | Polycarbonate Cable, Jacket: PVC Body, 12 Ft. (3.7m) Cable, |
| Draduat Tura | 20-264 Vac/15-30 Vdc input 11102A6513 W/12' Cable |
| Product Type | TTTUZA6513 W/TZ Cable |
| Manufacturer Information | |
| Brand | Eaton |
| GTIN | 00782114023655 |
| Manufacturers Part Number | 11102AF1213 |
| UPC | 782114023655 |
| Taxonomies, Classifications, and G | Categories |
| Category Description | PROXIMITY SWITCHES AND CORDSETS |
| Type | Tubular photoelectric sensor |

Tax

| Category Description | PROXIMITY SWITCHES AND CORDSETS |
|----------------------|---------------------------------|
| Туре | Tubular photoelectric sensor |
| | |

Packaging

| Carton | 1 |
|-----------------|------|
| Weight Per each | 2875 |

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

| Application | Vehicles: On-Road - PickUp & Delivery: Food |
|-----------------------|---|
| Operating Temperature | -4° to 158°F (-20° to 70°C) |
| standard | Contact Manufacturer |