E-Z BORE® SELF-FEED WOOD BORING BITS



• LONG-LASTING - HARDENED CARBON ALLOY. DUAL CUTTING EDGES. REPLACEABLE TIP.

* Compared to bi-metal hole saws



E-Z BORE® SELF-FEED WOOD BORING BITS

FOR PRODUCT VIDEOS, DEMONSTRATIONS AND MORE, SCAN THIS QR CODE OR VISIT:

www.youtube.com/GreenleeDEMO



Replace the tip, not the bit!

Large, open design won't clog with wood chips.



Quick-connect 7/16" hex shank for secure fit.

149H2KIT Contractor Kit, 7pc

Dual cutting edges can be re-sharpened for longer bit life.



- Self-feed tip pulls bit through wood.
- Outer spur teeth reduce splintering and blowouts.
- Available from 1" to 4-5/8" sizes perfect for installing 1/2" to 4" conduit and pipe.

ORDERING INFORMATION

E-Z BORE® SELF-FEED BITS

		PIPE &	HOLI	E DIA.	LEI	NGTH
CAT. NO.	UPC NO.	CONDUIT SIZE	INCH	ММ	INCH	ММ
149H2-1	01247	1/2"	1"	25.4	5"	127.0
149H2-1-1/8	01250	1/2"	1-1/8"	28.6	5"	127.0
149H2-1-1/4	01249	3/4"	1-1/4"	31.8	5"	127.0
149H2-1-3/8	01252	3/4"	1-3/8"	34.9	5"	127.0
149H2-1-1/2	01248	1"	1-1/2"	38.1	5"	127.0
149H2-1-3/4	01251	1-1/4"	1-3/4"	44.4	5"	127.0
149H2-2	01257	1-1/4"	2"	50.8	5"	127.0
149H2-2-1/8	01260	1-1/2"	2-1/8"	54	5"	127.0
149H2-2-1/4	01258	1-1/2"	2-1/4"	57.2	5"	127.0
149H2-2-9/16	01261	2"	2-9/16"	65.1	5"	127.0
149H2-3	01262	2-1/2"	3"	76.2	5"	127.0
149H2-3-5/8	01263	3"	3-5/8"	92.1	6-1/4"	158.8
149H2-4-5/8	01272	4"	4-5/8"	117.5	6-1/4"	158.8

Distributed by

E-Z BORE® CONTRACTOR KIT

- Seven of the most common E-Z BORE® bits from 1" to 2-9/16"
- Also includes 5-1/2" bit extension, replacement screw points, hex wrench, and set screws.

				HULE DIA.		
CAT. NO.	UPC NO.	DESCRIPTION	CONDUIT SIZE	INCH	ММ	
149H2KIT	01273	Contractor Kit, 7pc	1/2" to 2"	1" to 2-9/16"	25.4 to 65.1	
34997	34997	Plastic Case				

E-Z BORE® BIT EXTENSION

			HEX SHANK SIZE		LEN	IGTH
CAT. NO.	UPC NO.	DESCRIPTION	INCH	ММ	INCH	ММ
904H2-5-1/2	01266	Bit Extension	7/16"	11.1	5-1/2"	140.0

E-Z BORE® SCREW POINTS

			SCREW POINT DIA.		LENGTH	
CAT. NO.	UPC NO.	DESCRIPTION	INCH	ММ	INCH	ММ
149H2-1/4	01254	Screw Point	1/4"	6.4	2"	50.8
149H2-3/8	01271	Screw Point	3/8"	9.5	2-3/4"	69.9









www.greenlee.com • MA-5917 03/13

4455 Boeing Drive • Rockford, IL 61109-2988 • USA • 815-397-7070 ©2013 Greenlee Textron Inc. • An ISO 9001 Company • Printed in USA Greenlee Textron Inc. is a subsidiary of Textron Inc.

E-Z BORE® SELF-FEED WOOD BORING BITS



• LONG-LASTING - HARDENED CARBON ALLOY. DUAL CUTTING EDGES. REPLACEABLE TIP.

* Compared to bi-metal hole saws



E-Z BORE® SELF-FEED WOOD BORING BITS

FOR PRODUCT VIDEOS, DEMONSTRATIONS AND MORE, SCAN THIS QR CODE OR VISIT:

www.youtube.com/GreenleeDEMO



Replace the tip, not the bit!

Large, open design won't clog with wood chips.



Quick-connect 7/16" hex shank for secure fit.

149H2KIT Contractor Kit, 7pc

Dual cutting edges can be re-sharpened for longer bit life.



- Self-feed tip pulls bit through wood.
- Outer spur teeth reduce splintering and blowouts.
- Available from 1" to 4-5/8" sizes perfect for installing 1/2" to 4" conduit and pipe.

ORDERING INFORMATION

E-Z BORE® SELF-FEED BITS

		PIPE &	HOLI	E DIA.	LEI	NGTH
CAT. NO.	UPC NO.	CONDUIT SIZE	INCH	ММ	INCH	ММ
149H2-1	01247	1/2"	1"	25.4	5"	127.0
149H2-1-1/8	01250	1/2"	1-1/8"	28.6	5"	127.0
149H2-1-1/4	01249	3/4"	1-1/4"	31.8	5"	127.0
149H2-1-3/8	01252	3/4"	1-3/8"	34.9	5"	127.0
149H2-1-1/2	01248	1"	1-1/2"	38.1	5"	127.0
149H2-1-3/4	01251	1-1/4"	1-3/4"	44.4	5"	127.0
149H2-2	01257	1-1/4"	2"	50.8	5"	127.0
149H2-2-1/8	01260	1-1/2"	2-1/8"	54	5"	127.0
149H2-2-1/4	01258	1-1/2"	2-1/4"	57.2	5"	127.0
149H2-2-9/16	01261	2"	2-9/16"	65.1	5"	127.0
149H2-3	01262	2-1/2"	3"	76.2	5"	127.0
149H2-3-5/8	01263	3"	3-5/8"	92.1	6-1/4"	158.8
149H2-4-5/8	01272	4"	4-5/8"	117.5	6-1/4"	158.8

Distributed by

E-Z BORE® CONTRACTOR KIT

- Seven of the most common E-Z BORE® bits from 1" to 2-9/16"
- Also includes 5-1/2" bit extension, replacement screw points, hex wrench, and set screws.

				HULE DIA.		
CAT. NO.	UPC NO.	DESCRIPTION	CONDUIT SIZE	INCH	ММ	
149H2KIT	01273	Contractor Kit, 7pc	1/2" to 2"	1" to 2-9/16"	25.4 to 65.1	
34997	34997	Plastic Case				

E-Z BORE® BIT EXTENSION

			HEX SHANK SIZE		LEN	IGTH
CAT. NO.	UPC NO.	DESCRIPTION	INCH	ММ	INCH	ММ
904H2-5-1/2	01266	Bit Extension	7/16"	11.1	5-1/2"	140.0

E-Z BORE® SCREW POINTS

			SCREW POINT DIA.		LENGTH	
CAT. NO.	UPC NO.	DESCRIPTION	INCH	ММ	INCH	ММ
149H2-1/4	01254	Screw Point	1/4"	6.4	2"	50.8
149H2-3/8	01271	Screw Point	3/8"	9.5	2-3/4"	69.9









www.greenlee.com • MA-5917 03/13

4455 Boeing Drive • Rockford, IL 61109-2988 • USA • 815-397-7070 ©2013 Greenlee Textron Inc. • An ISO 9001 Company • Printed in USA Greenlee Textron Inc. is a subsidiary of Textron Inc.