



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## 163713 Terminal Block

*Bussmann Fuses*

Catalog Number	163713
Manufacturer	Bussmann Fuses
Description	Eaton Bussmann Series Power Distribution Block, 600 Vac, 600 VDC, 310 A, Three-Pole, SCCR: 100 Kaic, Black, Molded Thermoplastic Base, Tin-Plated Aluminum Connector
Weight per unit	2.2 (lbs/each)
Product Category	Tools & Testers

### Features

amperage rating	310A
dimensions	3.9500 IN X 5.2100 IN X 3.1800 IN
Material	Molded Thermoplastic Base, Tin Plated Aluminum Connector
media	Yes
Voltage Rating	600 Vac, 600 Vdc

### Material, Color, and Finish

Color	Black
-------	-------

### Dimensions and Weight

Size	5.21 In Length X 4.00 In Width X 3.32 In Height
------	---

### Descriptions

Description	TERMINAL BLOCK
extra long description	EFSE 16371-3 TERMINAL BLOCK
Features	Bussmann provides the broadest offering of UL listed Cable Limiters, Welder Limiters, Circuit Limiters and accessories. With products rated for AC or DC applications to suit your specific application requirements.
Long Description	Eaton Bussmann series power distribution block, 600 Vac, 600 Vdc, 310 A, Three-pole, SCCR: 100 kAIC, Black, Molded Thermoplastic Base, Tin-plated aluminum connector
Product Type	Terminal Block
Special Features	Short Circuit Current Rating 100 kA

### Manufacturer Information

Brand	Eaton Bussmann series
GTIN	00051712271394
Manufacturers Part Number	16371-3
UPC	051712271394

### Taxonomies, Classifications, and Categories

Category Description	TERMINALS
Type	Power distribution block



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685

## Packaging

Carton	1
Package	15
Weight Per each	2.2

## Uses, Certifications, and Standards

Application	Elec Assemblies, Panels & OEM - Electrical Assemblies, Panels and OEMs
standard	Contact factory, RoHS Compliant