L. H. DOTTIE

# MARKING PAINTS & WORKPLACE IDENTIFICATION PAINTS

A COMPLETE LINE OF PAINTS FOR MARKING AND IDENTIFICATION IN THE WORKPLACE

SEE FOR YOURSELF WHY AERVOE PROVIDES SUPERIOR SOLUTIONS

Dottie

lhdottie.com

Dottie

lhdottie.com

## Construction Marking Paint



Aervoe Construction Marking Paint is the flagship of the line, offering high quality paint that is is priced competitively to meet a variety of marking applications while providing good color visibility and durability. Why pay for the added quality of Aervoe Survey Marking Paint if the mark does not need to last as long? Great color durability up to three months.

| Can Size (Net) | Weight | Case Pack |
|---|---|---|
| 20-oz. Aerosol (17-oz.) | 18 lbs. | 12 cans |

**Color Selection**

| *Regular* | *Fluorescent* |
|---|---|
| 254 Blue | 246 Fl. Red |
| 255 White | 247 Fl. Orange |
| 256 Red | 249 Fl. Pink |
| 258 Hi-Vis Yellow | 283 Fl. Red-Orange |
| 259 Green | |

| Can Size (Net) | Weight | Case Pack |
|---|---|---|
| 20-oz. Aerosol (15-oz.) | 15 lbs. | 12 cans |

200 Clear Coat

## Invert-A-Cap®

The ultimate writing tool is inverted marking paint. Use where controlled applications (letters and numbers) are needed, in addition to lines. Best positive delivery cut off and non-clogging performance with the least possible tip paint build-up.

| Can Size (Net) | Weight | Case Pack |
|---|---|---|
| 16-oz. Aerosol (12-oz.) | 14 lbs. | 12 cans |

**Color Selection**

| *Regular* | *Fluorescent* |
|---|---|
| 261 Red | 272 Fl. Orange |
| 262 Yellow | 274 Fl. Green |
| 263 Blue | 279 Fl. Pink |

## All Purpose Marking Paint



This good, all purpose paint is an economically priced marking paint that is designed to provide a very cost-effective approach to marking and still provides good visibility in the two-month range.

| Can Size (Net) | Weight | Case Pack |
|---|---|---|
| 20-oz. Aerosol (15-oz.) | 17 lbs. | 12 cans |

**Color Selection**

| *Regular* | *Fluorescent* |
|---|---|
| 1381 Red | 1390 Fl. Red |
| 1382 Yellow | 1391 Fl. Green |
| 1387 white | 1392 Fl. Orange |
| | 1394 Fl. Blue |
| | 1395 Fl. Red-Orange |

L. H. DOTTIE

# MARKING PAINTS

## Color Selection

### Regular Colors

Red 256, 261, 1381

Yellow 252*, 262, 1382

Blue 254, 263, 1383*

Green 259, 1384*

Orange 257*, 265*, 1385*

White 255, 267*, 1387

Hi-Vis Yellow 258

Purple 260*

### Fluorescent Colors

Fl. Red 246, 1390

Fl. Orange 247, 272, 1392

Fl. Green 274, 1391

Fl. Blue 1394

Fl. Pink, 249, 279, 1399*

Fl. Red-Orange 283, 1395

The printed colors on these pages approximate the appearance of the actual paint colors

* Special Order

## Marking Paint Performance Specifications

| MARKING PRODUCT | QUALITY | INITIAL VISIBILITY | MARK PERFORMANCE | DURABILITY | DELIVERY RATE | LINEAR COVERAGE* | APPLICATION |
|---|---|---|---|---|---|---|---|
| Invert-A-Cap® | Better | Excellent | 3-4 Months | Excellent | 2.6 g/sec | 350' | Inverted marking paint best for writing tool and controlled spray. Non-freezing formula; operational to 14ºF (-10º C) |
| Construction Marking Paint | Better | Excellent | 3 Months | Excellent | 3.2 g/sec. | 420' | Utility / locator, construction and proposed excavation |
| All Purpose Marking Paint | Good | Good | 2 Months | Good | 3.2 g/sec. | 380' | Proposed excavation, construction landscape, utility / locator & survey marking. |

* Coverage varies depending on width of mark and hide desired.

## APWA / One Call Color Descriptions

The American Public Works Association (APWA) requires public agencies, utilities, and contractors that excavate underground to use this color standard to identify the location and type of sub-surface utilities. Aervoe Industries was the first marking paint manufacturer to provide the uniform standard for these colors, and our products still proudly carry the original One-Call Systems International trademark.

| APPLICATION | AERVOE PRODUCT | CONSTRUCTION | ALL PURPOSE | INVERT-A-CAP® |
|---|---|---|---|---|
| Electric | Red | 256 | 1381 | 261 |
| Gas-Oil | Yellow | 252* | 1382 | 262 |
| Water | Blue | 254 | 1383* | 263 |
| Sewer | Green | 259 | 1384* | – |
| Communications / CATV | Orange | 257* | 1385* | 265* |
| Proposed Excavation | White | 255 | 1387 | 267* |
| Reclaimed Water | Purple | 260* | – | – |
| Temporary Survey Marking | Pink | 249 | 1399* | 279 |

*Special Order

## Applicators & Measuring Devices

### 242 Can Hand'ler

- Two-finger trigger eliminates finger fatigue
- Trigger lock prevents accidental discharge
- Unique locking collar
- Use with any standard standard aerosol can with 1" valve cap

### 245 Marking Stick

- Approximate length-32"
- Single-hand operation
- Excellent can balance
- Convenient trigger actuator

| Product | Net Wt. | Case Pack |
|---|---|---|
| 242 Can Hand'ler | 2 | 12 |
| 245 Marking StickK | 2 lbs. | 1 |

Dottie
lhdottie.com

L. H. DOTTIE

# IDENTIFICATION PAINTS

## *Rust Proof Paint – Solvent-Based*

Aervoe's high-performance Rust Proof solvent-based formulation withstands corrosion and exposure from mild to moderate conditions while maintaining high gloss levels. Wide color selection includes OSHA safety, HVAC, commercial and selected factory equipment touch-up colors.

- High gloss, high solids formula
- Ideal for equipment touch-up / OEM production applications indoors & out
- Resistant to mild and moderate environments including intermittent exposure to water, salt spray, moisture and temperatures up to 300°F (149°C)
- Can be applied directly over rust with minor surface preparation
- Tough, protective coating will not chip or peel
- Aerosol dries to touch in just 15 minutes
- Provides excellent hiding characteristics with smooth, even coverage
- Not recommended for immersion services

*Uses:* Metal, wood and other common surfaces; machinery, motors, tools, cabinets, toolboxes, steel bars and railings, pipelines, drums, conduit, ducts, furniture, electrical equipment. Ideal for marking hazard areas and color coding steel.

**OSHA Colors**
The Occupational Safety and Health Act (OSHA) stipulates that industrial plants provide color coded safety equipment and hazard areas. The accompanying list identifies the OSHA-designated colors and their meanings

**HVAC Colors**
Color designations are currently used by DuPont® for its refrigerants. Although refrigerant manufacturers make a concerted effort to select colors to differentiate refrigerant types, color guidelines are not a substitute for reading cylinder labels and makings. Aervoe suggests the following refrigerant colors be used for coding.

Please note: These colors are printed approximations of actual paint colors

## *Color Selection*

| | APPLICATION | MARKING COLOR | AERVOE PRODUCT |
|---|---|---|---|
| **OSHA Colors** | | | |
| OSHA Purple 300* | Radiation hazard | OSHA Purple | 300* |
| OSHA Red 301 | Danger, stop, or location of fire protection equipment | OSHA Red | 301 |
| OSHA Yellow 302 | Caution and physical hazards | OSHA Yellow | 302 |
| OSHA Blue 303 | Equipment being repaired. Caution against moving or starting | OSHA Blue | 303 |
| OSHA Green 304 | Location of safety equipment other than fire | OSHA Green | 304 |
| OSHA Orange 305 | Dangerous parts of machinery or energized equipment | OSHA Orange | 305 |
| OSHA Black 306 | Traffic and housekeeping | OSHA Black | 306 |
| OSHA White 307* | Traffic and housekeeping | OSHA White | 307* |
| **HVAC Colors** | | | |
| Purple 300* | Refrigerant R502 | Purple | 300* |
| Light Green 304 | Refrigerant R22 | Light Green | 304 |
| Orange 305 | Refrigerant R404A | Orange | 305 |
| Tan 317* | Refrigerant R409A | Tan | 317* |
| Light Blue 318* | Refrigerant R134A | Light Blue | 318* |

* Special Order

**Can Size (Net)**
16-oz. Aerosol (12-oz.)

**Weight**
14 lbs.

**Case Pack**
12 cans

**Solvent Based Color Selection**

300* Safety Purple
301 Safety Red
302 Safety Yellow
303 Safety Blue
304 Safety Green
305 Safety Orange
306 Safety Black
307* Safety White
312 Flat Black
317* Tan
318* Light Blue
333 Dark Gray-ANSI-33
349 Meter Gray-ANSI-49
361 Light Gray-ANSI-61

* Special Order

L.H. Dottie Co.
Commerce, CA 90040
lhdottie.com

LPAINT

©2008 L.H. Dottie Co.

L. H. DOTTIE

# MARKING PAINTS & WORKPLACE IDENTIFICATION PAINTS

A COMPLETE LINE OF PAINTS FOR MARKING AND IDENTIFICATION IN THE WORKPLACE

SEE FOR YOURSELF WHY AERVOE PROVIDES SUPERIOR SOLUTIONS

Dottie

lhdottie.com

Dottie

lhdottie.com

## Construction Marking Paint



Aervoe Construction Marking Paint is the flagship of the line, offering high quality paint that is is priced competitively to meet a variety of marking applications while providing good color visibility and durability. Why pay for the added quality of Aervoe Survey Marking Paint if the mark does not need to last as long? Great color durability up to three months.

| Can Size (Net) | Weight | Case Pack |
|---|---|---|
| 20-oz. Aerosol (17-oz.) | 18 lbs. | 12 cans |

**Color Selection**

| *Regular* | *Fluorescent* |
|---|---|
| 254 Blue | 246 Fl. Red |
| 255 White | 247 Fl. Orange |
| 256 Red | 249 Fl. Pink |
| 258 Hi-Vis Yellow | 283 Fl. Red-Orange |
| 259 Green | |

| Can Size (Net) | Weight | Case Pack |
|---|---|---|
| 20-oz. Aerosol (15-oz.) | 15 lbs. | 12 cans |

200 Clear Coat

## Invert-A-Cap®

The ultimate writing tool is inverted marking paint. Use where controlled applications (letters and numbers) are needed, in addition to lines. Best positive delivery cut off and non-clogging performance with the least possible tip paint build-up.

| Can Size (Net) | Weight | Case Pack |
|---|---|---|
| 16-oz. Aerosol (12-oz.) | 14 lbs. | 12 cans |

**Color Selection**

| *Regular* | *Fluorescent* |
|---|---|
| 261 Red | 272 Fl. Orange |
| 262 Yellow | 274 Fl. Green |
| 263 Blue | 279 Fl. Pink |

## All Purpose Marking Paint



This good, all purpose paint is an economically priced marking paint that is designed to provide a very cost-effective approach to marking and still provides good visibility in the two-month range.

| Can Size (Net) | Weight | Case Pack |
|---|---|---|
| 20-oz. Aerosol (15-oz.) | 17 lbs. | 12 cans |

**Color Selection**

| *Regular* | *Fluorescent* |
|---|---|
| 1381 Red | 1390 Fl. Red |
| 1382 Yellow | 1391 Fl. Green |
| 1387 white | 1392 Fl. Orange |
| | 1394 Fl. Blue |
| | 1395 Fl. Red-Orange |

L. H. DOTTIE

# MARKING PAINTS

## Color Selection

### Regular Colors

Red 256, 261, 1381

Yellow 252*, 262, 1382

Blue 254, 263, 1383*

Green 259, 1384*

Orange 257*, 265*, 1385*

White 255, 267*, 1387

Hi-Vis Yellow 258

Purple 260*

### Fluorescent Colors

Fl. Red 246, 1390

Fl. Orange 247, 272, 1392

Fl. Green 274, 1391

Fl. Blue 1394

Fl. Pink, 249, 279, 1399*

Fl. Red-Orange 283, 1395

The printed colors on these pages approximate the appearance of the actual paint colors

* Special Order

## Marking Paint Performance Specifications

| MARKING PRODUCT | QUALITY | INITIAL VISIBILITY | MARK PERFORMANCE | DURABILITY | DELIVERY RATE | LINEAR COVERAGE* | APPLICATION |
|---|---|---|---|---|---|---|---|
| Invert-A-Cap® | Better | Excellent | 3-4 Months | Excellent | 2.6 g/sec | 350' | Inverted marking paint best for writing tool and controlled spray. Non-freezing formula; operational to 14ºF (-10º C) |
| Construction Marking Paint | Better | Excellent | 3 Months | Excellent | 3.2 g/sec. | 420' | Utility / locator, construction and proposed excavation |
| All Purpose Marking Paint | Good | Good | 2 Months | Good | 3.2 g/sec. | 380' | Proposed excavation, construction landscape, utility / locator & survey marking. |

* Coverage varies depending on width of mark and hide desired.

## APWA / One Call Color Descriptions

The American Public Works Association (APWA) requires public agencies, utilities, and contractors that excavate underground to use this color standard to identify the location and type of sub-surface utilities. Aervoe Industries was the first marking paint manufacturer to provide the uniform standard for these colors, and our products still proudly carry the original One-Call Systems International trademark.

| APPLICATION | AERVOE PRODUCT | CONSTRUCTION | ALL PURPOSE | INVERT-A-CAP® |
|---|---|---|---|---|
| Electric | Red | 256 | 1381 | 261 |
| Gas-Oil | Yellow | 252* | 1382 | 262 |
| Water | Blue | 254 | 1383* | 263 |
| Sewer | Green | 259 | 1384* | – |
| Communications / CATV | Orange | 257* | 1385* | 265* |
| Proposed Excavation | White | 255 | 1387 | 267* |
| Reclaimed Water | Purple | 260* | – | – |
| Temporary Survey Marking | Pink | 249 | 1399* | 279 |

*Special Order

## Applicators & Measuring Devices

### 242 Can Hand'ler

- Two-finger trigger eliminates finger fatigue
- Trigger lock prevents accidental discharge
- Unique locking collar
- Use with any standard standard aerosol can with 1" valve cap

### 245 Marking Stick

- Approximate length-32"
- Single-hand operation
- Excellent can balance
- Convenient trigger actuator

| Product | Net Wt. | Case Pack |
|---|---|---|
| 242 Can Hand'ler | 2 | 12 |
| 245 Marking StickK | 2 lbs. | 1 |

Dottie
lhdottie.com

L. H. DOTTIE

# IDENTIFICATION PAINTS

## *Rust Proof Paint – Solvent-Based*

Aervoe's high-performance Rust Proof solvent-based formulation withstands corrosion and exposure from mild to moderate conditions while maintaining high gloss levels. Wide color selection includes OSHA safety, HVAC, commercial and selected factory equipment touch-up colors.

- High gloss, high solids formula
- Ideal for equipment touch-up / OEM production applications indoors & out
- Resistant to mild and moderate environments including intermittent exposure to water, salt spray, moisture and temperatures up to 300°F (149°C)
- Can be applied directly over rust with minor surface preparation
- Tough, protective coating will not chip or peel
- Aerosol dries to touch in just 15 minutes
- Provides excellent hiding characteristics with smooth, even coverage
- Not recommended for immersion services

*Uses:* Metal, wood and other common surfaces; machinery, motors, tools, cabinets, toolboxes, steel bars and railings, pipelines, drums, conduit, ducts, furniture, electrical equipment. Ideal for marking hazard areas and color coding steel.

**OSHA Colors**
The Occupational Safety and Health Act (OSHA) stipulates that industrial plants provide color coded safety equipment and hazard areas. The accompanying list identifies the OSHA-designated colors and their meanings

**HVAC Colors**
Color designations are currently used by DuPont® for its refrigerants. Although refrigerant manufacturers make a concerted effort to select colors to differentiate refrigerant types, color guidelines are not a substitute for reading cylinder labels and makings. Aervoe suggests the following refrigerant colors be used for coding.

Please note: These colors are printed approximations of actual paint colors

## *Color Selection*

| | APPLICATION | MARKING COLOR | AERVOE PRODUCT |
|---|---|---|---|
| **OSHA Colors** | | | |
| OSHA Purple 300* | Radiation hazard | OSHA Purple | 300* |
| OSHA Red 301 | Danger, stop, or location of fire protection equipment | OSHA Red | 301 |
| OSHA Yellow 302 | Caution and physical hazards | OSHA Yellow | 302 |
| OSHA Blue 303 | Equipment being repaired. Caution against moving or starting | OSHA Blue | 303 |
| OSHA Green 304 | Location of safety equipment other than fire | OSHA Green | 304 |
| OSHA Orange 305 | Dangerous parts of machinery or energized equipment | OSHA Orange | 305 |
| OSHA Black 306 | Traffic and housekeeping | OSHA Black | 306 |
| OSHA White 307* | Traffic and housekeeping | OSHA White | 307* |
| **HVAC Colors** | | | |
| Purple 300* | Refrigerant R502 | Purple | 300* |
| Light Green 304 | Refrigerant R22 | Light Green | 304 |
| Orange 305 | Refrigerant R404A | Orange | 305 |
| Tan 317* | Refrigerant R409A | Tan | 317* |
| Light Blue 318* | Refrigerant R134A | Light Blue | 318* |

* Special Order

**Can Size (Net)**
16-oz. Aerosol (12-oz.)

**Weight**
14 lbs.

**Case Pack**
12 cans

**Solvent Based Color Selection**

300* Safety Purple
301 Safety Red
302 Safety Yellow
303 Safety Blue
304 Safety Green
305 Safety Orange
306 Safety Black
307* Safety White
312 Flat Black
317* Tan
318* Light Blue
333 Dark Gray-ANSI-33
349 Meter Gray-ANSI-49
361 Light Gray-ANSI-61

* Special Order

L.H. Dottie Co.
Commerce, CA 90040
lhdottie.com

LPAINT

©2008 L.H. Dottie Co.