

Compact Fluorescent PL Lamp | 10,000 Hours average rated life

Applications:

Perfect for most commercial applications: Use where a standard incandescent is used.

- + Table Lamps
- + Wall Sconces
- + Recessed Downlighting
- + Ceiling Fixtures
- + Outdoor Fixtures
- + Ceiling Fans



NOT compatible with dimming applications

Special Application Options: (Ordering Suffix)


- 2700°K (27K), 3000°K (30K), 3500°K (35K), 4100°K (41K), 5000°K (50K)

Features and Benefits


- Long Life, 10,000 hour average rated life
- Lower maintenance and labor costs for lamp replacements
- Lasts 7 years, based on 3 hours use a day
- Bulb lasts 10-13 times longer than similar incandescent bulbs
- 82 CRI




G23 base
Twin Tube




2GX7 base
Twin Tube




G23-2 base
Quad Tube




G24d base
Quad Tube



GX32d base
Quad Tube



G24q base
Quad Tube



GX24q base
Triple Tube



PL Lamp Specifications

| Item # | Description | Initial Lumens | CCT | M.O.L. (inches) | Diameter (inches) |
|------------------|--------------------------------|----------------|------|-----------------|-------------------|
| 32007 | | | | | |
| 32007 | 7W TWIN TUBE PL LAMP 2PIN 27K | 400 | 2700 | 5.30 | 1.22 |
| 3200741K | 7W TWIN TUBE PL LAMP 2PIN 41K | 400 | 4100 | 5.30 | 1.22 |
| 32009 | | | | | |
| 32009 | 9W TWIN TUBE PL LAMP 27K | 570 | 2700 | 6.50 | 1.01 |
| 3200935K | 9W TWIN TUBE PL LAMP 35K | 570 | 3500 | 6.50 | 1.01 |
| 3200941K | 9W TWIN TUBE PL LAMP 41K | 570 | 4100 | 6.50 | 1.01 |
| 32013 | | | | | |
| 32013 | 13W TWIN TUBE PL LMP 2-PIN 27K | 780 | 2700 | 7.00 | 1.06 |
| 3201335K | 13W TWIN TUBE PL LMP 2-PIN-35K | 780 | 3500 | 7.00 | 1.06 |
| 3201341K | 13W TWIN TUBE 41K | 780 | 4100 | 7.00 | 1.06 |
| 3201350K | 13W TWIN TUBE PL LMP 2-PIN 50K | 730 | 5000 | 7.00 | 1.06 |
| 324132GX7 | | | | | |
| 324132GX7 | 13W 4 PIN PL 2GX7 BASE | 780 | 2700 | 6.375 | 1.26 |
| 324132GX735K | 13W 4 PIN PL 2GX7 BASE 35K | 780 | 3500 | 6.375 | 1.26 |
| 32018Q | | | | | |
| 32018Q | 18W QUAD PL LMP-2700K | 1150 | 2700 | 5.96 | 1.34 |
| 32018Q35K | 18W QUAD PL LMP-35K | 1150 | 3500 | 5.96 | 1.34 |
| 32018Q41K | 18W QUAD PL LMP-41K | 1150 | 4100 | 5.96 | 1.34 |
| 32026Q | | | | | |
| 32026Q | 26W QUAD PL LMP-27K | 1680 | 2700 | 6.75 | 1.34 |
| 32026Q35K | 26W QUAD PL LMP-35K | 1680 | 3500 | 6.75 | 1.34 |
| 32026Q41K | 26W QUAD PL LMP-41K | 1680 | 4100 | 6.75 | 1.34 |
| 32413Q | | | | | |
| 32413Q | 13W QUAD LAMP PL 4-PIN | 860 | 2700 | 5.08 | 1.03 |
| 32413Q35K | 13W QUAD LAMP PL 4-PIN 35K | 860 | 3500 | 5.08 | 1.03 |
| 32413Q41K | 13W QUAD LAMP PL 4-PIN 41K | 860 | 4100 | 5.08 | 1.03 |
| 32418Q | | | | | |
| 32418Q | 18W QUAD LAMP PL 4-PIN | 1150 | 2700 | 5.60 | 1.02 |
| 32418Q30K | 18W QUAD LAMP PL 4-PIN 30K | 1150 | 3000 | 5.60 | 1.02 |
| 32418Q35K | 18W QUAD LAMP PL 4-PIN 35K | 1150 | 3500 | 5.60 | 1.02 |
| 32418Q41K | 18W QUAD LAMP PL 4-PIN 41K | 1150 | 4100 | 5.60 | 1.02 |
| 32426Q | | | | | |
| 32426Q | 26W QUAD LAMP PL 4-PIN | 1700 | 2700 | 6.25 | 1.04 |
| 32426Q30K | 26W QUAD LAMP PL 4-PIN 30K | 1700 | 3000 | 6.25 | 1.04 |
| 32426Q35K | 26W QUAD LAMP PL 4-PIN 35K | 1700 | 3500 | 6.25 | 1.04 |
| 32426Q41K | 26W QUAD LAMP PL 4-PIN 41K | 1700 | 4100 | 6.25 | 1.04 |
| 32418T | | | | | |
| 32418T | 18W TRIPLE LAMP PL 4-PIN 27K | 1200 | 2700 | 4.28 | 1.75 |
| 32418T30K | 18W TRIPLE LAMP PL 4-PIN 30K | 1200 | 3000 | 4.28 | 1.75 |
| 32418T35K | 18W TRIPLE LAMP PL 4-PIN 35K | 1200 | 3500 | 4.28 | 1.75 |
| 32418T41K | 18W TRIPLE LAMP PL 4-PIN 41K | 1200 | 4100 | 4.28 | 1.75 |
| 32426T | | | | | |
| 32426T | 26W TRIPLE LAMP PL 4-PIN 27K | 1680 | 2700 | 4.87 | 1.50 |
| 32426T30K | 26W TRIPLE LAMP PL 4-PIN 30K | 1680 | 3000 | 4.87 | 1.50 |
| 32426T35K | 26W TRIPLE LAMP PL 4-PIN 35K | 1680 | 3500 | 4.87 | 1.50 |
| 32426T41K | 26W TRIPLE LAMP PL 4-PIN 41K | 1680 | 4100 | 4.87 | 1.50 |
| 32426T50K | 26W TRIPLE LAMP PL 4-PIN 50K | 1580 | 5000 | 4.87 | 1.50 |
| 32432T | | | | | |
| 32432T | 32W TRIPLE LAMP PL 4-PIN 27K | 1950 | 2700 | 5.46 | 1.47 |
| 32432T30K | 32W TRIPLE LAMP PL 4-PIN 30K | 1950 | 3000 | 5.46 | 1.47 |
| 32432T35K | 32W TRIPLE LAMP PL 4-PIN 35K | 1950 | 3500 | 5.46 | 1.47 |
| 32432T41K | 32W TRIPLE LAMP PL 4-PIN 41K | 1950 | 4100 | 5.46 | 1.47 |
| 32432T50K | 32W TRIPLE LAMP PL 4-PIN 50K | 1800 | 5000 | 5.46 | 1.47 |
| 32442T | | | | | |
| 32442T | 42W TRIPLE LAMP PL 4-PIN 27K | 2550 | 2700 | 6.26 | 1.48 |
| 32442T30K | 42W TRIPLE LAMP PL 4-PIN 30K | 2550 | 3000 | 6.26 | 1.48 |
| 32442T35K | 42W TRIPLE LAMP PL 4-PIN 35K | 2550 | 3500 | 6.26 | 1.48 |
| 32442T41K | 42W TRIPLE LAMP PL 4-PIN 41K | 2550 | 4100 | 6.26 | 1.48 |
| 32442T50K | 42W TRIPLE LAMP PL 4-PIN 50K | 2400 | 5000 | 6.26 | 1.48 |

12 MONTH WARRANTY

Compact Fluorescent PL Lamp | 10,000 Hours average rated life

Applications:

Perfect for most commercial applications: Use where a standard incandescent is used.

- + Table Lamps
- + Wall Sconces
- + Recessed Downlighting
- + Ceiling Fixtures
- + Outdoor Fixtures
- + Ceiling Fans



NOT compatible with dimming applications

Special Application Options: (Ordering Suffix)


- 2700°K (27K), 3000°K (30K), 3500°K (35K), 4100°K (41K), 5000°K (50K)

Features and Benefits


- Long Life, 10,000 hour average rated life
- Lower maintenance and labor costs for lamp replacements
- Lasts 7 years, based on 3 hours use a day
- Bulb lasts 10-13 times longer than similar incandescent bulbs
- 82 CRI




G23 base
Twin Tube




2GX7 base
Twin Tube




G23-2 base
Quad Tube




G24d base
Quad Tube



GX32d base
Quad Tube



G24q base
Quad Tube



GX24q base
Triple Tube



PL Lamp Specifications

| Item # | Description | Initial Lumens | CCT | M.O.L. (inches) | Diameter (inches) |
|------------------|--------------------------------|----------------|------|-----------------|-------------------|
| 32007 | | | | | |
| 32007 | 7W TWIN TUBE PL LAMP 2PIN 27K | 400 | 2700 | 5.30 | 1.22 |
| 3200741K | 7W TWIN TUBE PL LAMP 2PIN 41K | 400 | 4100 | 5.30 | 1.22 |
| 32009 | | | | | |
| 32009 | 9W TWIN TUBE PL LAMP 27K | 570 | 2700 | 6.50 | 1.01 |
| 3200935K | 9W TWIN TUBE PL LAMP 35K | 570 | 3500 | 6.50 | 1.01 |
| 3200941K | 9W TWIN TUBE PL LAMP 41K | 570 | 4100 | 6.50 | 1.01 |
| 32013 | | | | | |
| 32013 | 13W TWIN TUBE PL LMP 2-PIN 27K | 780 | 2700 | 7.00 | 1.06 |
| 3201335K | 13W TWIN TUBE PL LMP 2-PIN-35K | 780 | 3500 | 7.00 | 1.06 |
| 3201341K | 13W TWIN TUBE 41K | 780 | 4100 | 7.00 | 1.06 |
| 3201350K | 13W TWIN TUBE PL LMP 2-PIN 50K | 730 | 5000 | 7.00 | 1.06 |
| 324132GX7 | | | | | |
| 324132GX7 | 13W 4 PIN PL 2GX7 BASE | 780 | 2700 | 6.375 | 1.26 |
| 324132GX735K | 13W 4 PIN PL 2GX7 BASE 35K | 780 | 3500 | 6.375 | 1.26 |
| 32018Q | | | | | |
| 32018Q | 18W QUAD PL LMP-2700K | 1150 | 2700 | 5.96 | 1.34 |
| 32018Q35K | 18W QUAD PL LMP-35K | 1150 | 3500 | 5.96 | 1.34 |
| 32018Q41K | 18W QUAD PL LMP-41K | 1150 | 4100 | 5.96 | 1.34 |
| 32026Q | | | | | |
| 32026Q | 26W QUAD PL LMP-27K | 1680 | 2700 | 6.75 | 1.34 |
| 32026Q35K | 26W QUAD PL LMP-35K | 1680 | 3500 | 6.75 | 1.34 |
| 32026Q41K | 26W QUAD PL LMP-41K | 1680 | 4100 | 6.75 | 1.34 |
| 32413Q | | | | | |
| 32413Q | 13W QUAD LAMP PL 4-PIN | 860 | 2700 | 5.08 | 1.03 |
| 32413Q35K | 13W QUAD LAMP PL 4-PIN 35K | 860 | 3500 | 5.08 | 1.03 |
| 32413Q41K | 13W QUAD LAMP PL 4-PIN 41K | 860 | 4100 | 5.08 | 1.03 |
| 32418Q | | | | | |
| 32418Q | 18W QUAD LAMP PL 4-PIN | 1150 | 2700 | 5.60 | 1.02 |
| 32418Q30K | 18W QUAD LAMP PL 4-PIN 30K | 1150 | 3000 | 5.60 | 1.02 |
| 32418Q35K | 18W QUAD LAMP PL 4-PIN 35K | 1150 | 3500 | 5.60 | 1.02 |
| 32418Q41K | 18W QUAD LAMP PL 4-PIN 41K | 1150 | 4100 | 5.60 | 1.02 |
| 32426Q | | | | | |
| 32426Q | 26W QUAD LAMP PL 4-PIN | 1700 | 2700 | 6.25 | 1.04 |
| 32426Q30K | 26W QUAD LAMP PL 4-PIN 30K | 1700 | 3000 | 6.25 | 1.04 |
| 32426Q35K | 26W QUAD LAMP PL 4-PIN 35K | 1700 | 3500 | 6.25 | 1.04 |
| 32426Q41K | 26W QUAD LAMP PL 4-PIN 41K | 1700 | 4100 | 6.25 | 1.04 |
| 32418T | | | | | |
| 32418T | 18W TRIPLE LAMP PL 4-PIN 27K | 1200 | 2700 | 4.28 | 1.75 |
| 32418T30K | 18W TRIPLE LAMP PL 4-PIN 30K | 1200 | 3000 | 4.28 | 1.75 |
| 32418T35K | 18W TRIPLE LAMP PL 4-PIN 35K | 1200 | 3500 | 4.28 | 1.75 |
| 32418T41K | 18W TRIPLE LAMP PL 4-PIN 41K | 1200 | 4100 | 4.28 | 1.75 |
| 32426T | | | | | |
| 32426T | 26W TRIPLE LAMP PL 4-PIN 27K | 1680 | 2700 | 4.87 | 1.50 |
| 32426T30K | 26W TRIPLE LAMP PL 4-PIN 30K | 1680 | 3000 | 4.87 | 1.50 |
| 32426T35K | 26W TRIPLE LAMP PL 4-PIN 35K | 1680 | 3500 | 4.87 | 1.50 |
| 32426T41K | 26W TRIPLE LAMP PL 4-PIN 41K | 1680 | 4100 | 4.87 | 1.50 |
| 32426T50K | 26W TRIPLE LAMP PL 4-PIN 50K | 1580 | 5000 | 4.87 | 1.50 |
| 32432T | | | | | |
| 32432T | 32W TRIPLE LAMP PL 4-PIN 27K | 1950 | 2700 | 5.46 | 1.47 |
| 32432T30K | 32W TRIPLE LAMP PL 4-PIN 30K | 1950 | 3000 | 5.46 | 1.47 |
| 32432T35K | 32W TRIPLE LAMP PL 4-PIN 35K | 1950 | 3500 | 5.46 | 1.47 |
| 32432T41K | 32W TRIPLE LAMP PL 4-PIN 41K | 1950 | 4100 | 5.46 | 1.47 |
| 32432T50K | 32W TRIPLE LAMP PL 4-PIN 50K | 1800 | 5000 | 5.46 | 1.47 |
| 32442T | | | | | |
| 32442T | 42W TRIPLE LAMP PL 4-PIN 27K | 2550 | 2700 | 6.26 | 1.48 |
| 32442T30K | 42W TRIPLE LAMP PL 4-PIN 30K | 2550 | 3000 | 6.26 | 1.48 |
| 32442T35K | 42W TRIPLE LAMP PL 4-PIN 35K | 2550 | 3500 | 6.26 | 1.48 |
| 32442T41K | 42W TRIPLE LAMP PL 4-PIN 41K | 2550 | 4100 | 6.26 | 1.48 |
| 32442T50K | 42W TRIPLE LAMP PL 4-PIN 50K | 2400 | 5000 | 6.26 | 1.48 |

12 MONTH WARRANTY