

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



48322301 Shockwave 30 Knuckle Pivoting Bit Holder 11PC *Milwaukee Electric Tool*

| Catalog Number | 48322301 |
|-----------------------------|--|
| Manufacturer | Milwaukee Electric Tool |
| Description | Milwaukee® Shockwave™ Impact Duty™ 30° Knuckle™ Pivoting Bit Holder Allows Users to Drive Fasteners and Drill Holes In Tight, Difficult Work Areas. Its Innovative, Compact Design Locks At A 0° or 30° Angle and Is Designed For Use With Shockwave™ Impact Duty™ 1/4 In. Hex Accessories. It Is Rated to Handle Up to 2, 000 In-LBS Of Torque In Impact Drivers . The 30° Knuckle™ Is Engineered With Milwaukee® Shockwave™ Impact Duty™ Technology Which Is Built For Extreme Durability and Up to 10X Life. Made From Propri |
| Weight per unit | 0.4700 (lbs/each) |
| Product Category | Bits, Parts, Accessories |
| Features | |
| idea granular category code | 2413 |
| Material | HEAT TREATED STEEL |
| Dimensions and Weight | |
| Length | 5.0 |



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

| ъ. | | | | |
|--------------|-------|-----|---------------------------|-----|
| | SCI | nni | \mathbf{r} | nc |
| | - N I | | | |
| \mathbf{r} | , 301 | IN | $\cdot \cdot \cdot \cdot$ | 113 |
| | | - | | _ |

| Description | SHOCKWAVE 30 KNUCKLE PIVOTING BIT HOLDER 11PC |
|-------------------------|---|
| extra long description | MILW 48-32-2301 11-Piece Impact Knu |
| Features | MILWAUKEE® delivers accessories that drive user productivity and cordless efficiency. Solutions are developed with an understanding of jobsite demands, like SHOCKWAVE™ Impact Duty Bits and the fastest cutting, longest life NITRUS™ CARBIDE cutting blades. Milwaukee provides a wide range of accessories covering everything from cutting to fastening with oscillating multi-tool blade, hole saws, SAWZALL® reciprocating saw blades, wood drilling, metal drilling, concrete drilling & chiseling, driving, fastening, |
| Long Description | Milwaukee® SHOCKWAVE™ Impact Duty™ 30° knuckle™ pivoting bit holder allows users to drive fasteners and drill holes in tight, difficult work areas. Its innovative, compact design locks at a 0° or 30° angle and is designed for use with SHOCKWAVE™ Impact Duty™ 1/4 in. hex accessories. It is rated to handle up to 2,000 in-lbs of torque in impact drivers . The 30° knuckle™ is engineered with Milwaukee® SHOCKWAVE™ Impact Duty™ technology which is built for extreme durability and up to 10x life. Made from propri |
| Product Type | 11-Piece Impact Knuckle Set |
| Special Features | Pivots to lock at a 0 - 30 DEG angle; Proprietary steel and heat treat process for maximum strength and durability; It is rated to handle up to 2, 000 LB-IN of torque in impact drivers; The 30 DEG Knuckle is engineered with Milwaukee SHOCKWAVE impact duty technology which is built for extreme durability and up to 10x life; Includes: (1) phillips Bit 1 IN P1, (1) phillips Bit 1 IN P2, (1) phillips Bit 1 IN P3, (1) slotted Bit 1 IN SL 1/4 IN, (1) slotted Bit 1 IN SL 1/8 IN, (1) slotted Bit 1 IN SL 3/16 IN, (1) |
| anufacturer Information | |
| Brand | Milwaukee® |
| GTIN | 00045242269587 |

Ma

| Brand | Milwaukee® |
|---------------------------|----------------|
| GTIN | 00045242269587 |
| Manufacturers Part Number | 48-32-2301 |
| UPC | 045242269587 |

Taxonomies, Classifications, and Categories

| Category Description | BITS, BLADES, AND HOLE SAWS |
|----------------------|------------------------------|
| Type | 11-Piece Pivoting Bit Holder |

Packaging

| Carton | 1 |
|-----------------|------|
| Weight Per each | 0.47 |

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

Application

For Use With Milwaukee SHOCKWAVE Impact Duty Insert Magnetic Nut Drivers (1/4 IN, 5/16 IN, 3/8 IN, 7/16 IN, 1/2 IN)