



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



4T 414AWG Du Rated Lug

Nsi Industries

| | |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Catalog Number | 4T |
| Manufacturer | Nsi Industries |
| Description | Mechanical Connector, #14 Awg Conductor Size, #4 Awg Conductor Size, Non-Insulated, Aluminum/Copper Conductor Material, 1 Conductor, +90 °C Operating Temperature, 1.06 In Overall Length, Screw Terminal, 600 V, 0.02 LB/Ea |
| Weight per unit | 0.0200 (lbs/each) |
| Product Category | Large Terminals & Connectors |

Features

| | |
|----------------|----------|
| Material | Aluminum |
| Poles | 1 |
| Voltage Rating | 600 |
| Warranty | 1 YEAR |

Material, Color, and Finish

| | |
|--------|----------|
| Color | Silver |
| Finish | Aluminum |

Descriptions

| | |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Description | 414AWG DU RATED LUG |
| extra long description | NSI 4T Dual Rated Lug 4-14 AWG |
| Features | 1 Port Aluminum Lug 4-14 AWG Aluminum Single Lugs are versatile and reuseable set screw connectors made of 6061T-6 aluminum alloy. Electro-tin plated for low contact resistance. Suitable for use with both copper and aluminum conductors. Temperature Rating 90 degrees C. Rated 600 volts (2000V max. per UL486B). UL 486A/B Listed. . |

Manufacturer Information

| | |
|------|----------------|
| GTIN | 00662381001016 |
| UPC | 662381001016 |

Packaging

| | |
|-----------------|------|
| Carton | 1 |
| Package | 100 |
| Weight Per each | 0.02 |

Uses, Certifications, and Standards

| | |
|--------------------------|------|
| environmental conditions | 90 C |
| Temperature Rating | 90 C |