

Pain-Free Wire Pulling



Fish & Glow Rods

New Splinter Guard™ fiberglass fish and glow rods from Klein Tools® now include a proprietary protective coating to safeguard your hands from splinters when wire pulling.



KLEIN TOOLS®



For Professionals... Since 1857®

Fish and Glow Rods



Protective coating keeps hands free of fiberglass splinters



Luminescent glow rods provide added visibility in dark workspaces. Improved glow shines *2X brighter* and lasts *2X longer*



Thread sections together to customize the length needed for your job - no tools needed



Sets include bullet nose and hook attachments to attach and grab wires



Splinter Guard allows you to work pain-free and glove-free. Maintain complete dexterity whether installing wires above ceilings, in attics, through walls, in crawl spaces, under carpets or raised floors. Available in a variety of flexibilities and lengths to meet any application.

| Cat. No. | UPC Code 0-92644+ | Description | Set Contains | Overall Length | Diameter | Weight lbs (kg) |
|------------------|-------------------|---------------------------|--|----------------|-------------------------------|---------------------|
| Fish Rods | | | | | | |
| 56312 | 56312-6 | 12' Lo-Flex Fish Rod Set | (3) 1/4" diameter 4' fish rods with bullet nose and hook attachments | 12' (3.7 m) | 1/4" (6.4 mm) | 1.2 lbs. (0.54 kg) |
| 56324 | 56324-9 | 24' Lo-Flex Fish Rod Set | (4) 1/4" diameter 6' fish rods with bullet nose and hook attachments | 24' (7.3 m) | 1/4" (6.4 mm) | 2.2 lbs. (1.0 kg) |
| 56325 | 56325-6 | 25' Fish and Glow Rod Set | (5) 1/4" diameter 4' fish rods, (1) 3/16" diameter 5' glow rod with bullet nose and hook attachments | 25' (7.6 m) | 1/4" and 3/16" (6.4 and 5 mm) | 1.7 lbs. (0.77 kg) |
| 56304 | 56304-1 | 4' Lo-Flex Fish Rod | | 4' (1.2 m) | 1/4" (6.4 mm) | 0.20 lbs. (0.09 kg) |
| 56306 | 56306-5 | 6' Lo-Flex Fish Rod | | 6' (1.8 m) | 1/4" (6.4 mm) | 0.36 lbs. (0.16 kg) |
| Glow Rods | | | | | | |
| 56409 | 56409-3 | 9' Mid-Flex Glow Rod Set | (6) 3/16" diameter 18" glow rods with bullet nose and hook attachments | 9' (2.7 m) | 3/16" (5 mm) | 0.51 lbs. (0.23 kg) |
| 56415 | 56415-4 | 15' Mid-Flex Glow Rod Set | (3) 3/16" diameter 5' glow rods with bullet nose and hook attachments | 15' (4.6 m) | 3/16" (5 mm) | 0.78 lbs. (0.35 kg) |
| 56418 | 56418-5 | 18' Hi-Flex Glow Rod Set | (3) 5/32" diameter 6' glow rods with bullet nose and hook attachments | 18' (5.5 m) | 5/32" (3mm) | 0.84 lbs. (0.38 kg) |
| 56405 | 56405-5 | 5' Mid-Flex Glow Rod | | 5' (1.5 m) | 3/16" (5 mm) | 0.18 lbs. (0.08 kg) |
| 56406 | 56406-2 | 6' Hi-Flex Glow Rod | | 6' (1.8 m) | 5/32" (3 mm) | 0.20 lbs. (0.09 kg) |



See our complete line of Wire Pulling Products at

www.kleintools.com

800-553-4676



© 2013 Klein Tools, Inc.
Lincolnshire, IL 60069-1418
Printed in U.S.A. 96208

Pain-Free Wire Pulling



Fish & Glow Rods

New Splinter Guard™ fiberglass fish and glow rods from Klein Tools® now include a proprietary protective coating to safeguard your hands from splinters when wire pulling.



KLEIN TOOLS®



For Professionals... Since 1857®

Fish and Glow Rods



Protective coating keeps hands free of fiberglass splinters




Luminescent glow rods provide added visibility in dark workspaces. Improved glow shines *2X brighter* and lasts *2X longer*



Thread sections together to customize the length needed for your job - no tools needed



Sets include bullet nose and hook attachments to attach and grab wires



Splinter Guard allows you to work pain-free and glove-free. Maintain complete dexterity whether installing wires above ceilings, in attics, through walls, in crawl spaces, under carpets or raised floors. Available in a variety of flexibilities and lengths to meet any application.

| Cat. No. | UPC Code 0-92644+ | Description | Set Contains | Overall Length | Diameter | Weight lbs (kg) |
|------------------|-------------------|---------------------------|--|----------------|-------------------------------|---------------------|
| Fish Rods | | | | | | |
| 56312 | 56312-6 | 12' Lo-Flex Fish Rod Set | (3) 1/4" diameter 4' fish rods with bullet nose and hook attachments | 12' (3.7 m) | 1/4" (6.4 mm) | 1.2 lbs. (0.54 kg) |
| 56324 | 56324-9 | 24' Lo-Flex Fish Rod Set | (4) 1/4" diameter 6' fish rods with bullet nose and hook attachments | 24' (7.3 m) | 1/4" (6.4 mm) | 2.2 lbs. (1.0 kg) |
| 56325 | 56325-6 | 25' Fish and Glow Rod Set | (5) 1/4" diameter 4' fish rods, (1) 3/16" diameter 5' glow rod with bullet nose and hook attachments | 25' (7.6 m) | 1/4" and 3/16" (6.4 and 5 mm) | 1.7 lbs. (0.77 kg) |
| 56304 | 56304-1 | 4' Lo-Flex Fish Rod | | 4' (1.2 m) | 1/4" (6.4 mm) | 0.20 lbs. (0.09 kg) |
| 56306 | 56306-5 | 6' Lo-Flex Fish Rod | | 6' (1.8 m) | 1/4" (6.4 mm) | 0.36 lbs. (0.16 kg) |
| Glow Rods | | | | | | |
| 56409 | 56409-3 | 9' Mid-Flex Glow Rod Set | (6) 3/16" diameter 18" glow rods with bullet nose and hook attachments | 9' (2.7 m) | 3/16" (5 mm) | 0.51 lbs. (0.23 kg) |
| 56415 | 56415-4 | 15' Mid-Flex Glow Rod Set | (3) 3/16" diameter 5' glow rods with bullet nose and hook attachments | 15' (4.6 m) | 3/16" (5 mm) | 0.78 lbs. (0.35 kg) |
| 56418 | 56418-5 | 18' Hi-Flex Glow Rod Set | (3) 5/32" diameter 6' glow rods with bullet nose and hook attachments | 18' (5.5 m) | 5/32" (3mm) | 0.84 lbs. (0.38 kg) |
| 56405 | 56405-5 | 5' Mid-Flex Glow Rod | | 5' (1.5 m) | 3/16" (5 mm) | 0.18 lbs. (0.08 kg) |
| 56406 | 56406-2 | 6' Hi-Flex Glow Rod | | 6' (1.8 m) | 5/32" (3 mm) | 0.20 lbs. (0.09 kg) |



See our complete line of Wire Pulling Products at

www.kleintools.com

800-553-4676



© 2013 Klein Tools, Inc.
Lincolnshire, IL 60069-1418
Printed in U.S.A. 96208