



Southwire™

TOOLS & EQUIPMENT

2018 CORD SOLUTIONS CATALOG



BUILT FOR DURABILITY.
BUILT FOR RELIABILITY.
BUILT FOR WORK.™

SOUTHWIRETOOLS.COM

OUR STORY

For over 60 years, Southwire has provided high quality electrical wire and cable to the commercial and industrial construction industries. Now, the name you trust provides durable, cutting-edge professional grade tools, designed with safety and productivity in mind. Look to Southwire® for solutions to all your electrical needs, from electrician's hand tools, meters, contractor equipment, temporary power, and extension cords.

SOUTHWIRE, THE COMPANY

Southwire Company, LLC is North America's leading manufacturer of wire and cable used in the distribution and transmission of electricity. Throughout its history, our company has sought to help provide power through our products, our service and by helping empower our customers, employees and communities.

SOUTHWIRE, THE PEOPLE

With more than 7,000 people at customer service centers, manufacturing facilities and sales offices throughout North America, we are dedicated to developing the highest-quality products and legendary service.

THE DRIVE FOR EXCELLENCE

Driving for excellence starts with being responsive to our customers and the markets we serve. By creating divisions, Southwire Company enables each to foster an entrepreneurial spirit, innovative solutions and responsiveness required in today's business. At the same time each division can leverage the resources and rich history of Southwire Company as a whole.

THE PRODUCTS

To be successful requires products that give you solutions no matter what stage of the project cycle you are in. Our product teams and dedicated resources work together to listen to and work with our customers, creating solutions that deliver unparalleled value through product innovation safety, and efficiency.

THE SERVICE

Service is more than a word or a phone number, it's a tangible support system that assists you through the entire project cycle. Starting with our own knowledgeable customer service team, to our National Field Sales team, and our new District Merchandising Specialists. In the office or in the field, we're there to lend a hand, just when you need it most. 1-855-SWTOOLS (855-798-6657)



TABLE OF CONTENTS

| | |
|--|----|
| Polar/Solar® Supreme & Polar/Solar®..... | 4 |
| ColdFlex™ Cold Weather Cords..... | 6 |
| Royal® Welding Cords..... | 7 |
| Agripro™ Farm-Tough Cords..... | 8 |
| Outdoor Extension Cords..... | 9 |
| Heavy-Duty Outdoor Extension Cords..... | 12 |
| Specialty Extension Cords..... | 13 |
| Adapters..... | 17 |
| Cord Organization..... | 19 |

HOW TO ORDER

To order, please contact your Southwire Tools & Equipment sales representative.

POLAR/SOLAR® SUPREME



Polar/Solar® Supreme extension cords are formulated to offer superior jobsite performance in extremely cold weather.

- Temperature Rating of -94°F to 221°F (-70°C to 105°C)
- 125 Voltage Rating
- Abrasion, chemical and oil resistant
- Common Applications: Cable Puller, Chop Saw, Rotary Hammer Drill

SPECIFICATIONS

OUTDOOR EXTENSION CORDS W/ POWER LIGHT INDICATOR



1638SW0061

| Stock # | Gauge/ Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|----------------------|-----------|-------------|------------|------------|------|--------------------|
| 1437SW0061 | 14/3 | SJEOW | 25' | 7.6 m | Blue/White | 15 | 12 |
| 1438SW0061 | 14/3 | SJEOW | 50' | 15.2 m | Blue/White | 15 | 6 |
| 1439SW0061 | 14/3 | SJEOW | 100' | 30.5 m | Blue/White | 13 | 6 |
| 1637SW0061 | 12/3 | SJEOW | 25' | 7.6 m | Blue/White | 15 | 12 |
| 1638SW0061 | 12/3 | SJEOW | 50' | 15.2 m | Blue/White | 15 | 6 |
| 1639SW0061 | 12/3 | SJEOW | 100' | 30.5 m | Blue/White | 15 | 4 |

POLAR SOLAR | CORDS

POLAR/SOLAR®

Polar/Solar® extension cords are built to stay flexible under the most extreme temperatures.

- Temperature Rating of -58°F to 221°F (-50°C to 105°C)
- 125 Voltage Rating
- Abrasion, chemical and oil resistant
- Common Applications: Cable Puller, Chop Saw, Rotary Hammer Drill

SPECIFICATIONS

OUTDOOR EXTENSION CORDS



1628SW0008

| Stock # | Gauge/ Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|----------------------|-----------|-------------|------------|------------|------|--------------------|
| 1427SW0008 | 14/3 | SJE00W | 25' | 7.6 m | Black | 15 | 12 |
| 1428SW0008 | 14/3 | SJE00W | 50' | 15.2 m | Black | 15 | 6 |
| 1429SW0008 | 14/3 | SJE00W | 100' | 30.5 m | Black | 13 | 6 |
| 1628SW0008 | 12/3 | SJE00W | 50' | 15.2 m | Black | 15 | 6 |
| 1629SW0008 | 12/3 | SJE00W | 100' | 30.5 m | Black | 15 | 4 |



1688SW0002

OUTDOOR EXTENSION CORDS W/ POWER LIGHT INDICATOR

| Stock # | Gauge/ Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|----------------------|-----------|-------------|------------|------------|------|--------------------|
| 1287SW0002 | 16/3 | SJEOW | 25' | 7.6 m | Yellow | 13 | 12 |
| 1288SW0002 | 16/3 | SJEOW | 50' | 15.2 m | Yellow | 13 | 12 |
| 1289SW0002 | 16/3 | SJEOW | 100' | 30.5 m | Yellow | 10 | 6 |
| 14840002 | 14/3 | SJE00W | 10' | 3 m | Yellow | 15 | 24 |
| 1487SW0002 | 14/3 | SJE00W | 25' | 7.6 m | Yellow | 15 | 12 |
| 1488SW0002 | 14/3 | SJE00W | 50' | 15.2 m | Yellow | 15 | 6 |
| 1489SW0002 | 14/3 | SJE00W | 100' | 30.5 m | Yellow | 13 | 6 |
| 1687SW0002 | 12/3 | SJE00W | 25' | 7.6 m | Yellow | 15 | 12 |
| 1688SW0002 | 12/3 | SJE00W | 50' | 15.2 m | Yellow | 15 | 6 |
| 1689SW0002 | 12/3 | SJE00W | 100' | 30.5 m | Yellow | 15 | 4 |
| 1787SW0002 | 10/3 | SJE00W | 25' | 7.6 m | Yellow | 15 | 6 |
| 1788SW0002 | 10/3 | SJE00W | 50' | 15.2 m | Yellow | 15 | 4 |
| 1789SW0002 | 10/3 | SJE00W | 100' | 30.5 m | Yellow | 15 | 3 |



1768SW0002

HEAVY-DUTY OUTDOOR EXTENSION CORDS W/ POWER LIGHT INDICATOR

| Stock # | Gauge/ Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|----------------------|-----------|-------------|------------|------------|------|--------------------|
| 1567SW0002 | 14/3 | SE00W | 25' | 7.6 m | Yellow | 15 | 6 |
| 1568SW0002 | 14/3 | SE00W | 50' | 15.2 m | Yellow | 15 | 6 |
| 1569SW0002 | 14/3 | SE00W | 100' | 30.5 m | Yellow | 13 | 3 |
| 1767SW0002 | 12/3 | SE00W | 25' | 7.6 m | Yellow | 15 | 12 |
| 1768SW0002 | 12/3 | SE00W | 50' | 15.2 m | Yellow | 15 | 6 |
| 1769SW0002 | 12/3 | SE00W | 100' | 30.5 m | Yellow | 15 | 4 |



3488SW0002

OUTDOOR TRITAP EXTENSION CORDS W/ POWER LIGHT INDICATOR

| Stock # | Gauge/ Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|----------------------|-----------|-------------|------------|------------|------|--------------------|
| 3482SW8802 | 12/3 | SE0W | 2' | 0.6 m | Yellow | 15 | 12 |
| 3487SW0002 | 12/3 | SJE00W | 25' | 7.6 m | Yellow | 15 | 12 |
| 3488SW0002 | 12/3 | SJE00W | 50' | 15.2 m | Yellow | 15 | 6 |
| 3489SW0002 | 12/3 | SJE00W | 100' | 30.5 m | Yellow | 15 | 4 |
| 3588SW0002 | 10/3 | SJE00W | 50' | 15.2 m | Yellow | 15 | 4 |
| 3589SW0002 | 10/3 | SJE00W | 100' | 30.5 m | Yellow | 15 | 3 |

CORDS | POLAR SOLAR

COLDFLEX™ COLD WEATHER CORDS

ColdFlex™ extension cords withstand harsh, winter temperatures, and have a highly visible bright blue jacket to increase safety.

- Temperature Rating of -58°F to 140°F (-50°C to 60°C)
- 125 Voltage Rating
- Common Applications: Snow Thrower, Electric Chainsaw, Work Light

SPECIFICATIONS

OUTDOOR EXTENSION CORDS



2568SW0006

| Stock # | Gauge/ Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|----------------------|---------------|-------------|------------|------------|------|-----------------------|
| 2367SW8806 | 16/3 | ColdFlex SJTW | 25' | 7.6 m | Blue | 13 | 12 |
| 2368SW8806 | 16/3 | ColdFlex SJTW | 50' | 15.2 m | Blue | 13 | 12 |
| 2436 | 16/3 | ColdFlex SJTW | 100' | 30.5 m | Blue | 10 | 6 |
| 2467SW8806 | 14/3 | ColdFlex SJTW | 25' | 7.6 m | Blue | 15 | 6 |
| 2468SW8806 | 14/3 | ColdFlex SJTW | 50' | 15.2 m | Blue | 15 | 6 |
| 2469SW8806 | 14/3 | ColdFlex SJTW | 100' | 30.5 m | Blue | 13 | 3 |
| 2437 | 12/3 | ColdFlex SJTW | 25' | 7.6 m | Blue | 15 | 12 |
| 2568SW0006 | 12/3 | ColdFlex SJTW | 50' | 15.2 m | Blue | 15 | 4 |
| 2569SW0006 | 12/3 | ColdFlex SJTW | 100' | 30.5 m | Blue | 15 | 4 |



32688806

TRITAP EXTENSION CORDS W/ POWER LIGHT INDICATOR

| Stock # | Gauge/ Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|----------|----------------------|---------------|-------------|------------|------------|------|-----------------------|
| 32678806 | 14/3 | ColdFlex SJTW | 25' | 7.6 m | Blue | 15 | 6 |
| 32688806 | 14/3 | ColdFlex SJTW | 50' | 15.2 m | Blue | 15 | 6 |
| 41688806 | 12/3 | ColdFlex SJTW | 50' | 15.2 m | Blue | 15 | 6 |

ROYAL[®] WELDING CORDS



Royal[®] extension cords are resistant to welding slag and are the most flexible extension cord on the market.

- Temperature Rating of -40°F to 194°F (-40°C to 90°C)
- 125 Voltage Rating
- Abrasion, chemical, and oil resistant
- Common Applications: Welder, Angle Grinder, Rotary Hammer Drill

SPECIFICATIONS

OUTDOOR EXTENSION CORDS W/ POWER LIGHT INDICATOR



3678SW0008

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|------------------|-----------|-------------|------------|------------|------|--------------------|
| 3677SW0008 | 12/3 | SJ00W | 25' | 7.6 m | Black | 15 | 12 |
| 3687SW0002 | 12/3 | SJ00W | 25' | 7.6 m | Yellow | 15 | 12 |
| 3678SW0008 | 12/3 | SJ00W | 50' | 15.2 m | Black | 15 | 6 |
| 3688SW0002 | 12/3 | SJ00W | 50' | 15.2 m | Yellow | 15 | 6 |
| 3679SW0008 | 12/3 | SJ00W | 100' | 30.5 m | Black | 15 | 4 |
| 3689SW0002 | 12/3 | SJ00W | 100' | 30.5 m | Yellow | 15 | 4 |

AGRIPRO™ FARM-TOUGH CORDS

Agri-Pro™ extension cords are ideal for farm, ranch, and workshop jobs.

- Temperature Rating of -58°F to 221°F (-50°C to 105°C)
- 125 Voltage Rating
- Abrasion, chemical and oil resistant
- Common Applications: Air Compressor, Chop Saw, Electric Chain Saw

SPECIFICATIONS

EXTENSION CORDS

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|----------|------------------|-----------|-------------|------------|------------|------|--------------------|
| 12270008 | 16/3 | SJEOW | 25' | 7.6 m | Black | 13 | 12 |
| 12280008 | 16/3 | SJEOW | 50' | 15.2 m | Black | 13 | 12 |
| 2457 | 12/3 | SJTOW | 50' | 15.2 m | Black | 15 | 4 |



12280008



2451

TRITAP EXTENSION CORDS

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|--------------|------------------|-----------|-------------|------------|------------|------|--------------------|
| 54533501* ** | 14/3 | SJOW | 15' | 4.6 m | Black | 15 | 18 |
| 2451 | 14/3 | SJTOW | 25' | 7.6 m | Black | 15 | 12 |

*Lighted Banana Receptacle

**Product packaging is advertised in Meters

OUTDOOR EXTENSION CORDS

Southwire outdoor extension cords are perfect for a variety of outdoor applications. These cords come in a variety of colors to increase visibility and prevent jobsite loss.

- Temperature rating of -40°F to 140°F (-40°C to 60°C)
- 125 Voltage Rating
- Common Applications: Electric Push Mower, Pressure Washer, Electric Drill

SPECIFICATIONS

EXTENSION CORDS

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|------------------|-----------|-------------|------------|------------|------|--------------------|
| 22078803 | 16/2 | SJTW | 25' | 7.6 m | Orange | 13 | 12 |
| 22098803 | 16/2 | SJTW | 100' | 30.5 m | Orange | 10 | 6 |
| 2211SW8808 | 16/3 | SJOW | 10' | 3 m | Black | 13 | 24 |
| 2304SW8803 | 16/3 | SJTW | 10' | 3 m | Orange | 13 | 24 |
| 2306SW8808 | 16/3 | SJTW | 15' | 4.6 m | Black | 13 | 18 |
| 2305SW8803 | 16/3 | SJTW | 15' | 4.6 m | Orange | 13 | 18 |
| 2307SW8803 | 16/3 | SJTW | 25' | 7.6 m | Orange | 13 | 12 |
| 2308SW8803 | 16/3 | SJTW | 50' | 15.2 m | Orange | 13 | 12 |
| 2309SW8803 | 16/3 | SJTW | 100' | 30.5 m | Orange | 10 | 6 |
| 2407SW8804 | 14/3 | SJTW | 25' | 7.6 m | Red | 15 | 12 |
| 2408SW8804 | 14/3 | SJTW | 50' | 15.2 m | Red | 15 | 6 |
| 2409SW8804 | 14/3 | SJTW | 100' | 30.5 m | Red | 13 | 6 |
| 517 | 10/3 | SJTW | 50' | 15.2 m | Orange | 15 | 2 |
| 26188802^+ | 10/3 | SJTOW | 50' | 15.2 m | Yellow | 20 | 2 |
| 518 | 10/3 | SJTW | 100' | 30.5 m | Orange | 15 | 2 |

^5-20 P/R +LE Receptacle



2304SW8803



26188802

CORDS | SOUTHWIRE



2488SW8804



541901



2577SW000H



2577SW000X



547703

EXTENSION CORDS W/ POWER LIGHT INDICATOR

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|------------------|-----------|-------------|------------|-----------------------|------|--------------------|
| 540836** | 14/3 | STW | 3' | 0.9 m | Red/Black | 15 | 12 |
| 541901** | 14/3 | SJTW | 22' | 7 m | Red/Black | 15 | 6 |
| 2487SW8804 | 14/3 | SJTW | 25' | 7.6 m | Red | 15 | 12 |
| 2488SW8804 | 14/3 | SJTW | 50' | 15.2 m | Red | 15 | 6 |
| 541902** | 14/3 | SJTW | 50' | 15.2 m | Red/Black | 15 | 5 |
| 54800401** | 14/3 | SJTW | 50' | 15.2 m | Neon Pink | 13 | 13 |
| 521* | 14/3 | SJTW | 50' | 15.2 m | Yellow/Black | 15 | 13 |
| 2489SW8804 | 14/3 | SJTW | 100' | 30.5 m | Red | 13 | 6 |
| 541909** | 14/3 | SJTW | 100' | 30.5 m | Red/Black | 15 | 3 |
| 2577SW000H | 12/3 | SJTW | 25' | 7.6 m | Cool Blue | 15 | 12 |
| 2577SW000X | 12/3 | SJTW | 25' | 7.6 m | Cool Green | 15 | 12 |
| 547703** | 12/3 | SJTW | 25' | 7.6 m | Dark Green/Yellow | 15 | 12 |
| 2577SW000A | 12/3 | SJTW | 25' | 7.6 m | Cool Pink | 15 | 12 |
| 2587SW8802 | 12/3 | SJTW | 25' | 7.6 m | Yellow | 15 | 12 |
| 2578SW000H | 12/3 | SJTW | 50' | 15.2 m | Cool Blue | 15 | 8 |
| 2548SW0064 | 12/3 | SJTW | 50' | 15.2 m | Cool Blue/Red | 15 | 8 |
| 2548SW00HX | 12/3 | SJTW | 50' | 15.2 m | Cool Blue/Cool Green | 15 | 8 |
| 2548SW0052 | 12/3 | SJTW | 50' | 15.2 m | Dark Green/Yellow | 15 | 8 |
| 2548SW0054 | 12/3 | SJTW | 50' | 15.2 m | Lime Green/Red | 15 | 8 |
| 2578SW000X | 12/3 | SJTW | 50' | 15.2 m | Cool Green | 15 | 8 |
| 2548SW003V | 12/3 | SJTW | 50' | 15.2 m | Cool Orange/Cool Blue | 15 | 8 |
| 2578SW000A | 12/3 | SJTW | 50' | 15.2 m | Cool Pink | 15 | 8 |
| 2548SW0077 | 12/3 | SJTW | 50' | 15.2 m | Cool Pink/Lime Green | 15 | 8 |
| 2548SW0041 | 12/3 | SJTW | 50' | 15.2 m | Red/White | 15 | 8 |
| 2588SW0002 | 12/3 | SJTW | 50' | 15.2 m | Yellow | 15 | 8 |
| 2548SW0022 | 12/3 | SJTW | 50' | 15.2 m | Yellow/Purple | 15 | 8 |
| 550523** | 12/3 | SJTW | 50' | 15.2 m | Yellow/Black | 15 | 6 |
| 25850002 | 12/3 | SJTW | 80' | 24.4 m | Yellow | 15 | 4 |
| 2549SW0064 | 12/3 | SJTW | 100' | 30.5 m | Cool Blue/Red | 15 | 4 |
| 2579SW000H | 12/3 | SJTW | 100' | 30.5 m | Cool Blue | 15 | 4 |
| 2549SW0054 | 12/3 | SJTW | 100' | 30.5 m | Lime Green/Red | 15 | 4 |
| 2579SW000X | 12/3 | SJTW | 100' | 30.5 m | Cool Green | 15 | 4 |
| 2549SW0052 | 12/3 | SJTW | 100' | 30.5 m | Dark Green/Yellow | 15 | 4 |
| 2549SW003V | 12/3 | SJTW | 100' | 30.5 m | Cool Orange/Cool Blue | 15 | 4 |
| 2549SW0077 | 12/3 | SJTW | 100' | 30.5 m | Cool Pink/Lime Green | 15 | 4 |
| 2579SW000A | 12/3 | SJTW | 100' | 30.5 m | Cool Pink | 15 | 4 |
| 2549SW0041 | 12/3 | SJTW | 100' | 30.5 m | Red/White | 15 | 4 |
| 2549SW0022 | 12/3 | SJTW | 100' | 30.5 m | Yellow/Purple | 15 | 4 |
| 2589SW0002 | 12/3 | SJTW | 100' | 30.5 m | Yellow | 15 | 4 |
| 2687SW0002 | 10/3 | SJTW | 25' | 7.6 m | Yellow | 15 | 6 |
| 26480064 | 10/3 | SJTW | 50' | 15.2 m | Cool Blue/Red | 15 | 4 |
| 26480054 | 10/3 | SJTW | 50' | 15.2 m | Lime Green/Red | 15 | 4 |
| 2688SW0002 | 10/3 | SJTW | 50' | 15.2 m | Yellow | 15 | 4 |
| 26490064 | 10/3 | SJTW | 100' | 30.5 m | Cool Blue/Red | 15 | 3 |
| 26490054 | 10/3 | SJTW | 100' | 30.5 m | Lime Green/Red | 15 | 3 |
| 2689SW0002 | 10/3 | SJTW | 100' | 30.5 m | Yellow | 15 | 3 |

*Black Plugs

**Product packaging is advertised in Meters



2548SWUSA1

RED, WHITE, AND BLUE EXTENSION CORDS W/ POWER LIGHT INDICATOR

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|------------------|-----------|-------------|------------|----------------|------|--------------------|
| 2547SWUSA1 | 12/3 | SJTW | 25' | 7.6 m | Red/White/Blue | 15 | 12 |
| 2548SWUSA1 | 12/3 | SJTW | 50' | 15.2 m | Red/White/Blue | 15 | 8 |
| 2549SWUSA1 | 12/3 | SJTW | 100' | 30.5 m | Red/White/Blue | 15 | 4 |



4004SW8803

TRITAP EXTENSION CORDS

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|------------------|-----------|-------------|------------|------------|------|--------------------|
| 4004SW8803 | 14/3 | SJTW | 6' | 1.8 m | Orange | 15 | 18 |
| 4217SW8804 | 14/3 | SJTW | 25' | 7.6 m | Red | 15 | 12 |
| 4218SW8804 | 14/3 | SJTW | 50' | 15.2 m | Red | 15 | 6 |
| 4219SW8804 | 14/3 | SJTW | 100' | 30.5 m | Red | 13 | 6 |
| 4112SW8802 | 12/3 | STW | 2' | 0.6 m | Yellow | 15 | 12 |
| 19100002* | 12/3 | SJTW | 25' | 7.6 m | Yellow | 15 | 12 |

*Black Plugs



4188SW8802

TRITAP EXTENSION CORDS W/ POWER LIGHT INDICATOR

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|------------------|-----------|-------------|------------|------------|------|--------------------|
| 540835** | 14/3 | STW | 3' | 0.9 m | Red | 15 | 6 |
| 4187SW8802 | 12/3 | SJTW | 25' | 7.6 m | Yellow | 15 | 12 |
| 4188SW8802 | 12/3 | SJTW | 50' | 15.2 m | Yellow | 15 | 6 |
| 4189SW8802 | 12/3 | SJTW | 100' | 30.5 m | Yellow | 15 | 4 |
| 4388SW8802 | 10/3 | SJTW | 50' | 15.2 m | Yellow | 15 | 4 |
| 4389SW8802 | 10/3 | SJTW | 100' | 30.5 m | Yellow | 15 | 3 |

**Product packaging is advertised in Meters

HEAVY-DUTY OUTDOOR EXTENSION CORDS

Southwire heavy-duty extension cords have a thicker jacket than standard outdoor cords to withstand common jobsite wear and tear.

- Temperature rating of -40°F to 140°F (-40°C to 60°C)
- 125 Voltage Rating
- Common Applications: Table Saw, Heat Gun, Work Light



2558SW0003

SPECIFICATIONS

OUTDOOR EXTENSION CORDS

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|------------------|-----------|-------------|------------|------------|------|--------------------|
| 2457SW0003 | 14/3 | STW | 25' | 7.6 m | Orange | 15 | 6 |
| 2458SW0003 | 14/3 | STW | 50' | 15.2 m | Orange | 15 | 4 |
| 2459SW0003 | 14/3 | STW | 100' | 30.5 m | Orange | 13 | 3 |
| 2557SW0003 | 12/3 | STW | 25' | 7.6 m | Orange | 15 | 6 |
| 2558SW0003 | 12/3 | STW | 50' | 15.2 m | Orange | 15 | 4 |
| 2559SW0003 | 12/3 | STW | 100' | 30.5 m | Orange | 15 | 3 |



3130

MULTI-OUTLET EXTENSION CORDS

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|-----------|------------------|-----------|-------------|------------|------------|------|--------------------|
| 90028802* | 14/3 | STW | 6' | 1.8 m | Yellow | 15 | 6 |
| 3130 | 14/3 | STW | 9' | 2.7 m | Black | 15 | 4 |
| 90018802 | 14/3 | STW | 25' | 7.6 m | Yellow | 15 | 4 |

*Black Plugs

SPECIALTY EXTENSION CORDS

Southwire has a variety of specialty extension cords to meet a variety of indoor and outdoor needs.

SPECIFICATIONS



24388826

PUSH-LOCK EXTENSION CORDS

Southwire push-lock extension cords keep your tools plugged in while doing common yard work.

- Temperature rating of -40°F to 140°F (-40°C to 60°C)
- 125 Voltage Rating
- Common Applications: Electric Push Mower, Leaf Blower, Hedge Trimmer

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|----------|------------------|-----------|-------------|------------|--------------|------|--------------------|
| 24388826 | 14/3 | SJTW | 50' | 15.2 m | Yellow/Blue | 15 | 4 |
| 24398826 | 14/3 | SJTW | 100' | 30.5 m | Yellow/Blue | 13 | 3 |
| 25388828 | 12/3 | SJTW | 50' | 15.2 m | Yellow/Black | 15 | 4 |



9029SW8802

TWIST-TO-LOCK EXTENSION CORDS

Southwire twist-to-lock extension cords are designed to keep your jobsite under continuous operation.

- Temperature rating of -40°F to 140°F (-40°C to 60°C)
- 125 Voltage Rating
- Common Applications: Generator, Pool Pump
- NEMA L5-20P

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|-------------|------------------|-----------|-------------|------------|------------|------|--------------------|
| 9208SW8802 | 12/3 | SJTW | 50' | 15.2 m | Yellow | 20 | 6 |
| 90288802* | 12/3 | STW | 50' | 15.2 m | Yellow | 20 | 4 |
| 9209SW8802* | 12/3 | SJTW | 100' | 30.5 m | Yellow | 15 | 4 |
| 9029SW8802* | 12/3 | STW | 100' | 30.5 m | Yellow | 15 | 3 |
| 92390008* | 12/3 | SE00W | 100' | 30.5 m | Black | 15 | 3 |

*Black Plugs



9044SW8808

RANGE AND DRYER CORDS

- Temperature rating of -4°F to 140°F (-20°C to 60°C)
- 125/250 Voltage Rating

| Stock # | Gauge/ Conductors | Wire Type | Number of Wires | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity | NEMA Plug | NEMA Receptacle |
|------------|----------------------|------------|--------------------|----------------|---------------|---------------|------|-----------------------|-----------|--------------------|
| 9014SW8809 | 6/2-8/1 | SRDT Flat | 3 | 4' | 1.2 m | Gray | 50 | 6 | 10-50P | |
| 9016SW8809 | 6/2-8/1 | SRDT Flat | 3 | 6' | 1.8 m | Gray | 50 | 6 | 10-50P | |
| 9044SW8808 | 6/2-8/2 | SRDT Round | 4 | 4' | 1.2 m | Black | 50 | 6 | 14-50P | |
| 9046SW8808 | 6/2-8/2 | SRDT Round | 4 | 6' | 1.8 m | Black | 50 | 6 | 14-50P | |
| 544094** | 8/2-10/2 | DRT | | 5' | 1.5 m | Black | 40 | 8 | 14-50P | |
| 544147** | 8/2-10/2 | DRT | | 5' | 1.5 m | Black | 40 | 15 | 14-50P | |
| 544120* ** | 10/2 | DRT | | 5' | 1.5 m | Black | 30 | 8 | 14-30P | |
| 9124SW8809 | 10/3 | SRDT Flat | 3 | 4' | 1.2 m | Gray | 30 | 6 | 10-30P | |
| 9126SW8809 | 10/3 | SRDT Flat | 3 | 6' | 1.8 m | Gray | 30 | 6 | 10-30P | |
| 9154SW8808 | 10/4 | SRDT Round | 4 | 4' | 1.2 m | Black | 30 | 6 | 14-30P | |
| 9156SW8808 | 10/4 | SRDT Round | 4 | 6' | 1.8 m | Black | 30 | 6 | 14-30P | |
| 9042SW8801 | | | | | | White | 15 | 4 | 14-50P | 5-15R |

*CSA (Canadian Standards Association)

**Product packaging is advertised in Meters



9042SW8801



9858SW0008

GARAGE & WORKSHOP REPLACEMENT POWER SUPPLY CORDS

- Temperature rating of:
 - SJEOW -58°F to 221°F (-50°C to 105°C)
 - SJT -40°F to 140°F (-40°C to 60°C)
- 125 Voltage Rating
- Common Applications: Electric Trimmer, Electric Chainsaw, Air Compressor

| Stock # | Gauge/ Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|----------------------|-----------|-------------|------------|------------|------|-----------------------|
| 9853SW0008 | 16/2 | SJEOW | 6' | 1.8 m | Black | 13 | 50 |
| 9854SW0008 | 16/2 | SJEOW | 9' | 2.7 m | Black | 13 | 50 |
| 98388808 | 16/3 | SJT | 2.5' | 0.7 m | Black | 13 | 100 |
| 9855SW0008 | 16/3 | SJEOW | 6' | 1.8 m | Black | 13 | 50 |
| 9856SW0008 | 16/3 | SJEOW | 9' | 2.7 m | Black | 13 | 50 |
| 9857SW0008 | 14/3 | SJEOW | 6' | 1.8 m | Black | 15 | 25 |
| 9858SW0008 | 14/3 | SJEOW | 9' | 2.7 m | Black | 15 | 25 |
| 90110008 | 12/3 | SE00W | 2' | 0.6 m | Black | 15 | 50 |
| 90120008 | 12/3 | SE00W | 2' | 0.6 m | Black | 15 | 50 |



9716SW8808

INDOOR REPLACEMENT ROUND POWER SUPPLY CORDS

- Temperature Rating of -40°F to 140°F (-40°C to 60°C)
- 125 Voltage Rating
- Common Applications: Vacuum, Electric Drill, Work Light

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|------------------|-----------|-------------|------------|------------|------|--------------------|
| 9702SW8808 | 16/2 | SJTW | 6' | 1.8 m | Black | 13 | 25 |
| 9703SW8808 | 16/3 | SJTW | 3' | 0.9 m | Black | 13 | 25 |
| 9706SW8808 | 16/3 | SJTW | 6' | 1.8 m | Black | 13 | 25 |
| 9709SW8808 | 16/3 | SJTW | 9' | 2.7 m | Black | 13 | 25 |
| 9716SW8808 | 14/3 | SJTW | 6' | 1.8 m | Black | 15 | 25 |
| 9719SW8808 | 14/3 | SJTW | 9' | 2.7 m | Black | 15 | 25 |



9734SW8809

INDOOR REPLACEMENT FLAT POWER SUPPLY CORDS

- Temperature Rating of -40°F to 140°F (-40°C to 60°C)
- 125 Voltage Rating
- Common Applications: Microwave, Refrigerator, Dehumidifier

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|------------------|----------------|-------------|------------|------------|------|--------------------|
| 9723SW8809 | 16/3 | SPT-3 | 3' | 0.9 m | Gray | 13 | 25 |
| 9733SW8809 | 16/3 | SPT-3 Straight | 3' | 0.9 m | Gray | 13 | 25 |
| 9724SW8809 | 16/3 | SPT-3 R/Angle | 4' | 1.2 m | Gray | 13 | 25 |
| 9734SW8809 | 16/3 | SPT-3 Straight | 4' | 1.2 m | Gray | 13 | 25 |
| 9726SW8809 | 16/3 | SPT-3 R/Angle | 6' | 1.8 m | Gray | 13 | 25 |
| 9736SW8809 | 16/3 | SPT-3 Straight | 6' | 1.8 m | Gray | 13 | 25 |
| 9743SW8823 | 14/3 | SPT-3 Straight | 3' | 0.9 m | Beige | 15 | 25 |
| 9743SW09 | 14/3 | SPT-3 Straight | 3' | 0.9 m | Gray | 15 | 25 |
| 9746SW8823 | 14/3 | SPT-3 Straight | 6' | 1.8 m | Beige | 15 | 25 |
| 98700009 | 12/3 | SPT-3 | 6' | 1.8 m | Beige | 15 | 25 |



3533SW3323

INDOOR MAJOR APPLIANCE REPLACEMENT CORDS

- Temperature Rating of -4°F to 140°F (-20°C to 60°C)
- 125 Voltage Rating (250 Voltage Rating for 3537SW8809)
- Common Applications: Air Conditioner, Space Heater, Refrigerator

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|-------------|------------------|-----------|-------------|------------|------------|------|--------------------|
| 3531SW3323 | 14/3 | SPT-3 | 3' | 0.9 m | Beige | 15 | 36 |
| 3531SW09 | 14/3 | SPT-3 | 3' | 0.9 m | Gray | 15 | 24 |
| 3532SW3323 | 14/3 | SPT-3 | 6' | 1.8 m | Beige | 15 | 24 |
| 3532SW09 | 14/3 | SPT-3 | 6' | 1.8 m | Gray | 15 | 24 |
| 3533SW3323 | 14/3 | SPT-3 | 9' | 2.7 m | Beige | 15 | 18 |
| 3535SW3323 | 14/3 | SPT-3 | 12' | 3.7 m | Beige | 15 | 12 |
| 3536SW3323 | 14/3 | SPT-3 | 15' | 4.6 m | Beige | 15 | 12 |
| 3537SW8809* | 12/3 | SPT-3 | 9' | 2.7 m | Gray | 20 | 18 |

*6-20 P/R



98130008

COILED CORDS

- Temperature Rating of -58°F to 194°F (-50°C to 90°C)
- 300 Voltage Rating (SJEOW)
- 600 Voltage Rating (SEOW & SEOW)

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Case Pack Quantity |
|----------|------------------|-----------|-------------|------------|------------|--------------------|
| 98090008 | 18/2 | SJEOW | 4-20' | 1.2-6 m | Black | 10 |
| 98100008 | 18/3 | SJEOW | 4-20' | 1.2-6 m | Black | 12 |
| 98110008 | 18/4 | SJEOW | 4-20' | 1.2-6 m | Black | 10 |
| 98120008 | 16/2 | SJEOW | 4-20' | 1.2-6 m | Black | 10 |
| 98130008 | 16/3 | SJEOW | 4-20' | 1.2-6 m | Black | 10 |
| 98140008 | 16/4 | SJEOW | 4-20' | 1.2-6 m | Black | 10 |
| 98150008 | 14/3 | SEOW | 4-20' | 1.2-6 m | Black | 5 |
| 98160008 | 12/3 | SEOW | 4-20' | 1.2-6 m | Black | 5 |

ADAPTERS

Southwire offers a variety of adapters for generators, converting receptacles or outlets for multiple uses.

*Product images displayed on following page

SPECIFICATIONS

GENERATOR ADAPTERS W/ LIGHTED END

Southwire generator adapters provide more usable receptacles during temporary power outages and on jobsites.

- Temperature Rating of -40°F to 140°F (-40°C to 60°C)
- 125 Voltage Rating

| Stock # | Gauge/ Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity | NEMA Plug | NEMA Receptacle |
|----------|----------------------|-----------|-------------|------------|------------|------|-----------------------|-----------|--------------------|
| 19158802 | 10/3 | STOW | 3' | 0.9 m | Black | 15 | 4 | L5-30P | 5-20R |
| 19348802 | 10/4 | STOW | 3' | 0.9 m | Black | 20 | 4 | L14-30P | 5-20R |
| 19248802 | 12/4 | STOW | 3' | 0.9 m | Black | 20 | 4 | L14-20P | 5-20R |

TWIST-TO-LOCK ADAPTERS

Southwire twist-to-lock adapters easily convert plugs and receptacles to fit your specific application.

- Temperature Rating of -40°F to 140°F (-40°C to 60°C)
- 125 Voltage Rating
- Common Applications: Generator, Pool Pump

| Stock # | Gauge/ Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity | NEMA Plug | NEMA Receptacle |
|------------|----------------------|-----------|-------------|------------|------------|-------|-----------------------|--------------|--------------------|
| 90208802 | 12/3 | STW | 9" | 0.2 m | Yellow | 15-20 | 10 | 5-15P | L5-20R |
| 90218802 | 12/3 | STW | 9" | 0.2 m | Yellow | 15-20 | 10 | L5-20P | 5-15R |
| 90228802 | 12/3 | STW | 20" | 0.5 m | Yellow | 20 | 10 | L5-20P | L5-20R x2 |
| 90238802 | 12/3 | STW | 2' | 0.6 m | Yellow | 20 | 10 | L5-20P | L5-20R x3 |
| 90848802+^ | 12/3 | STW | 2' | 0.6 m | Yellow | 15 | 6 | L5-20P | 5-15R x3 |

+Tritap

^Lighted Receptacle

ADAPTERS

Southwire adapters transform your single outlet into multiple outlets.

- Temperature Rating of -40°F to 140°F (-40°C to 60°C)
- 125 Voltage Rating
- Common Applications: Generator, RV

| Stock # | Gauge/ Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|-----------|----------------------|-----------|-------------|------------|------------|------|-----------------------|
| 90188802* | 12/3 | STW | 2' | 0.6 m | Yellow | 15 | 12 |
| 90198802* | 12/3 | STW | 2' | 0.6 m | Yellow | 15 | 12 |

*Black Plugs



19158802



19348802



19248802



90208802



90218802



90228802



90238802



90848802



90188802



90198802

CORD ORGANIZATION

Southwire's cord organization options for keeping bulky extension cords, ropes, and holiday lighting tangle free.

*Product images displayed on following page

SPECIFICATIONS

CORD STORAGE WRAPS

| Part # | Holds | Color | Case Pack Quantity |
|---------|-------------------------|--------|--------------------|
| 3202* | 100' of 14/3 Gauge Cord | Yellow | 10 |
| 247737^ | 50' of 14/3 Gauge Cord | Black | 3 |

*with Stand ^with 3 Outlets

CORD STORAGE REEL

| Part # | Holds | Color | Case Pack Quantity |
|--------|------------------------|--------------|--------------------|
| E230* | 50' of 12/3 Gauge Cord | Black/Yellow | 4 |

*with Metal Stand

CORD REELS W/ LIGHTED ENDS

| Part # | Gauge/ Conductors | Wire Type | Color | Length (ft) | Length (m) | Outlets | Amps | Case Pack Quantity |
|----------|-------------------|-----------|--------------------|-------------|------------|---------|------|--------------------|
| E235 | 14/3 | SJTW | Red/Black/Yellow | 50' | 15.2 m | 6 | 15 | 2 |
| 445825** | 14/3 | SJTW | Black | 50' | 15.2 m | 3 | 15 | 3 |
| E238 | 12/3 | SJTW | Green/Black/Yellow | 50' | 15.2 m | 6 | 15 | 2 |

**Product packaging is advertised in Meters

RETRACTABLE CORD REELS W/ LIGHTED TRITAP

| Part # | Gauge/ Conductors | Wire Type | Color | Length (ft) | Length (m) | Outlets | Amps | Case Pack Quantity |
|------------|-------------------|-----------|--------------|-------------|------------|---------|------|--------------------|
| E215^ | 16/3 | SJTW | Silver/Black | 30' | 9.1 m | 3 | 13 | 2 |
| 48006SW* | 14/3 | SJTW | Red/Black | 30' | 9.1 m | 3 | 15 | 3 |
| E316 | 14/3 | SJTW | Green/Black | 45' | 13.7 m | 3 | 15 | 2 |
| 48208802SW | 12/3 | SJTW | Black/Yellow | 50' | 15.2 m | 3 | 15 | 1 |

*Black End ^Banana Plug

RETRACTABLE CORD REEL W/ WORK LIGHT

| Part # | Gauge/ Conductors | Wire Type | Color | Length (ft) | Length (m) | Outlets | Amps | Case Pack Quantity |
|--------|-------------------|-----------|-----------|-------------|------------|---------|------|--------------------|
| 48000 | 16/3 | SJTW | Red/Black | 40' | 12.1 m | 1 | 13 | 3 |

RETRACTABLE CORD REEL W/ LOCKING PLUG

| Part # | Gauge/ Conductors | Wire Type | Color | Length (ft) | Length (m) | Outlets | Amps | Case Pack Quantity |
|--------|-------------------|-----------|-----------|-------------|------------|---------|------|--------------------|
| 48004 | 14/3 | SJTW | Red/Black | 30' | 9.1 m | 1 | 15 | 3 |

INDUSTRIAL RETRACTABLE CORD REELS

| Part # | Gauge/ Conductors | Wire Type | Color | Length (ft) | Length (m) | Outlets | Amps | Case Pack Quantity | NEMA Plug | NEMA Receptacle |
|-------------|-------------------|-----------|--------------|-------------|------------|---------|------|--------------------|-----------|-----------------|
| R112318845 | 12/3 | SJEOW | Yellow/Black | 45' | 13.7 m | 1 | 20 | 1 | 5-20P | 5-20R |
| R112718845* | 12/3 | SJEOW | Yellow/Black | 45' | 13.7 m | 2 | 20 | 1 | 5-20P | 5-20R |
| R112308845 | 12/3 | SJEOW | Yellow/Black | 45' | 13.7 m | 1 | 15 | 1 | 5-15P | 5-15R |

*with GFCI



3202



247737



E230



E235



445825



E238



E215



48006SW



E316



48208802SW



48000



48004



R112318845



R11271884



R112308845



Southwire™

TOOLS & EQUIPMENT

2018 CORD SOLUTIONS CATALOG

GET SOCIAL WITH US:



**/SOUTHWIRETOOLS
/SOUTHWIRETOOLSLATINO**



@SOUTHWIRETOOLS



@SOUTHWIRETOOLS



SOUTHWIRETOOLS

SOUTHWIRETOOLS.COM | 1-855-SWTOOLS

Delrin® is a registered trademark of E. I. du Pont de Nemours and Company of its affiliates for its brand of acetal resin.
Milwaukee, Super Hawg, Hole Hawg are trademarks, service marks, or trade names of Milwaukee Electric Tool Corporation ("Milwaukee Electric Tool Corporation's Intellectual Property").
All other Trademarks or Registered Trademarks (TM/®) are owned or licensed by Southwire Company.
Any other ™/®- Trademark or Registered Trademark of Southwire Company.



Southwire™

TOOLS & EQUIPMENT

2018 CORD SOLUTIONS CATALOG



BUILT FOR DURABILITY.
BUILT FOR RELIABILITY.
BUILT FOR WORK.™

SOUTHWIRETOOLS.COM

OUR STORY

For over 60 years, Southwire has provided high quality electrical wire and cable to the commercial and industrial construction industries. Now, the name you trust provides durable, cutting-edge professional grade tools, designed with safety and productivity in mind. Look to Southwire® for solutions to all your electrical needs, from electrician's hand tools, meters, contractor equipment, temporary power, and extension cords.

SOUTHWIRE, THE COMPANY

Southwire Company, LLC is North America's leading manufacturer of wire and cable used in the distribution and transmission of electricity. Throughout its history, our company has sought to help provide power through our products, our service and by helping empower our customers, employees and communities.

SOUTHWIRE, THE PEOPLE

With more than 7,000 people at customer service centers, manufacturing facilities and sales offices throughout North America, we are dedicated to developing the highest-quality products and legendary service.

THE DRIVE FOR EXCELLENCE

Driving for excellence starts with being responsive to our customers and the markets we serve. By creating divisions, Southwire Company enables each to foster an entrepreneurial spirit, innovative solutions and responsiveness required in today's business. At the same time each division can leverage the resources and rich history of Southwire Company as a whole.

THE PRODUCTS

To be successful requires products that give you solutions no matter what stage of the project cycle you are in. Our product teams and dedicated resources work together to listen to and work with our customers, creating solutions that deliver unparalleled value through product innovation safety, and efficiency.

THE SERVICE

Service is more than a word or a phone number, it's a tangible support system that assists you through the entire project cycle. Starting with our own knowledgeable customer service team, to our National Field Sales team, and our new District Merchandising Specialists. In the office or in the field, we're there to lend a hand, just when you need it most. 1-855-SWTOOLS (855-798-6657)



TABLE OF CONTENTS

| | |
|--|----|
| Polar/Solar® Supreme & Polar/Solar®..... | 4 |
| ColdFlex™ Cold Weather Cords..... | 6 |
| Royal® Welding Cords..... | 7 |
| Agripro™ Farm-Tough Cords..... | 8 |
| Outdoor Extension Cords..... | 9 |
| Heavy-Duty Outdoor Extension Cords..... | 12 |
| Specialty Extension Cords..... | 13 |
| Adapters..... | 17 |
| Cord Organization..... | 19 |

HOW TO ORDER

To order, please contact your Southwire Tools & Equipment sales representative.

POLAR/SOLAR® SUPREME



Polar/Solar® Supreme extension cords are formulated to offer superior jobsite performance in extremely cold weather.

- Temperature Rating of -94°F to 221°F (-70°C to 105°C)
- 125 Voltage Rating
- Abrasion, chemical and oil resistant
- Common Applications: Cable Puller, Chop Saw, Rotary Hammer Drill

SPECIFICATIONS

OUTDOOR EXTENSION CORDS W/ POWER LIGHT INDICATOR



1638SW0061

| Stock # | Gauge/ Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|----------------------|-----------|-------------|------------|------------|------|--------------------|
| 1437SW0061 | 14/3 | SJEOW | 25' | 7.6 m | Blue/White | 15 | 12 |
| 1438SW0061 | 14/3 | SJEOW | 50' | 15.2 m | Blue/White | 15 | 6 |
| 1439SW0061 | 14/3 | SJEOW | 100' | 30.5 m | Blue/White | 13 | 6 |
| 1637SW0061 | 12/3 | SJEOW | 25' | 7.6 m | Blue/White | 15 | 12 |
| 1638SW0061 | 12/3 | SJEOW | 50' | 15.2 m | Blue/White | 15 | 6 |
| 1639SW0061 | 12/3 | SJEOW | 100' | 30.5 m | Blue/White | 15 | 4 |

POLAR SOLAR | CORDS

POLAR/SOLAR®

Polar/Solar® extension cords are built to stay flexible under the most extreme temperatures.

- Temperature Rating of -58°F to 221°F (-50°C to 105°C)
- 125 Voltage Rating
- Abrasion, chemical and oil resistant
- Common Applications: Cable Puller, Chop Saw, Rotary Hammer Drill

SPECIFICATIONS

OUTDOOR EXTENSION CORDS



1628SW0008

| Stock # | Gauge/ Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|----------------------|-----------|-------------|------------|------------|------|--------------------|
| 1427SW0008 | 14/3 | SJE00W | 25' | 7.6 m | Black | 15 | 12 |
| 1428SW0008 | 14/3 | SJE00W | 50' | 15.2 m | Black | 15 | 6 |
| 1429SW0008 | 14/3 | SJE00W | 100' | 30.5 m | Black | 13 | 6 |
| 1628SW0008 | 12/3 | SJE00W | 50' | 15.2 m | Black | 15 | 6 |
| 1629SW0008 | 12/3 | SJE00W | 100' | 30.5 m | Black | 15 | 4 |



1688SW0002

OUTDOOR EXTENSION CORDS W/ POWER LIGHT INDICATOR

| Stock # | Gauge/ Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|----------------------|-----------|-------------|------------|------------|------|--------------------|
| 1287SW0002 | 16/3 | SJEOW | 25' | 7.6 m | Yellow | 13 | 12 |
| 1288SW0002 | 16/3 | SJEOW | 50' | 15.2 m | Yellow | 13 | 12 |
| 1289SW0002 | 16/3 | SJEOW | 100' | 30.5 m | Yellow | 10 | 6 |
| 14840002 | 14/3 | SJE00W | 10' | 3 m | Yellow | 15 | 24 |
| 1487SW0002 | 14/3 | SJE00W | 25' | 7.6 m | Yellow | 15 | 12 |
| 1488SW0002 | 14/3 | SJE00W | 50' | 15.2 m | Yellow | 15 | 6 |
| 1489SW0002 | 14/3 | SJE00W | 100' | 30.5 m | Yellow | 13 | 6 |
| 1687SW0002 | 12/3 | SJE00W | 25' | 7.6 m | Yellow | 15 | 12 |
| 1688SW0002 | 12/3 | SJE00W | 50' | 15.2 m | Yellow | 15 | 6 |
| 1689SW0002 | 12/3 | SJE00W | 100' | 30.5 m | Yellow | 15 | 4 |
| 1787SW0002 | 10/3 | SJE00W | 25' | 7.6 m | Yellow | 15 | 6 |
| 1788SW0002 | 10/3 | SJE00W | 50' | 15.2 m | Yellow | 15 | 4 |
| 1789SW0002 | 10/3 | SJE00W | 100' | 30.5 m | Yellow | 15 | 3 |



1768SW0002

HEAVY-DUTY OUTDOOR EXTENSION CORDS W/ POWER LIGHT INDICATOR

| Stock # | Gauge/ Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|----------------------|-----------|-------------|------------|------------|------|--------------------|
| 1567SW0002 | 14/3 | SE00W | 25' | 7.6 m | Yellow | 15 | 6 |
| 1568SW0002 | 14/3 | SE00W | 50' | 15.2 m | Yellow | 15 | 6 |
| 1569SW0002 | 14/3 | SE00W | 100' | 30.5 m | Yellow | 13 | 3 |
| 1767SW0002 | 12/3 | SE00W | 25' | 7.6 m | Yellow | 15 | 12 |
| 1768SW0002 | 12/3 | SE00W | 50' | 15.2 m | Yellow | 15 | 6 |
| 1769SW0002 | 12/3 | SE00W | 100' | 30.5 m | Yellow | 15 | 4 |



3488SW0002

OUTDOOR TRITAP EXTENSION CORDS W/ POWER LIGHT INDICATOR

| Stock # | Gauge/ Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|----------------------|-----------|-------------|------------|------------|------|--------------------|
| 3482SW8802 | 12/3 | SE0W | 2' | 0.6 m | Yellow | 15 | 12 |
| 3487SW0002 | 12/3 | SJE00W | 25' | 7.6 m | Yellow | 15 | 12 |
| 3488SW0002 | 12/3 | SJE00W | 50' | 15.2 m | Yellow | 15 | 6 |
| 3489SW0002 | 12/3 | SJE00W | 100' | 30.5 m | Yellow | 15 | 4 |
| 3588SW0002 | 10/3 | SJE00W | 50' | 15.2 m | Yellow | 15 | 4 |
| 3589SW0002 | 10/3 | SJE00W | 100' | 30.5 m | Yellow | 15 | 3 |

COLDFLEX™ COLD WEATHER CORDS

ColdFlex™ extension cords withstand harsh, winter temperatures, and have a highly visible bright blue jacket to increase safety.

- Temperature Rating of -58°F to 140°F (-50°C to 60°C)
- 125 Voltage Rating
- Common Applications: Snow Thrower, Electric Chainsaw, Work Light

SPECIFICATIONS

OUTDOOR EXTENSION CORDS



2568SW0006

| Stock # | Gauge/ Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|----------------------|---------------|-------------|------------|------------|------|-----------------------|
| 2367SW8806 | 16/3 | ColdFlex SJTW | 25' | 7.6 m | Blue | 13 | 12 |
| 2368SW8806 | 16/3 | ColdFlex SJTW | 50' | 15.2 m | Blue | 13 | 12 |
| 2436 | 16/3 | ColdFlex SJTW | 100' | 30.5 m | Blue | 10 | 6 |
| 2467SW8806 | 14/3 | ColdFlex SJTW | 25' | 7.6 m | Blue | 15 | 6 |
| 2468SW8806 | 14/3 | ColdFlex SJTW | 50' | 15.2 m | Blue | 15 | 6 |
| 2469SW8806 | 14/3 | ColdFlex SJTW | 100' | 30.5 m | Blue | 13 | 3 |
| 2437 | 12/3 | ColdFlex SJTW | 25' | 7.6 m | Blue | 15 | 12 |
| 2568SW0006 | 12/3 | ColdFlex SJTW | 50' | 15.2 m | Blue | 15 | 4 |
| 2569SW0006 | 12/3 | ColdFlex SJTW | 100' | 30.5 m | Blue | 15 | 4 |



32688806

TRITAP EXTENSION CORDS W/ POWER LIGHT INDICATOR

| Stock # | Gauge/ Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|----------|----------------------|---------------|-------------|------------|------------|------|-----------------------|
| 32678806 | 14/3 | ColdFlex SJTW | 25' | 7.6 m | Blue | 15 | 6 |
| 32688806 | 14/3 | ColdFlex SJTW | 50' | 15.2 m | Blue | 15 | 6 |
| 41688806 | 12/3 | ColdFlex SJTW | 50' | 15.2 m | Blue | 15 | 6 |

ROYAL[®] WELDING CORDS



Royal[®] extension cords are resistant to welding slag and are the most flexible extension cord on the market.

- Temperature Rating of -40°F to 194°F (-40°C to 90°C)
- 125 Voltage Rating
- Abrasion, chemical, and oil resistant
- Common Applications: Welder, Angle Grinder, Rotary Hammer Drill

SPECIFICATIONS

OUTDOOR EXTENSION CORDS W/ POWER LIGHT INDICATOR



3678SW0008

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|------------------|-----------|-------------|------------|------------|------|--------------------|
| 3677SW0008 | 12/3 | SJ00W | 25' | 7.6 m | Black | 15 | 12 |
| 3687SW0002 | 12/3 | SJ00W | 25' | 7.6 m | Yellow | 15 | 12 |
| 3678SW0008 | 12/3 | SJ00W | 50' | 15.2 m | Black | 15 | 6 |
| 3688SW0002 | 12/3 | SJ00W | 50' | 15.2 m | Yellow | 15 | 6 |
| 3679SW0008 | 12/3 | SJ00W | 100' | 30.5 m | Black | 15 | 4 |
| 3689SW0002 | 12/3 | SJ00W | 100' | 30.5 m | Yellow | 15 | 4 |

AGRIPRO™ FARM-TOUGH CORDS

Agri-Pro™ extension cords are ideal for farm, ranch, and workshop jobs.

- Temperature Rating of -58°F to 221°F (-50°C to 105°C)
- 125 Voltage Rating
- Abrasion, chemical and oil resistant
- Common Applications: Air Compressor, Chop Saw, Electric Chain Saw

SPECIFICATIONS

EXTENSION CORDS

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|----------|------------------|-----------|-------------|------------|------------|------|--------------------|
| 12270008 | 16/3 | SJEOW | 25' | 7.6 m | Black | 13 | 12 |
| 12280008 | 16/3 | SJEOW | 50' | 15.2 m | Black | 13 | 12 |
| 2457 | 12/3 | SJTOW | 50' | 15.2 m | Black | 15 | 4 |



12280008



2451

TRITAP EXTENSION CORDS

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|--------------|------------------|-----------|-------------|------------|------------|------|--------------------|
| 54533501* ** | 14/3 | SJOW | 15' | 4.6 m | Black | 15 | 18 |
| 2451 | 14/3 | SJTOW | 25' | 7.6 m | Black | 15 | 12 |

*Lighted Banana Receptacle

**Product packaging is advertised in Meters

OUTDOOR EXTENSION CORDS

Southwire outdoor extension cords are perfect for a variety of outdoor applications. These cords come in a variety of colors to increase visibility and prevent jobsite loss.

- Temperature rating of -40°F to 140°F (-40°C to 60°C)
- 125 Voltage Rating
- Common Applications: Electric Push Mower, Pressure Washer, Electric Drill

SPECIFICATIONS

EXTENSION CORDS

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|------------------|-----------|-------------|------------|------------|------|--------------------|
| 22078803 | 16/2 | SJTW | 25' | 7.6 m | Orange | 13 | 12 |
| 22098803 | 16/2 | SJTW | 100' | 30.5 m | Orange | 10 | 6 |
| 2211SW8808 | 16/3 | SJOW | 10' | 3 m | Black | 13 | 24 |
| 2304SW8803 | 16/3 | SJTW | 10' | 3 m | Orange | 13 | 24 |
| 2306SW8808 | 16/3 | SJTW | 15' | 4.6 m | Black | 13 | 18 |
| 2305SW8803 | 16/3 | SJTW | 15' | 4.6 m | Orange | 13 | 18 |
| 2307SW8803 | 16/3 | SJTW | 25' | 7.6 m | Orange | 13 | 12 |
| 2308SW8803 | 16/3 | SJTW | 50' | 15.2 m | Orange | 13 | 12 |
| 2309SW8803 | 16/3 | SJTW | 100' | 30.5 m | Orange | 10 | 6 |
| 2407SW8804 | 14/3 | SJTW | 25' | 7.6 m | Red | 15 | 12 |
| 2408SW8804 | 14/3 | SJTW | 50' | 15.2 m | Red | 15 | 6 |
| 2409SW8804 | 14/3 | SJTW | 100' | 30.5 m | Red | 13 | 6 |
| 517 | 10/3 | SJTW | 50' | 15.2 m | Orange | 15 | 2 |
| 26188802^+ | 10/3 | SJTOW | 50' | 15.2 m | Yellow | 20 | 2 |
| 518 | 10/3 | SJTW | 100' | 30.5 m | Orange | 15 | 2 |

^5-20 P/R +LE Receptacle



2304SW8803



26188802



2488SW8804



541901



2577SW000H



2577SW000X



547703

EXTENSION CORDS W/ POWER LIGHT INDICATOR

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|------------------|-----------|-------------|------------|-----------------------|------|--------------------|
| 540836** | 14/3 | STW | 3' | 0.9 m | Red/Black | 15 | 12 |
| 541901** | 14/3 | SJTW | 22' | 7 m | Red/Black | 15 | 6 |
| 2487SW8804 | 14/3 | SJTW | 25' | 7.6 m | Red | 15 | 12 |
| 2488SW8804 | 14/3 | SJTW | 50' | 15.2 m | Red | 15 | 6 |
| 541902** | 14/3 | SJTW | 50' | 15.2 m | Red/Black | 15 | 5 |
| 54800401** | 14/3 | SJTW | 50' | 15.2 m | Neon Pink | 13 | 13 |
| 521* | 14/3 | SJTW | 50' | 15.2 m | Yellow/Black | 15 | 13 |
| 2489SW8804 | 14/3 | SJTW | 100' | 30.5 m | Red | 13 | 6 |
| 541909** | 14/3 | SJTW | 100' | 30.5 m | Red/Black | 15 | 3 |
| 2577SW000H | 12/3 | SJTW | 25' | 7.6 m | Cool Blue | 15 | 12 |
| 2577SW000X | 12/3 | SJTW | 25' | 7.6 m | Cool Green | 15 | 12 |
| 547703** | 12/3 | SJTW | 25' | 7.6 m | Dark Green/Yellow | 15 | 12 |
| 2577SW000A | 12/3 | SJTW | 25' | 7.6 m | Cool Pink | 15 | 12 |
| 2587SW8802 | 12/3 | SJTW | 25' | 7.6 m | Yellow | 15 | 12 |
| 2578SW000H | 12/3 | SJTW | 50' | 15.2 m | Cool Blue | 15 | 8 |
| 2548SW0064 | 12/3 | SJTW | 50' | 15.2 m | Cool Blue/Red | 15 | 8 |
| 2548SW00HX | 12/3 | SJTW | 50' | 15.2 m | Cool Blue/Cool Green | 15 | 8 |
| 2548SW0052 | 12/3 | SJTW | 50' | 15.2 m | Dark Green/Yellow | 15 | 8 |
| 2548SW0054 | 12/3 | SJTW | 50' | 15.2 m | Lime Green/Red | 15 | 8 |
| 2578SW000X | 12/3 | SJTW | 50' | 15.2 m | Cool Green | 15 | 8 |
| 2548SW003V | 12/3 | SJTW | 50' | 15.2 m | Cool Orange/Cool Blue | 15 | 8 |
| 2578SW000A | 12/3 | SJTW | 50' | 15.2 m | Cool Pink | 15 | 8 |
| 2548SW0077 | 12/3 | SJTW | 50' | 15.2 m | Cool Pink/Lime Green | 15 | 8 |
| 2548SW0041 | 12/3 | SJTW | 50' | 15.2 m | Red/White | 15 | 8 |
| 2588SW0002 | 12/3 | SJTW | 50' | 15.2 m | Yellow | 15 | 8 |
| 2548SW0022 | 12/3 | SJTW | 50' | 15.2 m | Yellow/Purple | 15 | 8 |
| 550523** | 12/3 | SJTW | 50' | 15.2 m | Yellow/Black | 15 | 6 |
| 25850002 | 12/3 | SJTW | 80' | 24.4 m | Yellow | 15 | 4 |
| 2549SW0064 | 12/3 | SJTW | 100' | 30.5 m | Cool Blue/Red | 15 | 4 |
| 2579SW000H | 12/3 | SJTW | 100' | 30.5 m | Cool Blue | 15 | 4 |
| 2549SW0054 | 12/3 | SJTW | 100' | 30.5 m | Lime Green/Red | 15 | 4 |
| 2579SW000X | 12/3 | SJTW | 100' | 30.5 m | Cool Green | 15 | 4 |
| 2549SW0052 | 12/3 | SJTW | 100' | 30.5 m | Dark Green/Yellow | 15 | 4 |
| 2549SW003V | 12/3 | SJTW | 100' | 30.5 m | Cool Orange/Cool Blue | 15 | 4 |
| 2549SW0077 | 12/3 | SJTW | 100' | 30.5 m | Cool Pink/Lime Green | 15 | 4 |
| 2579SW000A | 12/3 | SJTW | 100' | 30.5 m | Cool Pink | 15 | 4 |
| 2549SW0041 | 12/3 | SJTW | 100' | 30.5 m | Red/White | 15 | 4 |
| 2549SW0022 | 12/3 | SJTW | 100' | 30.5 m | Yellow/Purple | 15 | 4 |
| 2589SW0002 | 12/3 | SJTW | 100' | 30.5 m | Yellow | 15 | 4 |
| 2687SW0002 | 10/3 | SJTW | 25' | 7.6 m | Yellow | 15 | 6 |
| 26480064 | 10/3 | SJTW | 50' | 15.2 m | Cool Blue/Red | 15 | 4 |
| 26480054 | 10/3 | SJTW | 50' | 15.2 m | Lime Green/Red | 15 | 4 |
| 2688SW0002 | 10/3 | SJTW | 50' | 15.2 m | Yellow | 15 | 4 |
| 26490064 | 10/3 | SJTW | 100' | 30.5 m | Cool Blue/Red | 15 | 3 |
| 26490054 | 10/3 | SJTW | 100' | 30.5 m | Lime Green/Red | 15 | 3 |
| 2689SW0002 | 10/3 | SJTW | 100' | 30.5 m | Yellow | 15 | 3 |

*Black Plugs

**Product packaging is advertised in Meters



2548SWUSA1

RED, WHITE, AND BLUE EXTENSION CORDS W/ POWER LIGHT INDICATOR

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|------------------|-----------|-------------|------------|----------------|------|--------------------|
| 2547SWUSA1 | 12/3 | SJTW | 25' | 7.6 m | Red/White/Blue | 15 | 12 |
| 2548SWUSA1 | 12/3 | SJTW | 50' | 15.2 m | Red/White/Blue | 15 | 8 |
| 2549SWUSA1 | 12/3 | SJTW | 100' | 30.5 m | Red/White/Blue | 15 | 4 |



4004SW8803

TRITAP EXTENSION CORDS

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|------------------|-----------|-------------|------------|------------|------|--------------------|
| 4004SW8803 | 14/3 | SJTW | 6' | 1.8 m | Orange | 15 | 18 |
| 4217SW8804 | 14/3 | SJTW | 25' | 7.6 m | Red | 15 | 12 |
| 4218SW8804 | 14/3 | SJTW | 50' | 15.2 m | Red | 15 | 6 |
| 4219SW8804 | 14/3 | SJTW | 100' | 30.5 m | Red | 13 | 6 |
| 4112SW8802 | 12/3 | STW | 2' | 0.6 m | Yellow | 15 | 12 |
| 19100002* | 12/3 | SJTW | 25' | 7.6 m | Yellow | 15 | 12 |

*Black Plugs



4188SW8802

TRITAP EXTENSION CORDS W/ POWER LIGHT INDICATOR

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|------------------|-----------|-------------|------------|------------|------|--------------------|
| 540835** | 14/3 | STW | 3' | 0.9 m | Red | 15 | 6 |
| 4187SW8802 | 12/3 | SJTW | 25' | 7.6 m | Yellow | 15 | 12 |
| 4188SW8802 | 12/3 | SJTW | 50' | 15.2 m | Yellow | 15 | 6 |
| 4189SW8802 | 12/3 | SJTW | 100' | 30.5 m | Yellow | 15 | 4 |
| 4388SW8802 | 10/3 | SJTW | 50' | 15.2 m | Yellow | 15 | 4 |
| 4389SW8802 | 10/3 | SJTW | 100' | 30.5 m | Yellow | 15 | 3 |

**Product packaging is advertised in Meters

HEAVY-DUTY OUTDOOR EXTENSION CORDS

Southwire heavy-duty extension cords have a thicker jacket than standard outdoor cords to withstand common jobsite wear and tear.

- Temperature rating of -40°F to 140°F (-40°C to 60°C)
- 125 Voltage Rating
- Common Applications: Table Saw, Heat Gun, Work Light



2558SW0003

SPECIFICATIONS

OUTDOOR EXTENSION CORDS

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|------------------|-----------|-------------|------------|------------|------|--------------------|
| 2457SW0003 | 14/3 | STW | 25' | 7.6 m | Orange | 15 | 6 |
| 2458SW0003 | 14/3 | STW | 50' | 15.2 m | Orange | 15 | 4 |
| 2459SW0003 | 14/3 | STW | 100' | 30.5 m | Orange | 13 | 3 |
| 2557SW0003 | 12/3 | STW | 25' | 7.6 m | Orange | 15 | 6 |
| 2558SW0003 | 12/3 | STW | 50' | 15.2 m | Orange | 15 | 4 |
| 2559SW0003 | 12/3 | STW | 100' | 30.5 m | Orange | 15 | 3 |



3130

MULTI-OUTLET EXTENSION CORDS

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|-----------|------------------|-----------|-------------|------------|------------|------|--------------------|
| 90028802* | 14/3 | STW | 6' | 1.8 m | Yellow | 15 | 6 |
| 3130 | 14/3 | STW | 9' | 2.7 m | Black | 15 | 4 |
| 90018802 | 14/3 | STW | 25' | 7.6 m | Yellow | 15 | 4 |

*Black Plugs

SPECIALTY EXTENSION CORDS

Southwire has a variety of specialty extension cords to meet a variety of indoor and outdoor needs.

SPECIFICATIONS



24388826

PUSH-LOCK EXTENSION CORDS

Southwire push-lock extension cords keep your tools plugged in while doing common yard work.

- Temperature rating of -40°F to 140°F (-40°C to 60°C)
- 125 Voltage Rating
- Common Applications: Electric Push Mower, Leaf Blower, Hedge Trimmer

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|----------|------------------|-----------|-------------|------------|--------------|------|--------------------|
| 24388826 | 14/3 | SJTW | 50' | 15.2 m | Yellow/Blue | 15 | 4 |
| 24398826 | 14/3 | SJTW | 100' | 30.5 m | Yellow/Blue | 13 | 3 |
| 25388828 | 12/3 | SJTW | 50' | 15.2 m | Yellow/Black | 15 | 4 |



9029SW8802

TWIST-TO-LOCK EXTENSION CORDS

Southwire twist-to-lock extension cords are designed to keep your jobsite under continuous operation.

- Temperature rating of -40°F to 140°F (-40°C to 60°C)
- 125 Voltage Rating
- Common Applications: Generator, Pool Pump
- NEMA L5-20P

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|-------------|------------------|-----------|-------------|------------|------------|------|--------------------|
| 9208SW8802 | 12/3 | SJTW | 50' | 15.2 m | Yellow | 20 | 6 |
| 90288802* | 12/3 | STW | 50' | 15.2 m | Yellow | 20 | 4 |
| 9209SW8802* | 12/3 | SJTW | 100' | 30.5 m | Yellow | 15 | 4 |
| 9029SW8802* | 12/3 | STW | 100' | 30.5 m | Yellow | 15 | 3 |
| 92390008* | 12/3 | SE00W | 100' | 30.5 m | Black | 15 | 3 |

*Black Plugs



9044SW8808

RANGE AND DRYER CORDS

- Temperature rating of -4°F to 140°F (-20°C to 60°C)
- 125/250 Voltage Rating

| Stock # | Gauge/ Conductors | Wire Type | Number of Wires | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity | NEMA Plug | NEMA Receptacle |
|------------|----------------------|------------|--------------------|----------------|---------------|---------------|------|-----------------------|-----------|--------------------|
| 9014SW8809 | 6/2-8/1 | SRDT Flat | 3 | 4' | 1.2 m | Gray | 50 | 6 | 10-50P | |
| 9016SW8809 | 6/2-8/1 | SRDT Flat | 3 | 6' | 1.8 m | Gray | 50 | 6 | 10-50P | |
| 9044SW8808 | 6/2-8/2 | SRDT Round | 4 | 4' | 1.2 m | Black | 50 | 6 | 14-50P | |
| 9046SW8808 | 6/2-8/2 | SRDT Round | 4 | 6' | 1.8 m | Black | 50 | 6 | 14-50P | |
| 544094** | 8/2-10/2 | DRT | | 5' | 1.5 m | Black | 40 | 8 | 14-50P | |
| 544147** | 8/2-10/2 | DRT | | 5' | 1.5 m | Black | 40 | 15 | 14-50P | |
| 544120* ** | 10/2 | DRT | | 5' | 1.5 m | Black | 30 | 8 | 14-30P | |
| 9124SW8809 | 10/3 | SRDT Flat | 3 | 4' | 1.2 m | Gray | 30 | 6 | 10-30P | |
| 9126SW8809 | 10/3 | SRDT Flat | 3 | 6' | 1.8 m | Gray | 30 | 6 | 10-30P | |
| 9154SW8808 | 10/4 | SRDT Round | 4 | 4' | 1.2 m | Black | 30 | 6 | 14-30P | |
| 9156SW8808 | 10/4 | SRDT Round | 4 | 6' | 1.8 m | Black | 30 | 6 | 14-30P | |
| 9042SW8801 | | | | | | White | 15 | 4 | 14-50P | 5-15R |

*CSA (Canadian Standards Association)

**Product packaging is advertised in Meters



9042SW8801



9858SW0008

GARAGE & WORKSHOP REPLACEMENT POWER SUPPLY CORDS

- Temperature rating of:
 - SJEOW -58°F to 221°F (-50°C to 105°C)
 - SJT -40°F to 140°F (-40°C to 60°C)
- 125 Voltage Rating
- Common Applications: Electric Trimmer, Electric Chainsaw, Air Compressor

| Stock # | Gauge/ Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|----------------------|-----------|-------------|------------|------------|------|-----------------------|
| 9853SW0008 | 16/2 | SJEOW | 6' | 1.8 m | Black | 13 | 50 |
| 9854SW0008 | 16/2 | SJEOW | 9' | 2.7 m | Black | 13 | 50 |
| 98388808 | 16/3 | SJT | 2.5' | 0.7 m | Black | 13 | 100 |
| 9855SW0008 | 16/3 | SJEOW | 6' | 1.8 m | Black | 13 | 50 |
| 9856SW0008 | 16/3 | SJEOW | 9' | 2.7 m | Black | 13 | 50 |
| 9857SW0008 | 14/3 | SJEOW | 6' | 1.8 m | Black | 15 | 25 |
| 9858SW0008 | 14/3 | SJEOW | 9' | 2.7 m | Black | 15 | 25 |
| 90110008 | 12/3 | SE00W | 2' | 0.6 m | Black | 15 | 50 |
| 90120008 | 12/3 | SE00W | 2' | 0.6 m | Black | 15 | 50 |



9716SW8808

INDOOR REPLACEMENT ROUND POWER SUPPLY CORDS

- Temperature Rating of -40°F to 140°F (-40°C to 60°C)
- 125 Voltage Rating
- Common Applications: Vacuum, Electric Drill, Work Light

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|------------------|-----------|-------------|------------|------------|------|--------------------|
| 9702SW8808 | 16/2 | SJTW | 6' | 1.8 m | Black | 13 | 25 |
| 9703SW8808 | 16/3 | SJTW | 3' | 0.9 m | Black | 13 | 25 |
| 9706SW8808 | 16/3 | SJTW | 6' | 1.8 m | Black | 13 | 25 |
| 9709SW8808 | 16/3 | SJTW | 9' | 2.7 m | Black | 13 | 25 |
| 9716SW8808 | 14/3 | SJTW | 6' | 1.8 m | Black | 15 | 25 |
| 9719SW8808 | 14/3 | SJTW | 9' | 2.7 m | Black | 15 | 25 |



9734SW8809

INDOOR REPLACEMENT FLAT POWER SUPPLY CORDS

- Temperature Rating of -40°F to 140°F (-40°C to 60°C)
- 125 Voltage Rating
- Common Applications: Microwave, Refrigerator, Dehumidifier

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|------------|------------------|----------------|-------------|------------|------------|------|--------------------|
| 9723SW8809 | 16/3 | SPT-3 | 3' | 0.9 m | Gray | 13 | 25 |
| 9733SW8809 | 16/3 | SPT-3 Straight | 3' | 0.9 m | Gray | 13 | 25 |
| 9724SW8809 | 16/3 | SPT-3 R/Angle | 4' | 1.2 m | Gray | 13 | 25 |
| 9734SW8809 | 16/3 | SPT-3 Straight | 4' | 1.2 m | Gray | 13 | 25 |
| 9726SW8809 | 16/3 | SPT-3 R/Angle | 6' | 1.8 m | Gray | 13 | 25 |
| 9736SW8809 | 16/3 | SPT-3 Straight | 6' | 1.8 m | Gray | 13 | 25 |
| 9743SW8823 | 14/3 | SPT-3 Straight | 3' | 0.9 m | Beige | 15 | 25 |
| 9743SW09 | 14/3 | SPT-3 Straight | 3' | 0.9 m | Gray | 15 | 25 |
| 9746SW8823 | 14/3 | SPT-3 Straight | 6' | 1.8 m | Beige | 15 | 25 |
| 98700009 | 12/3 | SPT-3 | 6' | 1.8 m | Beige | 15 | 25 |



3533SW3323

INDOOR MAJOR APPLIANCE REPLACEMENT CORDS

- Temperature Rating of -4°F to 140°F (-20°C to 60°C)
- 125 Voltage Rating (250 Voltage Rating for 3537SW8809)
- Common Applications: Air Conditioner, Space Heater, Refrigerator

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|-------------|------------------|-----------|-------------|------------|------------|------|--------------------|
| 3531SW3323 | 14/3 | SPT-3 | 3' | 0.9 m | Beige | 15 | 36 |
| 3531SW09 | 14/3 | SPT-3 | 3' | 0.9 m | Gray | 15 | 24 |
| 3532SW3323 | 14/3 | SPT-3 | 6' | 1.8 m | Beige | 15 | 24 |
| 3532SW09 | 14/3 | SPT-3 | 6' | 1.8 m | Gray | 15 | 24 |
| 3533SW3323 | 14/3 | SPT-3 | 9' | 2.7 m | Beige | 15 | 18 |
| 3535SW3323 | 14/3 | SPT-3 | 12' | 3.7 m | Beige | 15 | 12 |
| 3536SW3323 | 14/3 | SPT-3 | 15' | 4.6 m | Beige | 15 | 12 |
| 3537SW8809* | 12/3 | SPT-3 | 9' | 2.7 m | Gray | 20 | 18 |

*6-20 P/R



98130008

COILED CORDS

- Temperature Rating of -58°F to 194°F (-50°C to 90°C)
- 300 Voltage Rating (SJEOW)
- 600 Voltage Rating (SEOW & SEOWW)

| Stock # | Gauge/Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Case Pack Quantity |
|----------|------------------|-----------|-------------|------------|------------|--------------------|
| 98090008 | 18/2 | SJEOW | 4-20' | 1.2-6 m | Black | 10 |
| 98100008 | 18/3 | SJEOW | 4-20' | 1.2-6 m | Black | 12 |
| 98110008 | 18/4 | SJEOW | 4-20' | 1.2-6 m | Black | 10 |
| 98120008 | 16/2 | SJEOW | 4-20' | 1.2-6 m | Black | 10 |
| 98130008 | 16/3 | SJEOW | 4-20' | 1.2-6 m | Black | 10 |
| 98140008 | 16/4 | SJEOW | 4-20' | 1.2-6 m | Black | 10 |
| 98150008 | 14/3 | SEOW | 4-20' | 1.2-6 m | Black | 5 |
| 98160008 | 12/3 | SEOW | 4-20' | 1.2-6 m | Black | 5 |

ADAPTERS

Southwire offers a variety of adapters for generators, converting receptacles or outlets for multiple uses.

*Product images displayed on following page

SPECIFICATIONS

GENERATOR ADAPTERS W/ LIGHTED END

Southwire generator adapters provide more usable receptacles during temporary power outages and on jobsites.

- Temperature Rating of -40°F to 140°F (-40°C to 60°C)
- 125 Voltage Rating

| Stock # | Gauge/ Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity | NEMA Plug | NEMA Receptacle |
|----------|----------------------|-----------|-------------|------------|------------|------|-----------------------|-----------|--------------------|
| 19158802 | 10/3 | STOW | 3' | 0.9 m | Black | 15 | 4 | L5-30P | 5-20R |
| 19348802 | 10/4 | STOW | 3' | 0.9 m | Black | 20 | 4 | L14-30P | 5-20R |
| 19248802 | 12/4 | STOW | 3' | 0.9 m | Black | 20 | 4 | L14-20P | 5-20R |

TWIST-TO-LOCK ADAPTERS

Southwire twist-to-lock adapters easily convert plugs and receptacles to fit your specific application.

- Temperature Rating of -40°F to 140°F (-40°C to 60°C)
- 125 Voltage Rating
- Common Applications: Generator, Pool Pump

| Stock # | Gauge/ Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity | NEMA Plug | NEMA Receptacle |
|------------|----------------------|-----------|-------------|------------|------------|-------|-----------------------|--------------|--------------------|
| 90208802 | 12/3 | STW | 9" | 0.2 m | Yellow | 15-20 | 10 | 5-15P | L5-20R |
| 90218802 | 12/3 | STW | 9" | 0.2 m | Yellow | 15-20 | 10 | L5-20P | 5-15R |
| 90228802 | 12/3 | STW | 20" | 0.5 m | Yellow | 20 | 10 | L5-20P | L5-20R x2 |
| 90238802 | 12/3 | STW | 2' | 0.6 m | Yellow | 20 | 10 | L5-20P | L5-20R x3 |
| 90848802+^ | 12/3 | STW | 2' | 0.6 m | Yellow | 15 | 6 | L5-20P | 5-15R x3 |

+Tritap

^Lighted Receptacle

ADAPTERS

Southwire adapters transform your single outlet into multiple outlets.

- Temperature Rating of -40°F to 140°F (-40°C to 60°C)
- 125 Voltage Rating
- Common Applications: Generator, RV

| Stock # | Gauge/ Conductors | Wire Type | Length (ft) | Length (m) | Cord Color | Amps | Case Pack Quantity |
|-----------|----------------------|-----------|-------------|------------|------------|------|-----------------------|
| 90188802* | 12/3 | STW | 2' | 0.6 m | Yellow | 15 | 12 |
| 90198802* | 12/3 | STW | 2' | 0.6 m | Yellow | 15 | 12 |

*Black Plugs



19158802



19348802



19248802



90208802



90218802



90228802



90238802



90848802



90188802



90198802

CORD ORGANIZATION

Southwire's cord organization options for keeping bulky extension cords, ropes, and holiday lighting tangle free.

*Product images displayed on following page

SPECIFICATIONS

CORD STORAGE WRAPS

| Part # | Holds | Color | Case Pack Quantity |
|---------|-------------------------|--------|--------------------|
| 3202* | 100' of 14/3 Gauge Cord | Yellow | 10 |
| 247737^ | 50' of 14/3 Gauge Cord | Black | 3 |

*with Stand ^with 3 Outlets

CORD STORAGE REEL

| Part # | Holds | Color | Case Pack Quantity |
|--------|------------------------|--------------|--------------------|
| E230* | 50' of 12/3 Gauge Cord | Black/Yellow | 4 |

*with Metal Stand

CORD REELS W/ LIGHTED ENDS

| Part # | Gauge/Conductors | Wire Type | Color | Length (ft) | Length (m) | Outlets | Amps | Case Pack Quantity |
|----------|------------------|-----------|--------------------|-------------|------------|---------|------|--------------------|
| E235 | 14/3 | SJTW | Red/Black/Yellow | 50' | 15.2 m | 6 | 15 | 2 |
| 445825** | 14/3 | SJTW | Black | 50' | 15.2 m | 3 | 15 | 3 |
| E238 | 12/3 | SJTW | Green/Black/Yellow | 50' | 15.2 m | 6 | 15 | 2 |

**Product packaging is advertised in Meters

RETRACTABLE CORD REELS W/ LIGHTED TRITAP

| Part # | Gauge/Conductors | Wire Type | Color | Length (ft) | Length (m) | Outlets | Amps | Case Pack Quantity |
|------------|------------------|-----------|--------------|-------------|------------|---------|------|--------------------|
| E215^ | 16/3 | SJTW | Silver/Black | 30' | 9.1 m | 3 | 13 | 2 |
| 48006SW* | 14/3 | SJTW | Red/Black | 30' | 9.1 m | 3 | 15 | 3 |
| E316 | 14/3 | SJTW | Green/Black | 45' | 13.7 m | 3 | 15 | 2 |
| 48208802SW | 12/3 | SJTW | Black/Yellow | 50' | 15.2 m | 3 | 15 | 1 |

*Black End ^Banana Plug

RETRACTABLE CORD REEL W/ WORK LIGHT

| Part # | Gauge/Conductors | Wire Type | Color | Length (ft) | Length (m) | Outlets | Amps | Case Pack Quantity |
|--------|------------------|-----------|-----------|-------------|------------|---------|------|--------------------|
| 48000 | 16/3 | SJTW | Red/Black | 40' | 12.1 m | 1 | 13 | 3 |

RETRACTABLE CORD REEL W/ LOCKING PLUG

| Part # | Gauge/Conductors | Wire Type | Color | Length (ft) | Length (m) | Outlets | Amps | Case Pack Quantity |
|--------|------------------|-----------|-----------|-------------|------------|---------|------|--------------------|
| 48004 | 14/3 | SJTW | Red/Black | 30' | 9.1 m | 1 | 15 | 3 |

INDUSTRIAL RETRACTABLE CORD REELS

| Part # | Gauge/Conductors | Wire Type | Color | Length (ft) | Length (m) | Outlets | Amps | Case Pack Quantity | NEMA Plug | NEMA Receptacle |
|-------------|------------------|-----------|--------------|-------------|------------|---------|------|--------------------|-----------|-----------------|
| R112318845 | 12/3 | SJEOW | Yellow/Black | 45' | 13.7 m | 1 | 20 | 1 | 5-20P | 5-20R |
| R112718845* | 12/3 | SJEOW | Yellow/Black | 45' | 13.7 m | 2 | 20 | 1 | 5-20P | 5-20R |
| R112308845 | 12/3 | SJEOW | Yellow/Black | 45' | 13.7 m | 1 | 15 | 1 | 5-15P | 5-15R |

*with GFCI



3202



247737



E230



E235



445825



E238



E215



48006SW



E316



48208802SW



48000



48004



R112318845



R11271884



R112308845



Southwire™

TOOLS & EQUIPMENT

2018 CORD SOLUTIONS CATALOG

GET SOCIAL WITH US:



**/SOUTHWIRETOOLS
/SOUTHWIRETOOLSLATINO**



@SOUTHWIRETOOLS



@SOUTHWIRETOOLS



SOUTHWIRETOOLS

SOUTHWIRETOOLS.COM | 1-855-SWTTOOLS

Delrin® is a registered trademark of E. I. du Pont de Nemours and Company of its affiliates for its brand of acetal resin.
Milwaukee, Super Hawg, Hole Hawg are trademarks, service marks, or trade names of Milwaukee Electric Tool Corporation ("Milwaukee Electric Tool Corporation's Intellectual Property").
All other Trademarks or Registered Trademarks (TM/®) are owned or licensed by Southwire Company.
Any other ™/®- Trademark or Registered Trademark of Southwire Company.