

# ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



#### A4J40 600V 40A Class J Fuse

Mersen Fuses

Catalog Number	A4J40
Manufacturer	Mersen Fuses
Description	Fuse A4J - Class J - Fast-Acting 600VAC 300VDC 40A Ferrule
	Amp-Trap®
Weight per unit	0.1700 (lbs/each)
Product Category	Current Limiting

#### **Features**

#### Material, Color, and Finish

Body Material	PolyTube
---------------	----------

#### **Dimensions and Weight**

	<b>J</b>	
Size	2.38 x 1.06	

#### **Descriptions**

Description	600V 40A CLASS J FUSE
extra long description	Mersen A4J40 Fuse A4J - Class J - F
Features	Amp-Trap fast-acting A4J fuses deliver excellent current-limiting protection to a wide variety of applications. Their unique dimensions prevent the substitution of other fuses with lower voltage ratings, interrupting ratings, or current-limiting capability.
Long Description	Fuse A4J - Class J - Fast-Acting 600VAC 300VDC 40A Ferrule Amp-Trap®
Product Type	Fuse A4J - Class J - Fast-Acting 600VAC 300VDC 40A Ferrule
Short Description	600V 40A CLASS J FUSE
Special Features	High current limitation for low peak let-thru current Unique dimensions prevent replacement by other fuse classes Fiberglass body provides dimensional stability in harsh industrial environments Easy-to-read imprint label for quick recognition and replacement



## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Manufacturer Inform	ation	
---------------------	-------	--

Brand	Mersen	
GTIN	00782001960223	
Manufacturers Part Number	A4J40	
UPC	782001960223	

### **Taxonomies, Classifications, and Categories**

Category Description	Fuses & Fuse Accessories
Туре	CLASS J

#### **Packaging**

maging	
Carton	1
Package	10
Weight Per each	0.17

#### Uses, Certifications, and Standards

Application	Capacitors Load centers Panelboards Switchboards Bus duct Feeder circuits Circuit breakers Lighting, heating, and general loads
Mounting	Clip
standard	UL listed to standard 248-8 File E2137 CSA certified to standard
	C22.2 no. 248.8 DC listed to LIL 248 IEC 269-2-1