



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

4300 Danhill Drive
76801-0000, TX Brownwood
Phone: 325-646-6566
Fax: 325-646-3777



AC12C16 Encl 12X16X9 N12 Consolet *Cooper B-Line/Cable Tray*

Catalog Number	AC12C16
Manufacturer	Cooper B-Line/Cable Tray
Description	Eaton B-Line Series Consolet Enclosures, 12" Height, 9.12" Length, 16" Width, Nema 12, Hinged Cover, Ac Concolet, Surface Mount, Medium Single Door, External Mounting Feet, Carbon Steel, Oil-Resistant Gasket
Weight per unit	16.5 (lbs/each)
Product Category	Nema Types 12 & 13 Metallic En

Features

Material	Polyester Powder Coated Over Wash and Phosphate Undercoat 14 Gauge Steel
----------	---

Material, Color, and Finish

Color	Gray
-------	------

Dimensions and Weight

Depth	9.12
Height	12
Size	16.00 In Width X 9.12 In Depth X 12.00 In Height
Width	16

Descriptions

Description	ENCL 12X16X9 N12 CONSOLET
extra long description	B-LINE AC-12C16 TYPE 12 CONSOLET, 1
Features	Eaton's B-Line series consolets provide reliable environmental protection and house electrical controls and instruments. They are designed with an angled front surface for pushbuttons, pilot lights, switches, or other monitoring devices.
Long Description	Eaton B-Line series consolet enclosures, 12" height, 9.12" length, 16" width, NEMA 12, Hinged cover, AC concolet, Surface mount, Medium single door, External mounting feet, Carbon steel, Oil-resistant gasket
Product Type	Type 12 Consolet, 12X16

Manufacturer Information

Brand	Eaton
GTIN	00782051410020
Manufacturers Part Number	AC12C16
UPC	782051410020

Taxonomies, Classifications, and Categories

Category Description	STEEL JUNCTION BOXES
Type	Consolet enclosures



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

4300 Danhill Drive
76801-0000, TX Brownwood
Phone: 325-646-6566
Fax: 325-646-3777

Packaging

Carton	1
Weight Per each	16.51

Uses, Certifications, and Standards

Application	Elec Assemblies, Panels & OEM - Electrical Assemblies, Panels and OEMs
standard	NEMA,UL 508A,CSA C22.2.