



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



AH460C7W Conn Pin&Sleeve 60A 480V 3PH 3P4W WT RD *Eaton Wiring Devices*

Catalog Number	AH460C7W
Manufacturer	Eaton Wiring Devices
Description	Eaton Arrow Hart Pin and Sleeve Connector, IP69K Rated, #8 - #2 Awg, #10 - #2 Awg (Ground), #12 - #16 Awg (Pilot), 60A, 3Ø 480V, Back Wire, Nickel Plated Brass, IP67, Nylon, 3-Pole, 4-Wire, 0.66-1.5IN (1.68-3.81CM), Female, 15 HP, 3PH
Weight per unit	2.1 (lbs/each)
Product Category	Pin & Sleeve Devices

Features

dimensions	11.5000 IN X 5.1250 IN X 5.1250 IN
Material	Nylon
media	Yes

Descriptions

Description	CONN PIN&SLEEVE 60A 480V 3PH 3P4W WT RD
extra long description	EWD AH460C7W Conn Pin&Sleeve 60A 48
Features	Eaton's Arrow Hart full line of pin and sleeve devices offer sturdy nylon construction, rugged design with corrosion resistant components for lasting electrical performance, and watertight sealing that provides IP69K protection so you can feel confident in even the most severe washdown environments.
Long Description	Eaton Arrow Hart pin and sleeve connector, IP69K Rated, #8 - #2 AWG, #10 - #2 AWG (Ground), #12 - #16 AWG (Pilot), 60A, 3Ø 480V, Back wire, Nickel plated brass, IP67, Nylon, 3-pole, 4-wire, 0.66-1.5in (1.68-3.81cm), Female, 15 HP, 3PH
Product Type	Conn Pin&Sleeve 60A 480V 3PH 3P4W WT RD
Special Features	Watertight P&S connectors

Manufacturer Information

Brand	Eaton
GTIN	00040893619804
Manufacturers Part Number	AH460C7W
UPC	040893619804

Taxonomies, Classifications, and Categories

Category Description	Pin & Sleeve Devices
Type	Pin and Sleeve connector

Packaging

Carton	1
Package	12
Weight Per each	2.092



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Uses, Certifications, and Standards

Application	Ind Facilities & Factories - Facility: Power Distribution and Control
standard	cRUus