



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## AH460C7W Conn Pin&Sleeve 60A 480V 3PH 3P4W WT RD *Eaton Wiring Devices*

Catalog Number	AH460C7W
Manufacturer	Eaton Wiring Devices
Description	CRS-H AH460C7W Conn Pin and Sleeve
Weight per unit	2.1 (lbs/each)
Product Category	Pin & Sleeve Devices

### Features

amperage rating	60
connection	Pin & Sleeve
dimensions	11.5000 IN X 5.1250 IN X 5.1250 IN
Material	Nylon
media	Yes
Phase	3
Poles	3
Voltage Rating	3Ø 480V/AC
Wire Size	0.66-1.5

### Material, Color, and Finish

Color	Blue & Gray
-------	-------------

### Dimensions and Weight

Size	11.5 x 5.125 x 5.125
------	----------------------

### Descriptions

Description	CONN PIN&SLEEVE 60A 480V 3PH 3P4W WT RD
Features	Eaton's Arrow Hart full line of pin and sleeve devices offer sturdy nylon construction, rugged design with corrosion resistant components for lasting electrical performance, and watertight sealing that provides IP69K protection so you can feel confident in even the most severe washdown environments.
Long Description	CRS-H AH460C7W CONN PIN AND SLEEVE
Product Type	Conn Pin and Sleeve 60A 480V 3PH 3P4W WT
Special Features	Watertight P&S connectors

### Manufacturer Information

Brand	Eaton
GTIN	00040893619804
Manufacturers Part Number	AH460C7W
UPC	040893619804

### Taxonomies, Classifications, and Categories

Category Description	Pin & Sleeve Devices
Type	CONNECTOR



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685

## Availability

Manufacturer Status ..... Inactive .....

## Packaging

Carton ..... 1 .....

Package ..... 12 .....

Weight Per each ..... 2.092 .....

## Uses, Certifications, and Standards

Application ..... IEC 309 Products .....

environmental conditions ..... IP67 & IP69k .....

Mounting ..... Cable .....

standard ..... IEC, UL, CSA .....