

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



APJ3375 30 Amp Pin & Sleeve Plug 3W 3P 250 VDC/600 Vac Crouse-Hinds

Catalog Number	APJ3375
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Arktite Apj Plug, 30A, 0.39-1.20", Three-Wire, Three-Pole, 50-400 HZ, Style 1, Copper-Free Aluminum, 600 Vac/250 VDC
Weight per unit	
Product Category	
Features	
amperage rating	100
Cord Type	0.075 T. 4.700 I
dimensions	
Material	Conner Free Aluminum
Poles	3
Voltage Rating	600 VAC AT 50 TO 400 HZ, 250 VDC
Wire Size	4 To 1 AWG (Building), 4 To 2 AWG (Extra Flex)
Dimensions and Weight	
Length	10-1/8
Descriptions	
Description	30 AMP PIN & SLEEVE PLUG 3W 3P 250 VDC/600 VAC
extra long description	CRS-H APJ3375 30A 3W3P ARKTE PLG .3
Features	Crouse-Hinds series Arktite plugs and receptacles are used to supply power to portable electrically operated devices, such as motor generator sets, compressors, heating and cooling units, welders, conveyors, lighting systems and similar equipment. Also used where temporary power is needed, such as at trailers, building units, heavy machinery or wherever electrical loads must be quickly disconnected from power source.
Long Description	Eaton Crouse-Hinds series Arktite APJ plug, 30A, 0.39-1.20", Three-wire, three-pole, 50-400 Hz, Style 1, Copper-free aluminum, 600 Vac/250 Vdc
Product Type	30A 3W3P Arkte PLG .39 to 1.20 3/4
Special Features	Watertight, Grounding Style 1, NEMA 4 Enclosure, Reverse Interior



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Ν	Лar	าบโลด	turer	Inforr	nation
ı١	viai	iuiai	, tui c i		Hauvii

Brand	Eaton	
GTIN	00782274046501	
Manufacturers Part Number	APJ3375	
UPC	782274046501	

Taxonomies, Classifications, and Categories

Category Description	Pin & Sleeve Devices
Type	PLUG

Packaging

onagii ig	
Carton	1
Weight Per each	1.65

Uses, Certifications, and Standards

Application	Ind Facilities & Factories - Facility: Power Distribution and Control
standard	Contactar al fabricante ,Contact Manufacturer