

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



AR341 30A Pin & Sleeve Recpt 4W 4P 250VDC/600vac Crouse-Hinds

Catalog Number	AR341
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Arktite Ar Receptacle, 30A, Four-Wire,
	Four-Pole, 50-400 HZ, Style 1, Copper-Free Aluminum, Spring
	Door, 600 Vac/250 VDC
Weight per unit	1.5 (lbs/each)
Product Category	Pin & Sleeve Devices
- eatures	
dimensions	2.8800 IN X 3.3800 IN X 3.3800 IN
insulation	Fiberglass-Reinforced Polyester
Voltage Rating	600 VAC AT 50 TO 400 HZ, 250 VDC
Wire Size	10 To 6 AWG (Building), 10 To 8 AWG (Extra Flex)
Dimensions and Weight	
Height	2-7/8
Width	3-3/8
Descriptions	
Description	30A PIN & SLEEVE RECPT 4W 4P 250VDC/600VAC
extra long description	CRS-H AR341 30A 4W4P ARKTE RCPT HOU
Features	Crouse-Hinds series Arktite plugs and receptacles are used to
	supply power to portable electrically operated devices, such as
	motor generator sets, compressors, heating and cooling units,
	welders, conveyors, lighting systems and similar equipment. Also
	used where temporary power is needed, such as at trailers,
	building units, heavy machinery or wherever electrical loads mus
	be quickly disconnected from power source.
Long Description	Eaton Crouse-Hinds series Arktite AR receptacle, 30A, Four-wire,
	four-pole, 50-400 Hz, Style 1, Copper-free aluminum, Spring
	door, 600 Vac/250 Vdc
Product Type	30A 4W4P Arkte RCPT Hous SPDR
Special Features	Watertight, Grounding Style 1, NEMA 4 Enclosure
Vanufacturer Information	
Brand	Eaton
GTIN	00782274059808
Manufacturers Part Number	AR341
UPC	782274059808



$E_{\text{LLIOTT}} E_{\text{LECTRIC}} S_{\text{UPPLY}}$

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Taxonomies, Classifications, and Categories

Category Description	Pin & Sleeve Devices
Туре	RECEPTACLE
Packaging	
Carton	1
Package	2
Weight Per each	1.45
Uses, Certifications, and Standards	
Weight Per each Uses, Certifications, and Standards	1.45

Application	Ind Facilities & Factories - Facility: Power Distribution and Control
standard	UL 514, UL 1010, UL 1682, CSA C22.2