

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



UPC

ASI1I1 2-14 115A SPL/Reducr Block

Nsi Industries

Nsi Industries	
Catalog Number	ASI1I1
Manufacturer	Nsi Industries
Description	Power Distribution Block 2-14 Awg Primary 2-14 Awg Secondary Power Distribution Blocks Are Made Of High Strength, High-Conductivity Aluminum Alloy and Are Mounted In A High-Strength Glass-Filled Polyester Base. Each Block Can Stand Alone or Combine With Other Blocks to Form A Multi-Block Set.
Weight per unit	0.1900 (lbs/each)
Product Category	Terminal Blocks & Accessories
Features	
amperage rating	115
Material States	Aluminum/Class/Polyostor
Number of Terminals	
Voltage Rating	
Warranty	1 YEAR
Wire Size	(1) 2-14 AWG(Line) - (1) 2-14 AWG(Load)
Material, Color, and Finish	
Color	Black
Descriptions	
Description	2-14 115A SPL/REDUCR BLOCK
extra long description	NSI AS-I1-I1 AL/CU CMP Splice 1/0 A
Features	Power Distribution Block 2-14 AWG Primary 2-14 AWG Secondary Power Distribution Blocks are made of high strength, high-conductivity aluminum alloy and are mounted in a high-strength glass-filled polyester base. Each block can stand alone or combine with other blocks to form a multi-block set.
Long Description	Power Distribution Block 2-14 AWG Primary 2-14 AWG Secondary Power Distribution Blocks are made of high strength, high-conductivity aluminum alloy and are mounted in a high-strength glass-filled polyester base. Each block can stand alone or combine with other blocks to form a multi-block set.
Product Type	AI/Cu CMP Splice 1/0 Awg
Manufacturer Information	
Brand	NSi
GTIN	00662381166012
Manufacturers Part Number	AS-I1-I1
sub brand	Connector Blocks

662381166012



ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Taxonomies, Classifications, and Categories	
Category Description	TERMINAL BLOCKS POWER DIST BLOCKS
Packaging Carton	1
Package	3
Weight Per each	0.19
Uses, Certifications, and Standards	
Mounting	2 Mounting Holes