

## General Accessories


### Back Panels



#### Back Panels

| CATALOG SUFFIX | MATERIAL        | GRADE     | FINISH               | MISC.   |
|----------------|-----------------|-----------|----------------------|---------|
| AL             | Aluminum        | 3003 H14  | None                 |         |
| SS             | Stainless Steel | 304       | None                 |         |
| FG             | Fiberglass      |           |                      | UL94-V0 |
| CS             | Carbon Steel    | 1008/1010 | Painted White Enamel |         |

Note: Available for all product families unless otherwise specified



## Enclosure Specific Accessories

### Typical Series Designation: N Series Back Panel Dimensions

| SIZE ID NUMBER | BA              | BB             | BK              | BL             | BT (AL)     | BT (SS)     | BT (CS)     | PANEL TYPE | HOLE DIA.   | # OF HOLES | Weight (Aluminum)<br>Suffix: AL | Weight (Stainless)<br>Suffix: SS | Weight (Carbon Steel)<br>Suffix: CS |
|----------------|-----------------|----------------|-----------------|----------------|-------------|-------------|-------------|------------|-------------|------------|---------------------------------|----------------------------------|-------------------------------------|
| BP1610         | 13.00<br>(330)  | 8.50<br>(216)  | 12.00<br>(305)  | 7.50<br>(191)  | .080<br>(2) | .060<br>(2) | .105<br>(3) | Flat       | 0.31<br>(8) | 4          | 1 lb                            | 1.5 lbs                          | 3.3 lbs                             |
| BP2016         | 17.00<br>(432)  | 13.00<br>(330) | 15.25<br>(387)  | 11.25<br>(286) | .080<br>(2) | .060<br>(2) | .105<br>(3) | Flat       | .50<br>(13) | 4          | 2 lbs                           | 3.7 lbs                          | 6.7 lbs                             |
| BP2020         | 17.00<br>(432)  | 17.00<br>(432) | 15.25<br>(387)  | 15.25<br>(387) | .080<br>(2) | .060<br>(2) | .105<br>(3) | Flat       | .50<br>(13) | 4          | 2.5 lbs                         | 4 lbs                            | 5.7 lbs                             |
| BP2412         | 21.00<br>(533)  | 9.00<br>(229)  | 19.25<br>(489)  | 7.25<br>(184)  | .080<br>(2) | .060<br>(2) | .105<br>(3) | Flat       | .50<br>(13) | 4          | 1.5 lbs                         | 5 lbs                            | 8.7 lbs                             |
| BP2420         | 21.00<br>(533)  | 17.00<br>(432) | 19.25<br>(489)  | 15.25<br>(387) | .13<br>(3)  | .060<br>(2) | .105<br>(3) | Flat       | .50<br>(13) | 4          | 4.5 lbs                         | 6 lbs                            | 10.8 lbs                            |
| BP2424         | 21.00<br>(533)  | 21.00<br>(533) | 19.25<br>(489)  | 19.25<br>(489) | .13<br>(3)  | .060<br>(2) | .105<br>(3) | Flat       | .50<br>(13) | 4          | 5.5 lbs                         | 7.4 lbs                          | 13.4 lbs                            |
| BP3020         | 27.00<br>(686)  | 17.00<br>(432) | 25.25<br>(641)  | 15.25<br>(387) | .13<br>(3)  | .060<br>(2) | .105<br>(3) | Flat       | .50<br>(13) | 4          | 5.8 lbs                         | 7.7 lbs                          | 14 lbs                              |
| BP3024         | 27.00<br>(686)  | 21.00<br>(533) | 25.25<br>(641)  | 19.25<br>(489) | .13<br>(3)  | .060<br>(2) | .105<br>(3) | Flat       | .50<br>(13) | 4          | 7 lbs                           | 9.6 lbs                          | 17 lbs                              |
| BP3630         | 33.00<br>(838)  | 27.00<br>(686) | 31.25<br>(794)  | 25.25<br>(641) | .13<br>(3)  | .060<br>(2) | .105<br>(3) | Flat       | .50<br>(13) | 4          | 11 lbs                          | 15.2 lbs                         | 27 lbs                              |
| BP3636         | 31.00<br>(787)  | 33.00<br>(838) | 29.00<br>(737)  | 31.00<br>(787) | .13<br>(3)  | .060<br>(2) | .105<br>(3) | Formed     | .50<br>(13) | 6          | 14 lbs                          | 18.5 lbs                         | 33 lbs                              |
| BP4836         | 45.00<br>(1143) | 33.00<br>(838) | 43.25<br>(1099) | 31.25<br>(794) | .13<br>(3)  | .060<br>(2) | .105<br>(3) | Formed     | .50<br>(13) | 8          | 20 lbs                          | N/A                              | 47 lbs                              |
| BP6036         | 57.00<br>(1448) | 33.00<br>(838) | 55.25<br>(1403) | 31.25<br>(794) | .13<br>(3)  | .105<br>(3) | .105<br>(3) | Formed     | .50<br>(13) | 8          | 25 lbs                          | N/A                              | 60 lbs                              |
| BP7225         | 64.00<br>(1626) | 21.00<br>(533) | 62.00<br>(1575) | 19.00<br>(483) | .13<br>(3)  | .105<br>(3) | .105<br>(3) | Formed     | .50<br>(13) | 10         | 18.5 lbs                        | N/A                              | 43 lbs                              |
| * BP7249       | 64.00<br>(1626) | 22.00<br>(559) | 62.00<br>(1575) | 20.00<br>(508) | .13<br>(3)  | .105<br>(3) | .105<br>(3) | Formed     | .50<br>(13) | 10         | 38 lbs                          | N/A                              | 86 lbs                              |
| * BP7260       | 64.00<br>(1626) | 27.50<br>(698) | 62.00<br>(1575) | 25.50<br>(648) | .13<br>(3)  | .105<br>(3) | .105<br>(3) | Formed     | .50<br>(13) | 10         | 46 lbs                          | N/A                              | 109 lbs                             |

\* Set of two panels.

Caution: Metric units are for reference; do not convert.

Note: When specifying combine Size ID Number and Material Suffix

Example: BP1610CS for 16x10 Carbon Steel Back Panel

## General Accessories


### Back Panels



#### Back Panels

| CATALOG SUFFIX | MATERIAL        | GRADE     | FINISH               | MISC.   |
|----------------|-----------------|-----------|----------------------|---------|
| AL             | Aluminum        | 3003 H14  | None                 |         |
| SS             | Stainless Steel | 304       | None                 |         |
| FG             | Fiberglass      |           |                      | UL94-V0 |
| CS             | Carbon Steel    | 1008/1010 | Painted White Enamel |         |

Note: Available for all product families unless otherwise specified



## Enclosure Specific Accessories

### Typical Series Designation: N Series Back Panel Dimensions

| SIZE ID NUMBER | BA              | BB             | BK              | BL             | BT (AL)     | BT (SS)     | BT (CS)     | PANEL TYPE | HOLE DIA.   | # OF HOLES | Weight (Aluminum)<br>Suffix: AL | Weight (Stainless)<br>Suffix: SS | Weight (Carbon Steel)<br>Suffix: CS |
|----------------|-----------------|----------------|-----------------|----------------|-------------|-------------|-------------|------------|-------------|------------|---------------------------------|----------------------------------|-------------------------------------|
| BP1610         | 13.00<br>(330)  | 8.50<br>(216)  | 12.00<br>(305)  | 7.50<br>(191)  | .080<br>(2) | .060<br>(2) | .105<br>(3) | Flat       | 0.31<br>(8) | 4          | 1 lb                            | 1.5 lbs                          | 3.3 lbs                             |
| BP2016         | 17.00<br>(432)  | 13.00<br>(330) | 15.25<br>(387)  | 11.25<br>(286) | .080<br>(2) | .060<br>(2) | .105<br>(3) | Flat       | .50<br>(13) | 4          | 2 lbs                           | 3.7 lbs                          | 6.7 lbs                             |
| BP2020         | 17.00<br>(432)  | 17.00<br>(432) | 15.25<br>(387)  | 15.25<br>(387) | .080<br>(2) | .060<br>(2) | .105<br>(3) | Flat       | .50<br>(13) | 4          | 2.5 lbs                         | 4 lbs                            | 5.7 lbs                             |
| BP2412         | 21.00<br>(533)  | 9.00<br>(229)  | 19.25<br>(489)  | 7.25<br>(184)  | .080<br>(2) | .060<br>(2) | .105<br>(3) | Flat       | .50<br>(13) | 4          | 1.5 lbs                         | 5 lbs                            | 8.7 lbs                             |
| BP2420         | 21.00<br>(533)  | 17.00<br>(432) | 19.25<br>(489)  | 15.25<br>(387) | .13<br>(3)  | .060<br>(2) | .105<br>(3) | Flat       | .50<br>(13) | 4          | 4.5 lbs                         | 6 lbs                            | 10.8 lbs                            |
| BP2424         | 21.00<br>(533)  | 21.00<br>(533) | 19.25<br>(489)  | 19.25<br>(489) | .13<br>(3)  | .060<br>(2) | .105<br>(3) | Flat       | .50<br>(13) | 4          | 5.5 lbs                         | 7.4 lbs                          | 13.4 lbs                            |
| BP3020         | 27.00<br>(686)  | 17.00<br>(432) | 25.25<br>(641)  | 15.25<br>(387) | .13<br>(3)  | .060<br>(2) | .105<br>(3) | Flat       | .50<br>(13) | 4          | 5.8 lbs                         | 7.7 lbs                          | 14 lbs                              |
| BP3024         | 27.00<br>(686)  | 21.00<br>(533) | 25.25<br>(641)  | 19.25<br>(489) | .13<br>(3)  | .060<br>(2) | .105<br>(3) | Flat       | .50<br>(13) | 4          | 7 lbs                           | 9.6 lbs                          | 17 lbs                              |
| BP3630         | 33.00<br>(838)  | 27.00<br>(686) | 31.25<br>(794)  | 25.25<br>(641) | .13<br>(3)  | .060<br>(2) | .105<br>(3) | Flat       | .50<br>(13) | 4          | 11 lbs                          | 15.2 lbs                         | 27 lbs                              |
| BP3636         | 31.00<br>(787)  | 33.00<br>(838) | 29.00<br>(737)  | 31.00<br>(787) | .13<br>(3)  | .060<br>(2) | .105<br>(3) | Formed     | .50<br>(13) | 6          | 14 lbs                          | 18.5 lbs                         | 33 lbs                              |
| BP4836         | 45.00<br>(1143) | 33.00<br>(838) | 43.25<br>(1099) | 31.25<br>(794) | .13<br>(3)  | .060<br>(2) | .105<br>(3) | Formed     | .50<br>(13) | 8          | 20 lbs                          | N/A                              | 47 lbs                              |
| BP6036         | 57.00<br>(1448) | 33.00<br>(838) | 55.25<br>(1403) | 31.25<br>(794) | .13<br>(3)  | .105<br>(3) | .105<br>(3) | Formed     | .50<br>(13) | 8          | 25 lbs                          | N/A                              | 60 lbs                              |
| BP7225         | 64.00<br>(1626) | 21.00<br>(533) | 62.00<br>(1575) | 19.00<br>(483) | .13<br>(3)  | .105<br>(3) | .105<br>(3) | Formed     | .50<br>(13) | 10         | 18.5 lbs                        | N/A                              | 43 lbs                              |
| * BP7249       | 64.00<br>(1626) | 22.00<br>(559) | 62.00<br>(1575) | 20.00<br>(508) | .13<br>(3)  | .105<br>(3) | .105<br>(3) | Formed     | .50<br>(13) | 10         | 38 lbs                          | N/A                              | 86 lbs                              |
| * BP7260       | 64.00<br>(1626) | 27.50<br>(698) | 62.00<br>(1575) | 25.50<br>(648) | .13<br>(3)  | .105<br>(3) | .105<br>(3) | Formed     | .50<br>(13) | 10         | 46 lbs                          | N/A                              | 109 lbs                             |

\* Set of two panels.

Caution: Metric units are for reference; do not convert.

Note: When specifying combine Size ID Number and Material Suffix

Example: BP1610CS for 16x10 Carbon Steel Back Panel