

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



BQ240250 BQ Quad BRKR 1-40A/2P 1-50A/2P Indep. Trip 120/240 *Eaton Corp*

Catalog Number	BQ240250
Manufacturer	Eaton Corp
Description	Eaton BR Thermal Magnetic Circuit Breaker, Type BQ 1-Inch CTL Plug-On Circuit Breaker, Includes Rejection Tab Feature, (1) Two-Pole 40 A, (1) Two-Pole 50 A, 10 Kaic, Four-Pole, 120/240V,
	BQ, Independent, #14-4 Awg Cu/AI, Q28, BQ, Type BR Loadcenters
Weight per unit	0.8000 (lbs/each)
Product Category	Quadplex Standard Trip Plug-In
Features	
dimensions	1.4000 IN X 3.2000 IN X 3.1000 IN
interrupt rating	10 kAIC
Poles	Four-pole
Trip Type	Independent
Voltage Rating	120/240 V
Descriptions	
Description	BQ QUAD BRKR 1-40A/2P 1-50A/2P INDEP. TRIP 120/240
extra long description	ETN BQ240250 BQ Quad 1-40A/2P 1-50A
Features	Eaton's residential BR Circuit Breakers are used in load centers,
	panelboards, or similar devices. They are made for a wide range
	of applications and include: BR 1" circuit breakers and
	accessories for BR-style load centers; arc fault circuit interrupter
Long Description	(AFCI): and ground fault circuit interrupters (GFCI).
	Eaton BR thermal magnetic circuit breaker, Type BQ 1-Inch CTL
	plug-on circuit breaker,Includes rejection tab feature,(1) Two-Pole 40 A, (1) Two-Pole 50 A,10
	kAIC,Four-pole,120/240V,BQ,Independent,#14-4 AWG
	Cu/Al,Q28,BQ,Type BR Loadcenters
Product Type	DO 0 - 14 404/0D4 504/0D400/040V40V
Special Features	Includes Rejection Tab feature
Manufacturer Information	•
Brand	Eaton
GTIN	00786676371209
Manufacturers Part Number	
UPC	704474271200

Taxonomies, Classifications, and Categories

Category Description	Specialty Breakers (Quad, Dupl, Shunt Trip)
Type	Thermal magnetic circuit breakers



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging Carton	1
Weight Per each	0.8
Uses, Certifications, and Standards	
Application	Generation - Renewable Energy - Alternative EnergyGeneration - Conventional Energy - Conventional EnergyOtherDatacenters - IT Space: CI and Hyper ConvergedMarine Vessels and Equipment - Marine Vessels and Equipment - Other
standard	UL 489, Federal Specifications Classification W-C375