


ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685





BR125 Type BR BRKR 25A/1 Pole 120/240V 10K Eaton Corp

Catalog Number	BR125	
Manufacturer	Eaton Corp	
Description	Eaton BR Thermal Magnetic Circuit Breaker, Type BR 1-Inch Plug-On Circuit Breaker, 25 A, 10 Kaic, Single-Pole, 120/240V, BF #14-4 Awg Cu/Al, BR, Type BR Loadcenters	
Weight per unit	0.3000 (lbs/each)	
Product Category	1 Pole Standard Trip Plug-In	
atures		
amperage rating	25 A	
dimensions	3.3000 IN X 1.6000 IN X 3.3000 IN	
interrupt rating	10	
Poles	1	
Voltage Rating	120/240 V	
escriptions		
Description	TYPE BR BRKR 25A/1 POLE 120/240V 10K	
extra long description	ETN BR125 Type BR Breaker 25A/1 Pol	
Features	Eaton's residential BR Circuit Breakers are used in load centers, panelboards, or similar devices. They are made for a wide range of applications and include: BR 1" circuit breakers and accessories for BR-style load centers; arc fault circuit interrupter (AFCI); and ground fault circuit interrupters (GFCI).	
Long Description	Eaton BR thermal magnetic circuit breaker, Type BR 1-Inch plug-on circuit breaker, 25 A, 10	
	kAIC,Single-pole,120/240V,BR,#14-4 AWG Cu/AI,BR,Type BR Loadcenters	
Product Type	Type BR Breaker 25A/1 Pole 120/240V 10K	
anufacturer Information		
Brand	Eaton	
GTIN	00786676362153	
Manufacturers Part Number	BR125	
UPC	786676362153	

Category Description Loadcenter Plug In Breakers and Accessories Type Thermal magnetic circuit breakers



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Pä	ac	ka	gı	n	g

Carton	1
Package	10
Weight Per each	0.3

Use

es, Certifications, and Standards	
Application	Generation - Renewable Energy - Alternative
	EnergyOtherGeneration - Conventional Energy - Conventional
	EnergyMarine Vessels and Equipment - Marine Vessels and
	Equipment - OtherDatacenters - IT Space: CI and Hyper
	Converged
standard	UI 489 Federal Specifications Classification W-C375