

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



BRCAF120CS Eaton BR Afci Circuit Bre Eaton Corp

Catalog Number	BRCAF120CS
Manufacturer	Eaton Corp
Description	Eaton BR Afci Circuit Breaker, Afci Circuit Breaker, Clamshell
	Pack, 20 A, 10 Kaic, Single-Pole, 120 V, BRC, Pigtail, #14-4 Awg
	Cu/AI, Q30, Type BR Loadcenters
Weight per unit	
Product Category	In Circuit Breakers
eatures	
connection	Pigtail
dimensions	6.0000 IN X 3.5000 IN X 1.2500 IN
interrupt rating	10
Poles	
Voltage Rating	120 V
Descriptions	
Description	EATON BR AFCI CIRCUIT BRE
extra long description	ETN BRCAF120CS BR COMBINATION AFCI,
Features	Eaton's BR circuit breakers are used in indoor and outdoor BR
	loadcenters, spa panels, meter breakers and sub panels. They ar
	designed for a wide range of applications such as high
	short-circuit interrupt, series rating combinations with upstream
	main breakers, thermal magnetic, AFCI, GFCI, equipment
	protection and dual function AF/GF.
Long Description	Eaton BR AFCI circuit breaker, AFCI Circuit breaker, Clamshell
	pack, 20 A, 10 kAIC, Single-pole, 120 V, BRC, Pigtail, #14-4 AWG
	Cu/AI, Q30, Type BR Loadcenters
Product Type	BR Combination Afci, 1P, 20A, 10KAIC,
Special Features	Clamshell pack
/lanufacturer Information	
Brand	Eaton
GTIN	00786685514376
Manufacturers Part Number	BRCAF120CS
UPC	786685514376
axonomies, Classifications, and (•
	Loadcenter Plug In Breakers and Accessories
Туре	AFCI circuit breakers
Packaging	
Carton	
Weight Per each	0.45



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

Application

standard

Generation - Conventional Energy - Conventional EnergyOtherMarine Vessels and Equipment - Marine Vessels and Equipment - OtherGeneration - Renewable Energy - Alternative EnergyDatacenters - IT Space: CI and Hyper Converged UL 1699,Federal Specifications Classification W-C375