


While we've spent a long time perfecting an insulating coating, we are continuously developing new technologies to improve safety, durability, and usability. This pursuit is evident in our Composite Driver Tools. By eliminating 95% of all conductive material and utilizing cutting edge technology, we have created drivers that are strong, light-weight, durable, and most importantly, safe.



Screwdrivers



PN _____ DESC _____

CM2-3..... 1/8" X 3"

CM2-6..... 1/8" X 6"

CMC5-CG.... 3/16" X 5"

CMC6-CG.... 3/16" X 6"

CM4-CG..... 1/4" X 4-1/2"

CM6-CGC.... 1/4" X 6"

- Comply with ASTM F1505 and IEC 60900 Standards and help meet the requirements of OSHA 1910.331-335, NFPA 70E®, and CSA-Z462
- Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around energized parts
- Slender Shape at Tip
- Cushion Grip (CG) handle for greater comfort and torque
- Internal Flanges in handle provide solid, twist-resistant blade



CM6-CGC



PN _____ DESC _____

C516-6CG..... 5/16" X 6"

CM516-6CG... 5/16" X 6"

C38-6CG..... 3/8" X 6"

Nut Drivers

PN _____ DESC _____

CND316-CG3... 3/16" X 3"

CND316-CG..... 3/16" X 6"

CND140-CG3... 1/4" X 3"

CND140-CG..... 1/4" X 6"

CND516-CG3... 5/16" X 3"

CND516-CG..... 5/16" X 6"

CND1132-CG3.. 11/32" X 3"

CND1132-CG..... 11/32" X 6"

CND380-CG3.. 3/8" X 3"

CND380-CG.... 3/8" X 6"

CND716-CG3... 7/16" X 3"

CND716-CG..... 7/16" X 6"

CND120-CG3... 1/2" X 3"

CND120-CG..... 1/2" X 6"

CND916-CG3... 9/16" X 3"

CND916-CG..... 9/16" X 6"


CND580-CG..... 5/8" X 6"



CR1-6CG




CP2-4CG




CND916-CG



CM2-3



CMTS-6



PN _____ DESC _____


CP1-3-CG... #1 X 3"

CP1-5CG... #1 X 5"

CP2-4CG... #2 X 4"

CP2-6CG... #2 X 6"

CP3-6CG... #3 X 6"



PN _____ DESC _____

CR1-6CG... #1 X 6"

CR2-6CG... #2 X 6"

CR3-6CG... #3 X 6"

Magnetic Tip Multi-Bit Drivers

PN _____ DESC _____

CMTS-6..... 6" Shaft, 3/16" & 1/4" Cabinet, #1, #2 & #3 Phillips

CMTS-6CA..6" Shaft, 3/16" & 1/4" Cabinet, #2 & #3 Phillips, #2 Robertson



Sets / Rolls

TR-5CSD

Composite Cabinet Tip Screwdrivers - 3/16" X 6", 1/4" X 6", 3/8" X 6"
Composite Phillips Tip Screwdrivers - #2 X 6", #3 X 6"
Driver Roll Pouch 6

TR-6SD-C

Composite Cabinet Tip Screwdrivers - 3/16" X 5", 3/16" X 6", 1/4" X 6"
Composite Mechanics Tip Screwdriver - 5/16" X 6"
Composite Phillips Tip Screwdrivers - #1 X 3", #2 X 4"
Driver Roll Pouch 6

TR-6CSD

Composite Cabinet Tip Screwdrivers - 1/8" X 6", 3/16" X 6", 1/4" X 6"
Composite Phillips Tip Screwdrivers - #1 X 5", #2 X 6", #3 X 6"
Driver Roll Pouch 6

TR-6SD-CSO

Composite Cabinet Tip Screwdrivers - 3/16" X 6", 1/4" X 6"
Composite Mechanics Tip Screwdriver - 5/16" X 6"
Composite Phillips Tip Screwdrivers - #1 X 5", #2 X 6", #3 X 6"
Driver Roll Pouch 6

TR-8SD-C

Composite Cabinet Tip Screwdrivers - 3/16" X 5", 3/16" X 6", 1/4" X 4-1/2", 1/4" X 6"
Composite Mechanics Tip Screwdriver - 5/16" X 6", 3/8" X 6"
Composite Phillips Tip Screwdrivers - #1 X 3", #2 X 4"
Driver Roll Pouch 8

TR-6NDXL-C

6" Composite Nut Drivers - 3/16", 1/4", 5/16", 3/8", 7/16", 1/2"
Driver Roll Pouch 6

TR-8CND

6" Composite Nut Drivers - 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
Driver Roll Pouch 8

TR-8NDXL-C

6" Composite Nut Drivers: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"
Composite Holding Nut Starter: 5/16" X 8"
Driver Roll Pouch 8



Holding Screw and Nut Starters

- Spring-Loaded Design allows for easy operation while wearing insulating gloves
- Slender Design for tight area access and storage
- Includes opposing end magnet for retrieval
- Available in multiple sizes and bit tip configurations



CD11-8

PN_____DESC_____
CD3-8.....8" Flat Tip
CD11-8..... 8" Phillips Tip
CDNS-8...8" Nut Starter

Fuse Pullers




PFP-1

PN_____DESC_____
PFP-0..... 5" Fuse Puller without Guards
PFP-0G.....7-1/4" Fuse Puller with Guards
PFP-1.....7-1/2" Fuse Puller (without Guards)
PFP-2G.....5" Fuse Puller with Guards
PFP-3.....11-3/4" Fuse Puller without Guards

Non-Conductive Pliers

- Non-conductive tool
- Completely concealed pivot pin (only steel component)
- Slender Jaws for entry to tight areas

PN_____DESC_____
PK100....7" Fiberglass Reinforced Plastic



PK100



Measuring Tape

PN_____DESC_____
CTM-33... 33' Fully Non-Conductive
Fiberglass Measuring Tape


609.387.1040 • 800.654.1292 • fax: 609.386.8885

www.cementexusa.com • orders@cementexusa.com • rfq@cementexusa.com

While we've spent a long time perfecting an insulating coating, we are continuously developing new technologies to improve safety, durability, and usability. This pursuit is evident in our Composite Driver Tools. By eliminating 95% of all conductive material and utilizing cutting edge technology, we have created drivers that are strong, light-weight, durable, and most importantly, safe.



Screwdrivers



PN _____ DESC _____

CM2-3..... 1/8" X 3"

CM2-6..... 1/8" X 6"

CMC5-CG.... 3/16" X 5"

CMC6-CG.... 3/16" X 6"


CM4-CG..... 1/4" X 4-1/2"

CM6-CGC.... 1/4" X 6"

- Comply with ASTM F1505 and IEC 60900 Standards and help meet the requirements of OSHA 1910.331-335, NFPA 70E®, and CSA-Z462
- Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around energized parts
- Slender Shape at Tip
- Cushion Grip (CG) handle for greater comfort and torque
- Internal Flanges in handle provide solid, twist-resistant blade



CM6-CGC



PN _____ DESC _____

C516-6CG..... 5/16" X 6"

CM516-6CG... 5/16" X 6"

C38-6CG..... 3/8" X 6"

Nut Drivers

PN _____ DESC _____

CND316-CG3... 3/16" X 3"

CND316-CG..... 3/16" X 6"

CND140-CG3... 1/4" X 3"

CND140-CG..... 1/4" X 6"

CND516-CG3... 5/16" X 3"

CND516-CG..... 5/16" X 6"

CND1132-CG3.. 11/32" X 3"

CND1132-CG..... 11/32" X 6"

CND380-CG3.. 3/8" X 3"

CND380-CG.... 3/8" X 6"

CND716-CG3... 7/16" X 3"

CND716-CG..... 7/16" X 6"

CND120-CG3... 1/2" X 3"

CND120-CG..... 1/2" X 6"

CND916-CG3... 9/16" X 3"

CND916-CG..... 9/16" X 6"


CND580-CG..... 5/8" X 6"



CR1-6CG




CP2-4CG




CND916-CG



CM2-3



CMTS-6



PN _____ DESC _____


CP1-3-CG... #1 X 3"

CP1-5CG... #1 X 5"

CP2-4CG... #2 X 4"

CP2-6CG... #2 X 6"

CP3-6CG... #3 X 6"



PN _____ DESC _____

CR1-6CG... #1 X 6"

CR2-6CG... #2 X 6"

CR3-6CG... #3 X 6"

Magnetic Tip Multi-Bit Drivers

PN _____ DESC _____

CMTS-6..... 6" Shaft, 3/16" & 1/4" Cabinet, #1, #2 & #3 Phillips

CMTS-6CA..6" Shaft, 3/16" & 1/4" Cabinet, #2 & #3 Phillips, #2 Robertson



Sets / Rolls

TR-5CSD

Composite Cabinet Tip Screwdrivers - 3/16" X 6", 1/4" X 6", 3/8" X 6"
Composite Phillips Tip Screwdrivers - #2 X 6", #3 X 6"
Driver Roll Pouch 6

TR-6SD-C

Composite Cabinet Tip Screwdrivers - 3/16" X 5", 3/16" X 6", 1/4" X 6"
Composite Mechanics Tip Screwdriver - 5/16" X 6"
Composite Phillips Tip Screwdrivers - #1 X 3", #2 X 4"
Driver Roll Pouch 6

TR-6CSD

Composite Cabinet Tip Screwdrivers - 1/8" X 6", 3/16" X 6", 1/4" X 6"
Composite Phillips Tip Screwdrivers - #1 X 5", #2 X 6", #3 X 6"
Driver Roll Pouch 6

TR-6SD-CSO

Composite Cabinet Tip Screwdrivers - 3/16" X 6", 1/4" X 6"
Composite Mechanics Tip Screwdriver - 5/16" X 6"
Composite Phillips Tip Screwdrivers - #1 X 5", #2 X 6", #3 X 6"
Driver Roll Pouch 6

TR-8SD-C

Composite Cabinet Tip Screwdrivers - 3/16" X 5", 3/16" X 6", 1/4" X 4-1/2", 1/4" X 6"
Composite Mechanics Tip Screwdriver - 5/16" X 6", 3/8" X 6"
Composite Phillips Tip Screwdrivers - #1 X 3", #2 X 4"
Driver Roll Pouch 8

TR-6NDXL-C

6" Composite Nut Drivers - 3/16", 1/4", 5/16", 3/8", 7/16", 1/2"
Driver Roll Pouch 6

TR-8CND

6" Composite Nut Drivers - 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
Driver Roll Pouch 8

TR-8NDXL-C

6" Composite Nut Drivers: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"
Composite Holding Nut Starter: 5/16" X 8"
Driver Roll Pouch 8



Holding Screw and Nut Starters

- Spring-Loaded Design allows for easy operation while wearing insulating gloves
- Slender Design for tight area access and storage
- Includes opposing end magnet for retrieval
- Available in multiple sizes and bit tip configurations

PN_____DESC_____
CD3-8.....8" Flat Tip
CD11-8..... 8" Phillips Tip
CDNS-8...8" Nut Starter

CD11-8



Fuse Pullers




PFP-1

PN_____DESC_____
PFP-0..... 5" Fuse Puller without Guards
PFP-0G.....7-1/4" Fuse Puller with Guards
PFP-1.....7-1/2" Fuse Puller (without Guards)
PFP-2G.....5" Fuse Puller with Guards
PFP-3.....11-3/4" Fuse Puller without Guards

Non-Conductive Pliers

- Non-conductive tool
- Completely concealed pivot pin (only steel component)
- Slender Jaws for entry to tight areas

PN_____DESC_____
PK100....7" Fiberglass Reinforced Plastic



PK100



Measuring Tape

PN_____DESC_____
CTM-33... 33' Fully Non-Conductive
Fiberglass Measuring Tape

609.387.1040 • 800.654.1292 • fax: 609.386.8885

www.cementexusa.com • orders@cementexusa.com • rfq@cementexusa.com