Specifications



Photo is representative

Eaton CDR1033

Eaton Crouse-Hinds series PowerMate CDR receptacle, 100A, Three-wire, three-pole, Style 1, Copper-free aluminum, 600 Vac/250 Vdc

General specifications		
PRODUCT NAME	Eaton Crouse-Hinds series PowerMate CDR receptacle	
CATALOG NUMBER	CDR1033	
UPC	662276277144	
PRODUCT LENGTH/DEPTH	5.25 in	
PRODUCT HEIGHT	4.25 in	
PRODUCT WIDTH	4.25 in	
PRODUCT WEIGHT	2.2 lb	



Certifications and compliances		Product specifications	
AREA CLASSIFICATION	Ordinary/Non-Hazardous	AMPERAGE RATING	100A

	Locations
STANDARDS TYPE	NEC/CEC
NEMA RATING	4X

GROUNDING TYPE	Style 1
CONFIGURATION	Three-wire, three-pole
VOLTAGE RATING	600 Vac/250 Vdc
MATERIAL	Copper-free aluminum

Resources	
3D CAD DRAWING PACKAGE	Eaton Crouse-Hinds CDR1033 3D drawing
BROCHURES	PowerMate Drilling Pin and Sleeve Devices brochure
CATALOGS	PowerMate Drilling Pin and Sleeve Devices catalog page
CERTIFICATION REPORTS	PowerMate Drilling Pin and Sleeve Devices UL certification (Receptacles)
INSTALLATION	IF 1632 - 30, 60, 100 and 150A PowerMate Pin and Sleeve Devices
INSTRUCTIONS	IF 1834 - PowerMate Pin and Sleeve Devices with Nested Bushing
SPECIFICATIONS AND DATASHEETS	PowerMate Connectors Eaton Specification Sheet - CDR1033

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	



Eaton Corporation plc

Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Eaton is a registered trademark.

Follow us on social media to get the latest product and support information.

All other trademarks are property of their respective owners.

Reserved.



Specifications



Photo is representative

Eaton CDR1033

Eaton Crouse-Hinds series PowerMate CDR receptacle, 100A, Three-wire, three-pole, Style 1, Copper-free aluminum, 600 Vac/250 Vdc

General specifications		
PRODUCT NAME	Eaton Crouse-Hinds series PowerMate CDR receptacle	
CATALOG NUMBER	CDR1033	
UPC	662276277144	
PRODUCT LENGTH/DEPTH	5.25 in	
PRODUCT HEIGHT	4.25 in	
PRODUCT WIDTH	4.25 in	
PRODUCT WEIGHT	2.2 lb	



Certifications and compliances		Product specifications	
AREA CLASSIFICATION	Ordinary/Non-Hazardous	AMPERAGE RATING	100A

	Locations
STANDARDS TYPE	NEC/CEC
NEMA RATING	4X

GROUNDING TYPE	Style 1
CONFIGURATION	Three-wire, three-pole
VOLTAGE RATING	600 Vac/250 Vdc
MATERIAL	Copper-free aluminum

Resources	
3D CAD DRAWING PACKAGE	Eaton Crouse-Hinds CDR1033 3D drawing
BROCHURES	PowerMate Drilling Pin and Sleeve Devices brochure
CATALOGS	PowerMate Drilling Pin and Sleeve Devices catalog page
CERTIFICATION REPORTS	PowerMate Drilling Pin and Sleeve Devices UL certification (Receptacles)
INSTALLATION	IF 1632 - 30, 60, 100 and 150A PowerMate Pin and Sleeve Devices
INSTRUCTIONS	IF 1834 - PowerMate Pin and Sleeve Devices with Nested Bushing
SPECIFICATIONS AND DATASHEETS	PowerMate Connectors Eaton Specification Sheet - CDR1033

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	



Eaton Corporation plc

Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Eaton is a registered trademark.

Follow us on social media to get the latest product and support information.

All other trademarks are property of their respective owners.

Reserved.

