

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



CHFP120GF CH Gfci Breaker, 20A, Pon, 10kaic Eaton Corp

Catalog Number	CHFP120GF
Manufacturer	Eaton Corp
Description	Eaton CH Gfci Circuit Breaker, 20A, Pon, 10 Kaickaic, 20A, 10 Kaic , Plug-On Neutral, Gfci Circuit Breakers
Weight per unit	0.5000 (lbs/each)
Product Category	In Circuit Breakers
Features	
amperage rating	20 A
dimensions	6.5000 IN X 3.9000 IN X 1.8000 IN
interrupt rating	10
Poles	1
Descriptions	
Description	CH GFCI BREAKER, 20A, PON, 10KAIC
extra long description	ETN CHFP120GF CH GFCI Breaker
Features	Eaton's residential CH circuit breakers provide premium overload
	protection. The Type CH circuit breakers trip to the OFF position,
	eliminating nuisance callbacks. The CHF family also includes a trip
	flag to differentiate between a trip and the breaker being turned
	off. The thermal-magnetic trip curve avoids nuisance tripping on
	mild overloads while reacting almost instantaneously to severe
	short-circuit conditions. Multiple breakers have an internal
	common trip connection to operate all poles simultaneous
Long Description	Eaton CH GFCI circuit breaker, 20A, PON, 10 kAICkAIC, 20A, 10
	kAIC , Plug-on neutral, GFCI circuit breakers
Product Type	CH Gfci Breaker
Special Features	Plug-on neutral
Manufacturer Information	
Brand	Eaton
GTIN	00786689058975
Manufacturers Part Number	CHFP120GF
UPC	786689058975
Taxonomies, Classifications, and	Categories
Туре	CECI aimayit harakara
Packaging	
Carton	1
Weight Per each	0.5

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications,	, and Standards
-----------------------	-----------------

ses, Certifications, and Stan	dards
Application	Generation - Conventional Energy - Conventional
	EnergyGeneration - Renewable Energy - Alternative
	EnergyMarine Vessels and Equipment - Marine Vessels and
	Equipment - OtherDatacenters - IT Space: CI and Hyper
	ConvergedOther
standard	UL Listed