

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Carton

Weight Per each

CHN240GF CH 5MA Gfci 2P 40A 120/240V 10kaic Faton Corp

Eaton Corp	
Catalog Number	CHN240GF
Manufacturer	Eaton Corp
Description	Eaton CH Gfci Circuit Breaker, Plug-In Circuit Breaker, 40 A, 10 Kaic, Two-Pole, 120/240 V, CH, Common, GFI, 5 Ma
Weight per unit	0.8100 (lbs/each)
Product Category	In Circuit Breakers
Features	
amperage rating	40 A
dimensions	6.0000 IN X 3.5000 IN X 2.2500 IN
interrupt rating	10
Poles	2
Trip Type	Common
Voltage Rating	120/240 V
Descriptions	
Description	CH 5MA GFCI 2P 40A 120/240V 10KAIC
extra long description	ETN CHN240GF CH 5mA GFCI, 2P, 40A,
Features	Eaton's residential CH circuit breakers provide premium overload protection. The Type CH circuit breakers trip to the OFF position, eliminating nuisance callbacks. The CHF family also includes a trip flag to differentiate between a trip and the breaker being turned off. The thermal-magnetic trip curve avoids nuisance tripping on mild overloads while reacting almost instantaneously to severe short-circuit conditions. Multiple breakers have an internal common trip connection to operate all poles simultaneous
Long Description	Eaton CH GFCI circuit breaker,Plug-in circuit breaker,40 A,10 kAIC,Two-pole,120/240 V,CH,Common,GFI,5 mA
Product Type	CH 5MA Gfci, 2P, 40A, 120/240V, 10kaic
Manufacturer Information	
Brand	Eaton Corp
GTIN	00786689217266
Manufacturers Part Number	CHN240GF
UPC	786689217266
Taxonomies, Classifications, and C	Categories
Туре	CECL airquit brookers
Packaging	
i donaging	4

1 0.81

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

cs, oci micanons, ana st	anda as
Application	Marine Vessels and Equipment - Marine Vessels and Equipment -
	OtherOtherDatacenters - IT Space: CI and Hyper
	ConvergedGeneration - Renewable Energy - Alternative
	EnergyGeneration - Conventional Energy - Conventional Energy
standard	UL 489