

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



CHNSURGE Type CH 2 Pole Surge Arrester *Eaton Corp*

Eaton Corp	
Catalog Number	CHNSURGE
Manufacturer	Eaton Corp
Description	Eaton Type CH Circuit Breaker Surge Protective Device, Two Pole, Surge Protective Device
Weight per unit	1.0 (lbs/each)
Product Category	Distribution Equipment
Features	
dimensions	3.5000 IN X 6.1000 IN X 2.4000 IN
Short Circuit Rating	10 kA
Dimensions and Weight	
Depth	3.5000
Height	2.4000
Width	6.1000
Descriptions	
Description	TYPE CH 2 POLE SURGE ARRESTER
extra long description	ETN CHNSURGE Type CH 2 pole Surge A
Features	Eaton offers a comprehensive family of surge products for use at service entrances. These products can help protect sensitive electronics against the damaging effects of surges. Due to the evolution of electronics and microprocessors in the home, there is a continuous challenge to provide quality (clean) power for electronic loads such as appliances, computers/home office and entertainment systems. Surges caused by lightning, utility grid switching and other sources travel on current carrying conductors t
Long Description	Eaton Type CH circuit breaker surge protective device, Two Pole, Surge Protective Device
Product Type	Typo CH 2 Pala Surga Arrostor
Manufacturer Information	
Brand	Eaton
GTIN	00786689353650
Manufacturers Part Number	CHNSURGE

Ma

Brand	Eaton
GTIN	00786689353650
Manufacturers Part Number	CHNSURGE
UPC	786689353650

Taxonomies, Classifications, and Categories

Category Description	Meter Socket Accessories
Туре	Plug on module surge protection device



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging Carton	1
Weight Per each	1
Uses, Certifications, and Standards	
Application	OtherResidential Bldgs & Facilities - Residential Bldgs & Facilities - Other
Frequency Rating	50/60 Hz
standard	UL 1449,cUL Certified