

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Product Type

Special Features

CHP42L225X6 CH Pon Loadcntr 225A Mlo 42 Spaces *Eaton Corp*

Laton corp	
Catalog Number	CHP42L225X6
Manufacturer	Eaton Corp
Description	Eaton CH Main Lug Loadcenters, Pon, Main Lug Only, 225 A, X6, Copper, Nema 1, Metallic, 10 Kaic, 84, Single-Pole, 42, Two Hots, A Neutral and A Ground, Single-Phase, 120/240 V, #4 Awg-300 Kcmil
Weight per unit	19.5 (lbs/each)
Product Category	Single Phase Main Lug Load Cen
Features	
amperage rating	225
interrupt rating	25
media	
number of spaces	42
Phase	1
Voltage Rating	
Wattage	
Dimensions and Weight	
Depth	34.12
Height	3.88
Size	X6
Width	14.31
Descriptions	
Description	CH PON LOADCNTR 225A MLO 42 SPACES
extra long description	ETN CHP42L225X6 CH 3/4-inch loadcen
Features	Eaton's CH 3/4-inch loadcenters enclose CH circuit breakers for
	power distribution and circuit protection in residential and light commercial applications. Also called a breaker box, electrical box
	or even a fuse box, the main function is to take electricity
	supplied by the utility and distribute it throughout the home to
	feed lights and receptacles. Covers are typically packaged
	separately and available as surface or flush mount.
Long Description	Eaton CH main lug loadcenters, PON, Main Lug Only, 225 A, X6,
	Copper, NEMA 1, Metallic, 10 kAIC, 84, Single-pole, 42, Two hots,
	a neutral and a ground, Single-phase, 120/240 V, #4 AWG-300
	kcmil

CH 3/4-Inch Loadcenter

PON



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

n	/lanufac	HILPAR	INTARMA	tion

Brand	Eaton	
GTIN	00786689055202	
Manufacturers Part Number	CHP42L225X6	
UPC	786689055202	

Taxonomies, Classifications, and Categories

Category Description	LOADCENTERS & COVERS
Type	Main lug loadcenter

Packaging

onagg	
Carton	1
Weight Per each	19.5

Uses, Certifications, and Standards

Application	Residential Bldgs & Facilities - Residential Bldgs & Facilities -
	Other
standard	UL 50,UL 67