

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



CPS152R 2W-3P RCPT Crouse-Hinds

Catalog Number	CPS152R
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Arktite CPS Receptacle, 20A,
	Two-Wire, Three-Pole, Brass Contacts, 60 HZ, Style 2, 1 HP,
	Copper-Free Aluminum, Factory Sealed, Delayed Action Circuit
	Breaking, 125-250 Vac/18 VDC
Weight per unit	
Product Category	Pin & Sleeve Devices
eatures	
dimensions	5.1300 IN X 5.0000 IN X 5.8800 IN
Voltage Rating	125 To 250 Vac at 60 Hz, 18 Vdc
imensions and Weight	
Height	6-23/32
Width	
escriptions	
Description	2W-3P RCPT
extra long description	CRS-H CPS152R 20A 2W3P FS DELAY RCP
Features	Crouse-Hinds series Arktite CPS and CPP explosionproof
	receptacles and plugs are used with portable electrically
	operated devices such as motor generator sets, compressors,
	conveyors, portable tools and lighting systems. CPS receptacles
	are equipped with a rotating mechanism which prevents
	complete withdrawal of the CPP plug in one continuous
	movement. This delayed action feature permits the plug to be
	used as an emergency push-pull switch. Available in 20A and 30/ configurations.
Long Description	Eaton Crouse-Hinds series Arktite CPS receptacle, 20A, Two-wire
	three-pole, Brass contacts, 60 Hz, Style 2, 1 HP, Copper-free
	aluminum, Factory sealed, Delayed action circuit breaking,
	125-250 Vac/18 Vdc
Product Type	20A 2W3P FS Delay RCPT
Special Features	Power Rating 1 Hp at 125 To 250 Vac
Nanufacturer Information	
Brand	EATON CROUSE-HINDS SERIES
GTIN	00782274182209
Manufacturers Part Number	CPS152R
UPC	782274182209



$E_{\text{LLIOTT}} E_{\text{LECTRIC}} S_{\text{UPPLY}}$

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Taxonomies, Classifications, and Categories

Category Description	, Pin & Sleeve Devices
Туре	RECEPTACLE
Packaging	
Carton	1
Weight Per each	2
Uses, Certifications, and Standards	
Application	Ind Facilities & Factories - Facility: Power Distribution and Control
standard	UL 1010, CSA C22.2