

Specifications

Eaton D3PR5A

D3 Series General Purpose Plug-In Relay, Latching cover, 11 pins, 120V coil, 10,000 Ohms resistance, Octal terminal, DPDT contact configuration, 16A contact rating, Silver alloy contacts, IP40 enclosure



General specifications

PRODUCT NAME	Eaton General-purpose relay
CATALOG NUMBER	D3PR5A
UPC	782114227732
PRODUCT LENGTH/DEPTH	2 in
PRODUCT HEIGHT	2 in
PRODUCT WIDTH	1 in
PRODUCT WEIGHT	0.5 lb
COMPLIANCES	CE Marked RoHS Compliant
CERTIFICATIONS	CSA Certified UL Listed cRUus



Powering Business Worldwide

Product specifications

TYPE	General-purpose relay
COVER	Latching
OPTIONS	Plain cover relay
COIL VOLTAGE	120 V
CONTACT CONFIGURATION	DPDT
CONTACT MATERIAL	Silver alloy
CONTACT RATING	16 A
ENCLOSURE	IP40
NUMBER OF PINS	11
RESISTANCE	10,000 Ω
SERIES	D3
TERMINALS	Octal
VOLTAGE - MAX	300 V switching

Resources

SPECIFICATIONS AND DATASHEETS

[Eaton Specification Sheet - D3PR5A](#)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.



Specifications

Eaton D3PR5A

D3 Series General Purpose Plug-In Relay, Latching cover, 11 pins, 120V coil, 10,000 Ohms resistance, Octal terminal, DPDT contact configuration, 16A contact rating, Silver alloy contacts, IP40 enclosure



General specifications

PRODUCT NAME	Eaton General-purpose relay
CATALOG NUMBER	D3PR5A
UPC	782114227732
PRODUCT LENGTH/DEPTH	2 in
PRODUCT HEIGHT	2 in
PRODUCT WIDTH	1 in
PRODUCT WEIGHT	0.5 lb
COMPLIANCES	CE Marked RoHS Compliant
CERTIFICATIONS	CSA Certified UL Listed cRUus



Powering Business Worldwide

Product specifications

TYPE	General-purpose relay
COVER	Latching
OPTIONS	Plain cover relay
COIL VOLTAGE	120 V
CONTACT CONFIGURATION	DPDT
CONTACT MATERIAL	Silver alloy
CONTACT RATING	16 A
ENCLOSURE	IP40
NUMBER OF PINS	11
RESISTANCE	10,000 Ω
SERIES	D3
TERMINALS	Octal
VOLTAGE - MAX	300 V switching

Resources

SPECIFICATIONS AND DATASHEETS

[Eaton Specification Sheet - D3PR5A](#)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.

