ELLIOTT ELECTRIC SUPPLY
We Deliver...Lower Cost, Quality Products, & Personal Service
2310 N. Stallings Dr.
Nacogdoches, TX 75964-0
Phone: 9365697941
Fax: 9365604685



D4PR21A DPDT RELAY W/IND LIGHT 120 VAC COIL

EATON CORP

Catalog Number	D4PR21A
Manufacturer	EATON CORP
Description	Eaton General-purpose relay, D4 Series, DPDT contact configuration,QTY: 1, 120 V coil, 5 A, 240 Vac/30 Vdc resistive load, 2 A, 250 Vac/3 A, 30 Vdc inductive full load, 380 Vac/125 Vdc max. operating voltage
Weight per unit	0.0500 (lbs/each)
Product Category	In Relays & Accessories

Features

Contact Configuration	DPDT
Amperage Rating	5
Dimensions	1.1400 IN X 0.5100 IN X 0.5000 IN

Descriptions

Description	DPDT RELAY W/IND LIGHT 120 VAC COIL
Features	Installation of general purpose relays are quick, easy and secure with little risk of damage, and various relay models are specifically slim-form designed to fit into tight spaces. The D series ice cube general purpose relays provide excellent functionality and are ideal for any application from controlling smaller loads, to those requiring high current-carrying capacity. A wide array of coil voltages and contact configurations ensure there is a D series relay for every control circuit design application.
Long Description	Eaton General-purpose relay, D4 Series, DPDT contact configuration,QTY: 1, 120 V coil, 5 A, 240 Vac/30 Vdc resistive load, 2 A, 250 Vac/3 A, 30 Vdc inductive full load, 380 Vac/125 Vdc max. operating voltage
Product Type	DPDT Relay W/ Ind Light 120VAC Coil
Extra Long Description	ETN D4PR21A DPDT RELAY W/ IND LIGHT

Manufacturer Information

Brand	Eaton
GTIN	00782114160602
Manufacturers Part Number	D4PR21A
UPC	782112

Taxonomies, Classifications, and Categories

Type	General-purpose relay

2310 N. Stallings Dr.
Nacogdoches, TX 75964-0
Phone: 9365697941
Fax: 9365604685

Packaging

Carton	1
Weight Per Each	0.0500 (lbs/each)

Uses, Certifications, and Standards


Application	Elec Assemblies, Panels & EOEM - Electrical Assemblies, Panels and EOEMs
Standard	UL Listed file E1491,UL Listed file E65657,CSA file No. LR701519,cRUus,RoHS Compliant,CE Marked

Product specifications

Eaton D4PR21A

Catalog Number: D4PR21A

Eaton General-purpose relay, D4 Series, DPDT contact configuration,QTY: 1, 120 V coil, 5 A, 240 Vac/30 Vdc resistive load, 2 A, 250 Vac/3 A, 30 Vdc inductive full load, 380 Vac/125 Vdc max. operating voltage



General specifications

Product Name
Eaton General-purpose relay

Catalog Number
D4PR21A

UPC
782114160602

Product Length/Depth
1.14 in

Product Height
0.5 in

Product Width
0.51 in

Product Weight
0.05 lb

Warranty
Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Compliances
RoHS Compliant
CE Marked

Certifications
UL Listed file E65657
cRUus
CSA file No. LR701519
UL Listed file E1491

Catalog Notes
Indicator lamp available. Consult sales office or customer support center for additional coil voltages.

Powering Business Worldwide

defaultTaxonomyAttributeLabel

Amperage Rating

5A

Coil voltage

120 V

Contact configuration

DPDT

Indicators

Indicating light

Inductive full load

2 A at 250 Vac, 3 A at 30 Vdc

Quantity

1

Resistive load

5 A, 240 Vac, 30 Vdc

Series

D4

Voltage - max

380 Vac/125 Vdc

Resources

Catalogs

Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions

Drawings

D4_R2 2D PDF

D4_R2 2D Drawing Xchange

D4_R2 AutoCAD 2D Footprint

D4_R2 3D Inventor

D4_R2 AutoCAD 2D Footprint (mm)

D4_R2 3D Model Xchange

Specifications and datasheets

Eaton Specification Sheet - D4PR21A

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia