ELLIOTT ELECTRIC SUPPLY
We Deliver...Lower Cost, Quality Products, & Personal Service
2310 N. Stallings Dr.
Nacogdoches, TX 75964-0
Phone: 9365697941
Fax: 9365604685



D7PR2A DPDT RELAY 120VAC COIL

EATON CORP

Catalog Number	D7PR2A
Manufacturer	EATON CORP
Description	D7 Series General Purpose Plug-In Relay, Plain cover, 120V coil, 4430 Ohms resistance, Plug-in terminal, DPDT contact configuration, 15A contact rating, Silver alloy contacts, IP40 enclosure
Weight per unit	0.0500 (lbs/each)
Product Category	In Relays & Accessories

Features

Contact Configuration	DPDT
Contact Rating	15 A

Dimensions and Weight

Depth	1.54
Height	0.83
Width	1.1

Descriptions

Description	DPDT RELAY 120VAC COIL
Features	Installation of general purpose relays are quick, easy and secure with little risk of damage, and various relay models are specifically slim-form designed to fit into tight spaces. The D series ice cube general purpose relays provide excellent functionality and are ideal for any application from controlling smaller loads, to those requiring high current-carrying capacity. A wide array of coil voltages and contact configurations ensure there is a D series relay for every control circuit design application.
Long Description	D7 Series General Purpose Plug-In Relay, Plain cover, 120V coil, 4430 Ohms resistance, Plug-in terminal, DPDT contact configuration, 15A contact rating, Silver alloy contacts, IP40 enclosure
Product Type	DPDT Relay 120VAC Coil
Extra Long Description	ETN D7PR2A DPDT RELAY 120VAC COIL

Manufacturer Information

Brand	Eaton
GTIN	00782114160459
Manufacturers Part Number	D7PR2A
UPC	782112

ELLIOTT ELECTRIC SUPPLY
We Deliver...Lower Cost, Quality Products, & Personal Service
2310 N. Stallings Dr.
Nacogdoches, TX 75964-0
Phone: 9365697941
Fax: 9365604685

Taxonomies, Classifications, and Categories

Category Description	GENERAL PURPOSE RELAYS
Type	General-purpose relay

Availability

Status	Inactive

Packaging

Carton	1
Weight Per Each	0.0500 (lbs/each)

Uses, Certifications, and Standards

Application	Commercial / Institutional Buildings / Structures - Commercial / Institutional Buildings / Structures - Other
Standard	UL Listed file E65657,CSA file No. LR217017,CSA file No. LR217069,cRUus,UL Listed file E37317,CE Marked,RoHS Compliant

Product specifications

Eaton D7PR2A

Catalog Number: D7PR2A

D7 Series General Purpose Plug-In Relay, Plain cover, 120V coil, 4430 Ohms resistance, Plug-in terminal, DPDT contact configuration, 15A contact rating, Silver alloy contacts, IP40 enclosure



General specifications

Product Name
Eaton General-purpose relay

Catalog Number
D7PR2A

UPC
782114160459

Product Length/Depth
1.54 in

Product Height
0.83 in

Product Width
1.1 in

Product Weight
0.05 lb

Warranty
Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Compliances
CE Marked
RoHS Compliant

Certifications
UL Listed file E65657
CSA file No. LR217069
cRUus
UL Listed file E37317
CSA file No. LR217017

Powering Business Worldwide

defaultTaxonomyAttributeLabel

Type

General-purpose relay

Cover

Plain

Options

Mechanical flag indicator

Coil voltage

120 V

Contact configuration

DPDT

Contact material

Silver alloy

Contact rating

15 A

Enclosure

IP40

Indicators

Optional LED

Resistance

4430 Ω

Series

D7

Terminals

Plug-in

Voltage - max

300 V switching

Resources

Catalogs

Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions

Drawings

D7_R2 AutoCAD 2D Footprint

D7_R2 2D PDF

D7_R2 AutoCAD 2D Footprint (mm)

D7_R2 3D Model Xchange

D7_R2 2D Drawing Xchange

D7_R2 3D Inventor

Specifications and datasheets

Eaton Specification Sheet - D7PR2A



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia