

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Category Description

Type

DG132048FBC21C DG1 230V FR3 N1 15HP 48A CT 20HP 61A VT W/ BC Eaton Corp

Catalog Number	DG132048FBC21C
Manufacturer	Eaton Corp
Description	Eaton Powerxl DG1 Variable Frequency Drive, 208-240V Input 11 KW 15 HP CT 3PH 50/60 HZ 48A Output IP21/Type 1 Enclosure FR3 LCD Display Internal Emc Filter and DC Choke Ethernet
Weight per unit	53.0 (lbs/each)
Product Category	Ac Drives
eatures	
display	LCD graphical
Input Voltage	- · ·
keypad	
Dimensions and Weight	
Depth	27
Height	16
Width	11.5
Descriptions	
- Description	DG1 230V FR3 N1 15HP 48A CT 20HP 61A VT W/ BC
extra long description	ETN DG1-32048FB-C21C DG1,230V FR3,N
Features	Demand more flexibility. Eaton's PowerXL DG1 general purpose, variable frequency drives are engineered for today's demanding commercial and industrial applications. With an industry leading energy efficiency algorithm, high short-circuit current rating and robust design, the DG1 offers customers increased efficiency, safety and reliability.
Long Description	Eaton PowerXL DG1 variable frequency drive, 208-240V input 11 kW 15 Hp CT 3PH 50/60 Hz 48A output IP21/type 1 enclosure FR LCD display Internal EMC filter and DC choke EtherNet
Product Type	DG1, 230V FR3, N1, 15HP, 48A/20HP, 61A, BC
Special Features	Coated board
/lanufacturer Information	Faton
Brand GTIN	Eaton 00786685886091
Manufacturers Part Number	DG1-32048FB-C21C
UPC	786685886091

DRIVES Variable Frequency Drive



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging Carton	1
Weight Per each	53
Uses, Certifications, and Standards Application	Commercial / Institutional Buildings / Structures - Commercial / Institutional Buildings / Structures - Other
Enclosure standard	IP21/type 1 enclosure EN ISO 13849-1,IEC 61508,cUL Listed,UL Listed,UL 508C,EN 62061,C-Tick Compliant,CE Marked,RoHS Compliant,GoST-R