



General Duty Cartridge Fuse Safety Switch

DG221NGB

UPC:782113120171

Dimensions:

Height: 6.5 INLength: 5.73 INWidth: 6.1 IN

Weight:5 LB

Notes:Maximum hp ratings apply only when dual element fuses are used. 3-Phase hp rating shown is a grounded B phase rating, UL listed.

Warranties:

 Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Specifications:

• Type: General Duty/Cartridge Fuse

Amperage Rating: 30AEnclosure: NEMA 1

Enclosure Material: Painted steel
Fuse Class Provision: Class H fuses
Fuse Configuration: Fusible with neutral

Number Of Poles: Two-pole
 Number Of Wires: Three-wire

• Product Category: General Duty Safety Switch

• Voltage Rating: 240V

Supporting documents:

- Eatons Volume 2-Commercial Distribution
- Eaton Specification Sheet DG221NGB

Certifications:

UL Listed



P	ro	du	ct	COI	nn	lian	ce:	Nο	Data
	10	u	UL	COI	IIP.	IIGI	UC.	1 40	Data

© 2016 Eaton. All rights reserved.





General Duty Cartridge Fuse Safety Switch

DG221NGB

UPC:782113120171

Dimensions:

Height: 6.5 INLength: 5.73 INWidth: 6.1 IN

Weight:5 LB

Notes:Maximum hp ratings apply only when dual element fuses are used. 3-Phase hp rating shown is a grounded B phase rating, UL listed.

Warranties:

 Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Specifications:

• Type: General Duty/Cartridge Fuse

Amperage Rating: 30AEnclosure: NEMA 1

Enclosure Material: Painted steel
Fuse Class Provision: Class H fuses
Fuse Configuration: Fusible with neutral

Number Of Poles: Two-pole
 Number Of Wires: Three-wire

• Product Category: General Duty Safety Switch

• Voltage Rating: 240V

Supporting documents:

- Eatons Volume 2-Commercial Distribution
- Eaton Specification Sheet DG221NGB

Certifications:

UL Listed



P	ro	du	ct	COI	nn	lian	ce:	Nο	Data
	10	u	UL	COI	IIP.	IIGI	UC.	1 40	Data

© 2016 Eaton. All rights reserved.