



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



E22JPLB2B PSHPLL JMASHD BKBZ R 1NC

Eaton Corp

Catalog Number	E22JPLB2B
Manufacturer	Eaton Corp
Description	Eaton E22 Pushbutton, E22 Pushbutton, 22.5 MM, Non-Metallic Heavy-Duty, 50 MM, Nema 3, 3R, 4, 4X, 12, 13, Non-Illuminated, Maintained, Two-Position Push-Pull, Red Actuator, Jumbo Mushroom , Plastic, No Light Unit, 1NC, Black Bezel
Weight per unit	0.1400 (lbs/each)
Product Category	Push Button Complete Assemblie

Features

actuator	Mushroom
Contact Configuration	1 NC

Dimensions and Weight

Height	1
Length	2.5
Size	50 mm
Width	2

Descriptions

Description	PSHPLL JMASHD BKBZ R 1NC
extra long description	ETN E22JPLB2B PSHPLL JMASHD BKBZ R 1
Features	Eaton's 22.5 mm industrial heavy-duty pushbutton line offers a wide array of functional, smartly styled illuminated and non-illuminated pushbuttons, selector switches, push-pulls, action and twist-to- release operators. The complete line also includes transformer, full voltage, resistor, LED or neon light units.
Long Description	Eaton E22 pushbutton, E22 Pushbutton, 22.5 mm, Non-Metallic Heavy-Duty, 50 mm, NEMA 3, 3R, 4, 4X, 12, 13, Non-illuminated, Maintained, two-position push-pull, Red actuator, Jumbo mushroom , Plastic, No light unit, 1NC, Black bezel
Product Type	PSHPLL JMASHD BKBZ R 1NC

Manufacturer Information

Brand	Eaton
GTIN	00782113719702
Manufacturers Part Number	E22JPLB2B
UPC	782113719702

Taxonomies, Classifications, and Categories

Category Description	MINATURE PILOT DEVICES.22MM
Type	PUSHBUTTON



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Packaging

Carton	1
Weight Per each	0.14

Uses, Certifications, and Standards

Application	Stationary Machinery and Equipment Outside Factory - Stationary Machinery and Equipment Outside Factory - Other
standard	IEC 947-5-1 MTTA, Lloyd's Register Certified, CSA Certified, UL 508, CE Marked