

Eaton E51CLT6

Catalog Number: E51CLT6

Eaton E51 NEMA limit switch inductive proximity sensor, Modular Inductive Proximity Sensor, Inductive Proximity, Top Sensing, Sensor distance: 24 mm, Receptacle and Housing: Die Cast Zinc, 1.0 A max AC, L1, 120Vac input, Un-shielded

General specifications

Product Name	Catalog Number
Eaton E51 NEMA limit switch inductive proximity sensor	E51CLT6
	UPC
	782113139487
Product Length/Depth	Product Height
5 in	2 in
Product Width	Product Weight
2 in	1.0563 lb
Warranty	Certifications
1 year	UL Listed
	CSA Certified

Catalog Notes

Sensor head features a programmable output selector switch for N.O. or N.C. operation.



defaultTaxonomyAttributeLabel

Contact Rating

1.0A Solid State Output

Actuator function

Unshielded

Accuracy

< 0.3%

Enclosure material

Receptacle and housing: die cast zinc

Head: plastic

Connection

Screw terminal

Contact configuration

L1 switched

Sensor type

Inductive proximity

Environmental rating

NEMA 3, NEMA 3S, NEMA 4, NEMA 4X, NEMA 6, NEMA 6P,
NEMA 12, NEMA 13, IP67

Operating temperature - max

158 °F

Operating temperature - min

-13 °F

Maximum AC current

1 A

Input voltage

120 Vac

LED indicator

One LED for each output

Lights when output is ON

Protection

None

Resources

Catalogs

[Eaton's Volume 8—Sensing Solutions](#)

Specifications and datasheets

[Eaton Specification Sheet - E51CLT6](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)