



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



ECSR100 100A RK5 Time Delay Bullet Fuse

Bussmann Fuses

Catalog Number	ECSR100
Manufacturer	Bussmann Fuses
Description	Eaton Edison Ecsr Fuse, Time-Delay Current-Limiting Fuse, Superior Overload and Cycling Capabilities, 100 A, Dual, Class RK5, Non-Indicating, Blade End X Blade End, 10 Sec At 500%, 200 Kaic, Standard, 600 V
Weight per unit	0.3800 (lbs/each)
Product Category	Dual Element

Features

amperage rating	100
class	Class RK5
connection	Blade End X Blade End
dimensions	9.6300 IN X 1.6100 IN X 1.6100 IN
element	Dual
Fuse Class	Class RK5
interrupt rating	200 kAIC
media	Yes
Response Time	10 S at 500%
type of indicators	Non-Indicating
Voltage Rating	600 V

Dimensions and Weight

Size	1.11 In Diameter X 7.88 In Length
------	-----------------------------------

Descriptions

Description	100A RK5 TIME DELAY BULLET FUSE
extra long description	EFSE ECSR100 UL CLASS RK-5 TIME DEL
Features	Edison's UL Class RK5 dual-element, time-delay fuses provide economical solutions to overcurrent protection. Available in both 250Vac and 600Vac, with 200kA RMS Sym interrupting ratings and sizes ranging from 0 to 600 amp.
Long Description	EATON EDISON ECSR FUSE, TIME-DELAY CURRENT-LIMITING FUSE, SUPERIOR OVERLOAD AND CYCLING CAPABILITIES, 100 A, DUAL, CLASS RK5, NON-INDICATING, BLADE END X BLADE END, 10 SEC AT 500%, 200 KAIC, STANDARD, 600 V
Product Type	UI Class RK-5 Time Delay
Special Features	Super lag, time lag, non current-limiting



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Manufacturer Information

Brand	Eaton
GTIN	00782634508434
Manufacturers Part Number	ECSR100
UPC	782634508434

Taxonomies, Classifications, and Categories

Category Description	Fuses & Fuse Accessories
Type	FUSE

Packaging

Carton	5
Weight Per each	0.38

Uses, Certifications, and Standards

Application	Ind Facilities & Factories - Facility: Safety and Security Systems
standard	CE Marked