

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



FDCC4 44 600V Class CC Time Delay Compact Fuse

Catalog Number	EDCC4
Manufacturer	Edison Fuses
Description	Eaton Edison Edcc Fuse, Non-Indicating, 4 A, Class CC, 200 Kaic Standard, 600 V, 300 VDC
Weight per unit	0.0300 (lbs/each)
Product Category	Current Limiting
Features	
amperage rating	4 A
amps	4
class	Class CC
dimensions	1.5000 IN X 0.4100 IN X 0.4100 IN
Fuse Type	Class CC Fuses - Branch Circuits
interrupt rating	200 kAIC
media	Yes
Voltage	(00)/
Voltage Rating	
Descriptions	
Description	4A 600V CLASS CC TIME DELAY COMPACT FUSE
extra long description	MOR T626-EDCC4 Class CC Fuse - 600V
Features	Edison offers a complete line of Class CC fuses to meet your
	Also the collection of the col

Des

Description	4A 600V CLASS CC TIME DELAY COMPACT FUSE
extra long description	MOR T626-EDCC4 Class CC Fuse - 600V
Features	Edison offers a complete line of Class CC fuses to meet your circuit and equipment protection needs. These branch circuit rated compact fuses rated 600v, and delivering 200,000a IR Vac Sym provide excellent protection in the smallest package of any UL class of fuses. Choose from our EDCC time-delay fuses for your small horsepower motor circuits, our HCLR fast-acting for your non-inductive lighting and resistance heating loads or our HCTR time-delay fuses for your small control transformer protection.
Long Description	Eaton Edison EDCC fuse, Non-indicating, 4 A, Class CC, 200 kAIC, Standard, 600 V, 300 Vdc
Product Type	Class CC Fuse - 600V 4a
Special Features	Non-Indicating

Manufacturer Information

Brand	Eaton
GTIN	00782634808152
Manufacturers Part Number	EDCC4
UPC	782634808152



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Category Description	MIDGET FUSES	
Туре	FUSE	
Packaging		
Carton	1	
Package	10	
Weight Per each	0.03	

Uses, Certifications, and Standards

Application	Datacenters - Facilities: Critical Power
standard	UL Listed, CSA Certified, CE Marked, RoHS Compliant