



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



EDS215 1-Gang Start/Stop Station

Crouse-Hinds

Catalog Number	EDS215
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Eds Pushbutton Control Station, With Pushbuttons, Feraloy Iron Alloy, 2 Circuit, 2, Single-Gang, 2, Dead End, 3/4", 600 Vac
Weight per unit	8.7 (lbs/each)
Product Category	Control Station Complete Assem

Features

Assembly/Kit	Yes
dimensions	5.9000 IN X 3.5000 IN X 5.8100 IN
Voltage Rating	600 VAC

Dimensions and Weight

Height	2-11/16
Width	3-1/2

Descriptions

Description	1-GANG START/STOP STATION
extra long description	CRS-H EDS215 EDS FS PUSHBUTTONS STA
Features	New EDSX series available with NEMA 4X protection for Class I, Division 2 hazardous areas.Crouse-Hinds series EDSX, EDS and EFS hazardous area pushbutton, pilot light and selector switch control stations are used in conjunction with magnetic starters or contactors for remote control of motors.eliminates the need for external seals, simplifying installation and reducing costs.Pilot lights are used to visually indicate that the desired function is being performed.EDSX, EDS and EFS control stations are factor
Long Description	Eaton Crouse-Hinds series EDS pushbutton control station, With pushbuttons, Feraloy iron alloy, 2 circuit, 2, Single-gang, 2, Dead end, 3/4", 600 Vac
Product Type	Eds FS Pushbuttons Stations
Special Features	Single Gang, 3/4 In Hub, Material Feraloy Iron Alloy

Manufacturer Information

Brand	Eaton
GTIN	00782274763538
Manufacturers Part Number	EDS215
Model	Pushbutton control station
UPC	782274763538



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Taxonomies, Classifications, and Categories

Category Description HAZARDOUS LOCATION MOTOR CONTROL

Packaging

Carton 1

Weight Per each 8.7

Uses, Certifications, and Standards

Application Ind Facilities & Factories - Facility: Power Distribution and Control

Enclosure NEMA 3/7B/7C/7D/9E/9F/9G

standard UL 1203, CSA C22.2