

MORE
on
reverse

Insulating Bushings for EMT • Rigid • IMC • PVC

For Cable Protection at its Best




Arlington's non-metallic Insulating Bushings protect cable from abrasion when using EMT, Rigid, IMC or PVC rigid conduit.

They press fit onto conduit, and hold firmly in place, when cable is pulled through.

They can be substituted for costly fittings when used for cable protection only. Uses include power, computer data lines, cable TV, audio/video cables, phone/modem, or alarm/security systems.

- Fast, easy installation
- For 1/2" to 4" EMT, rigid, IMC, PVC
- Listed for use in environmental air handling spaces per 2008 NEC requirements 300-22(c)
- Meets 2008 NEC requirements for 300-15(c) protection



1 Stauffer Industrial Park
Scranton, PA 18517
800/233.4717
Fax 570/562.0646
www.aifittings.com

Insulating Bushings for EMT • Rigid • IMC • PVC

Listed for Environmental Air Handling Spaces

Insulating Bushings for EMT



| Catalog Number | UPC/DEI/NAED Mfg. #018997 | Trade Size | Description | Unit Pkg | Std Pkg |
|----------------|---------------------------|------------|--|----------|---------|
| EMT50 | 12200 | 1/2 | Non-metallic insulating bushings for use with EMT | 100 | 1000 |
| EMT75 | 12205 | 3/4 | | 100 | 1000 |
| EMT100 | 12220 | 1 | | 100 | 100 |
| EMT125 | 12225 | 1-1/4 | | 100 | 100 |
| EMT150 | 12230 | 1-1/2 | | 100 | 100 |
| EMT200 | 12235 | 2 | | 50 | 50 |
| EMT250* | 12240 | 2-1/2 | * These bushings can also be used for rigid, IMC and PVC conduit | 25 | 25 |
| EMT300* | 12245 | 3 | | 25 | 25 |
| EMT350* | 12250 | 3-1/2 | | 25 | 25 |
| EMT400* | 12255 | 4 | | 25 | 25 |


Insulating Bushings for Rigid, IMC and PVC



| Catalog Number | UPC/DEI/NAED Mfg. #018997 | Trade Size | Description | Unit Pkg | Std Pkg |
|----------------|---------------------------|------------|--|----------|---------|
| RGD50 | 51930 | 1/2 | Non-metallic insulating bushings for use with rigid, IMC and PVC conduit | 100 | 1000 |
| RGD75 | 51932 | 3/4 | | 100 | 1000 |
| RGD100 | 51933 | 1 | | 100 | 100 |
| RGD125 | 51934 | 1-1/4 | | 100 | 100 |
| RGD150 | 51935 | 1-1/2 | | 100 | 100 |
| RGD200 | 51936 | 2 | | 50 | 50 |

Fast, easy installation

Press fit onto EMT or rigid.
Then place board over bushing
and tap onto conduit for
extra-firm hold.



Distributed by

Meets 2008 NEC
requirements for
300-15(c) protection.



Arlington

1 Stauffer Industrial Park
Scranton, PA 18517
800/233.4717
Fax 570/562.0646
www.aifittings.com

MORE
on
reverse

Insulating Bushings for EMT • Rigid • IMC • PVC

For Cable Protection at its Best




Arlington's non-metallic Insulating Bushings protect cable from abrasion when using EMT, Rigid, IMC or PVC rigid conduit.

They press fit onto conduit, and hold firmly in place, when cable is pulled through.

They can be substituted for costly fittings when used for cable protection only. Uses include power, computer data lines, cable TV, audio/video cables, phone/modem, or alarm/security systems.

- Fast, easy installation
- For 1/2" to 4" EMT, rigid, IMC, PVC
- Listed for use in environmental air handling spaces per 2008 NEC requirements 300-22(c)
- Meets 2008 NEC requirements for 300-15(c) protection



Arlington

1 Stauffer Industrial Park
Scranton, PA 18517
800/233.4717
Fax 570/562.0646
www.aifittings.com

Insulating Bushings for EMT • Rigid • IMC • PVC

Listed for Environmental Air Handling Spaces

Insulating Bushings for EMT



| Catalog Number | UPC/DEI/NAED Mfg. #018997 | Trade Size | Description | Unit Pkg | Std Pkg |
|----------------|---------------------------|------------|--|----------|---------|
| EMT50 | 12200 | 1/2 | Non-metallic insulating bushings for use with EMT | 100 | 1000 |
| EMT75 | 12205 | 3/4 | | 100 | 1000 |
| EMT100 | 12220 | 1 | | 100 | 100 |
| EMT125 | 12225 | 1-1/4 | | 100 | 100 |
| EMT150 | 12230 | 1-1/2 | | 100 | 100 |
| EMT200 | 12235 | 2 | | 50 | 50 |
| EMT250* | 12240 | 2-1/2 | * These bushings can also be used for rigid, IMC and PVC conduit | 25 | 25 |
| EMT300* | 12245 | 3 | | 25 | 25 |
| EMT350* | 12250 | 3-1/2 | | 25 | 25 |
| EMT400* | 12255 | 4 | | 25 | 25 |

Insulating Bushings for Rigid, IMC and PVC




| Catalog Number | UPC/DEI/NAED Mfg. #018997 | Trade Size | Description | Unit Pkg | Std Pkg |
|----------------|---------------------------|------------|--|----------|---------|
| RGD50 | 51930 | 1/2 | Non-metallic insulating bushings for use with rigid, IMC and PVC conduit | 100 | 1000 |
| RGD75 | 51932 | 3/4 | | 100 | 1000 |
| RGD100 | 51933 | 1 | | 100 | 100 |
| RGD125 | 51934 | 1-1/4 | | 100 | 100 |
| RGD150 | 51935 | 1-1/2 | | 100 | 100 |
| RGD200 | 51936 | 2 | | 50 | 50 |

Meets 2008 NEC requirements for 300-15(c) protection.

Fast, easy installation

Press fit onto EMT or rigid. Then place board over bushing and tap onto conduit for extra-firm hold.



Distributed by



Arlington

1 Stauffer Industrial Park
Scranton, PA 18517
800/233.4717
Fax 570/562.0646
www.aifittings.com