


ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685





ENR22201 Box W/Receptacle *Crouse-Hinds*

Catalog Number	ENR22201
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Ark-Gard Enr Value Receptacle Assembly, 20A, Double, 50-400 HZ, Copper-Free Aluminum,
	5-20R, Two-Gang, Dead End, 3/4", 125 Vac
Weight per unit	14.5 (lbs/each)
Product Category	Pin & Sleeve Devices

Features

10.100	
amperage rating	20
Assembly/Kit	Yes
dimensions	7.5600 IN X 8.0000 IN X 6.7200 IN
Voltage Rating	125 V
J	

Dimensions and Weight

Height	6-23/32
Width	8

Descriptions

Description	BOX W/RECEPTACLE
extra long description	CRS-H ENR22201 20A 125V DE DL GANG
Features	Ark-Gard ENC connectors, ENP plugs and ENR receptacles from Eaton's Crouse-Hinds Division make it safe and easy to bring power wherever it is needed. Connectors provide versatility for making cordsets for connecting portable devices in both hazardous and non-hazardous locations. Ark-Gard plugs and receptacles are used with portable electrical equipment such as compressors, tools, lighting systems and similar devices when power requirements do not exceed 20 amperes. They are also used in areas made hazar
Long Description	Eaton Crouse-Hinds series Ark-Gard ENR Value receptacle assembly, 20A, Double, 50-400 Hz, Copper-free aluminum, 5-20R, Two-gang, Dead end, 3/4", 125 Vac
Product Type	20A 125V De DL Gang RCPT Assy 3/4
Special Features	Dead End, NEMA 3 Enclosure
C I C I C	

Manufacturer Information

Brand	Eaton
GTIN	00782274311036
Manufacturers Part Number	ENR22201
UPC	782274311036



standard

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Taxonomies, Classifications, and Cate	
Category Description	Pin & Sleeve Devices
Туре	Receptacle assembly
Packaging	
Carton	1
Weight Per each	14.5
Uses, Certifications, and Standards	
Application	Ind Facilities & Factories - Facility: Power Distribution and Control

UL 1010