

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



EYD16 1/2" Female/Male Drain Seal Crouse-Hinds

| Catalog Number | EYD16 |
|--|---|
| Manufacturer | Crouse-Hinds |
| Description | Eaton Crouse-Hinds Series Eyd Conduit Sealing Fitting With Drain, Male and Female, Feraloy Iron Alloy and/or Ductile Iron, Vertical Only, 1/2" |
| Weight per unit | 1.3 (lbs/each) |
| Product Category | Sealing Bodies |
| Features | |
| connection | Male Threaded, Female Threaded |
| dimensions | 1.2500 IN X 1.2500 IN X 3.2800 IN |
| Descriptions | |
| Description | 1/2" FEMALE/MALE DRAIN SEAL |
| extra long description | CRS-H EYD16 1/2 NPT MALE/FEM CST IR |
| Features | In addition to restricting the passage of gases, vapors or flames from one portion of the electrical installation to another, Crouse-Hinds series EYD and EZD drain sealing fittings prevent accumulation of condensate above the seal. They are installed in vertical conduit runs and at low points in conduit systems. |
| Long Description | Eaton Crouse-Hinds series EYD conduit sealing fitting with drain, Male and female, Feraloy iron alloy and/or ductile iron, Vertical only, 1/2" |
| Product Type | 1/2 NPT Male/Fem CST Iron Drain Seal |
| Special Features | With Drain, Vertical Position |
| Manufacturer Information | |
| Brand | Eaton |
| GTIN | 00782274376004 |
| Manufacturers Part Number | EYD16 |
| UPC | 782274376004 |
| Taxonomies, Classifications, and C Category Description | Categories HAZARDOUS LOCATION FITTINGS |
| Туре | Conduit sealing fitting with drain |
| Packaging Carton | 1 |
| Package | 5 |
| Weight Per each | 1.28 |
| - | |



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

| Application | Ind Facilities & Factories - Industrial Facilities/Factories - Other |
|-------------|--|
| Enclosure | CLASS I DIV 1 2 GROUP C D, CLASS II DIV 1 2 GROUP E F G, CLASS |
| | III |
| standard | UL 886, CSA C22.2 |