



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

F64T12CWH0 *Delisted* 80W T12 64" Cool White Ho 62 Cri R17D *Ge By Current Lamps*

| | |
|------------------|---|
| Catalog Number | F64T12CWH0 |
| Manufacturer | Ge By Current Lamps |
| Description | Ge, 80 WTT, 5600 LM, 4100 KV, 60 Cri, 1.5 In Diameter, 64 In Length, Recessed Double Contact (R17D) Base, 12000 HR Average Life |
| Weight per unit | 0.8400 (lbs/each) |
| Product Category | Linear Fluorescent Straight La |

Features

| | |
|--------------|--------------------------------|
| average life | 12000.0 |
| Base | Recessed Double Contact (R17d) |
| lumens | 5600.0 |
| Wattage | 80.0 |

Material, Color, and Finish

| | |
|-----------------------------|--------|
| color rendering index (cri) | 60.0 |
| color temperature | 4100.0 |

Dimensions and Weight

| | |
|----------|------|
| Diameter | 1.5 |
| Length | 64.0 |

Descriptions

| | |
|------------------------|---|
| Description | *DELISTED* 80W T12 64" COOL WHITE HO 62 CRI R17D |
| extra long description | GEL F64T12CW/HO-15PK 23083 FLUORE |
| Long Description | GE, 80 WTT, 5600 LM, 4100 KV, 60 CRI, 1.5 IN Diameter, 64 IN Length, Recessed Double Contact (R17d) Base, 12000 HR Average Life |
| Product Type | 23083 Fluorescent |

Manufacturer Information

| | |
|---------------------------|------------------|
| Brand | GE Current |
| GTIN | 00043168230834 |
| Manufacturers Part Number | F64T12CW/HO-15PK |
| UPC | 043168230834 |

Taxonomies, Classifications, and Categories

| | |
|----------------------|-------------|
| Category Description | Fluorescent |
|----------------------|-------------|

Packaging

| | |
|-----------------|------|
| Carton | 1 |
| Package | 15 |
| Weight Per each | 0.84 |



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Uses, Certifications, and Standards

Application

Full Wattage