

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



FDCC2 3/4 3H CST Irn FD 1G Box Crouse-Hinds

Catalog Number	FDCC2
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Condulet FDC Device Box, Deep,
	Feraloy Iron Alloy, Single-Gang, C Shape, 3/4"
Weight per unit	N/A
Product Category	FS & FD Type Boxes & Covers
eatures	
Cable Entry	(2) One End, (1) Other End
dimensions	6.0300 IN X 2.6900 IN X 2.7500 IN
Material	Electrogalvanized With Aluminum Acrylic Painted Feraloy Iron Alloy
)imensions and Weight	
Size	3/4 in
Descriptions	
Description	3/4 3H CST IRN FD 1G BOX
extra long description	CRS-H FDCC2 3/4 3 ENTRY CST IRN FD
Features	Crouse-Hinds series FS and FD device boxes are installed in non-hazardous area conduit systems to accommodate wiring devices, act as pull boxes or provide openings for taps and splices. They are suitable for use in wet locations when used with gasketed covers. FS and FD device boxes are available in two box depths with a wide variety of gang configurations, hub configurations and hub sizes. They are manufactured in cast iron, aluminum, stainless steel and malleable iron. Malleable iron boxes are also a
Long Description	Eaton Crouse-Hinds series Condulet FDC device box, Deep, Feraloy iron alloy, Single-gang, C shape, 3/4"
Product Type	3/4 3 Entry CST Irn FD BX SGL GNG MT Lug
Special Features	Configuration Type FDCC, Dimension 2-3/4 In Width X 2-11/16 In Depth X 6-1/32 In Height
Nanufacturer Information	
Brand	Eaton
GTIN	00782274399300
Manufacturers Part Number	FDCC2
UPC	782274399300



We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Taxonomies, Classifications, and Categories

Category Description	FS BOXES AND COVERS
Туре	DEVICE BOX
Packaging	
Carton	2
Weight Per each	0
Uses, Certifications, and Standards	
Application	Ind Facilities & Factories - Industrial Facilities/Factories - Other
Mounting	FLUSH
standard	UL 514, CSA C22.2, Federal Specification W-C-5860