

# ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



## FMLWL24840 2' Led Wrap 40K 1200LM Lithonia Lighting

Manufacturer Lithonia Lighting  Description The Low-Profile 2-FT. Long FMLWL Led Wraparound By I	
Lighting® Provides Efficient and Economical Ambient Lig Surface-Mount Applications With Full Dimensions Of 24 5.5-In X 2.6-In. It Is Ideal For Many Applications Including Corridors, Kitchens, Breakrooms, Utility Work Areas and Stairways.	hting In .5-In X g
Weight per unit 2.4 (lbs/each)	
Product Category Led Surface Architectural & SP	

#### **Features**

average life	50,000
dimensions	24.5 x 5.5 x 2.6
Hardware	Yes
Lamp Included	Yes
Lamp Type	LED - Static
lumens	1400 LM
Material	Steel
Maximum Operating Temperature	40
media .	Yes
pallet quantity	224
Power Source	Hardwired
Shape	Rectangular
Voltage Rating	120
	5
Wattage	19.6

### Material, Color, and Finish

Color	White
color rendering index (cri)	85
	4000
Finish	Gloss
Style	CONTEMPORARY

## **Dimensions and Weight**

Height	2.58
Length	24.45
Width	5.48



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

es		

Description	2' LED WRAP 40K 1200LM
extra long description	LITH FMLWL 24 840 Wraparound, 2FT x
Features	Contractor Select
Long Description	The low-profile 2-ft. long FMLWL LED Wraparound by Lithonia Lighting® provides efficient and economical ambient lighting in surface-mount applications with full dimensions of 24.5-in x 5.5-in x 2.6-in. It is ideal for many applications including corridors, kitchens, breakrooms, utility work areas and stairways.
Product Type	Wraparound

#### **Manufacturer Information**

Brand	Lithonia Lighting	
GTIN	00888791197921	
Manufacturers Part Number	FMLWL 24 840	
UPC	888791197921	

#### Taxonomies, Classifications, and Categories

Category Description	LED ARCHITECTURAL & SPECIFICATION LIGHTING
Туре	Wraparound

#### **Trade Size**

	257 457
aperture size	2FT,4FT

#### **Packaging**

Carton	1	
Weight	2.5	
Weight Per each	2.4	

#### Uses, Certifications, and Standards

Application	Government, Hospitality, Offices & Banks, Residential, Utility,	
	Closet	
environmental conditions	Indoor	
Mounting	SURFACE	
standard	cUL,ULDLC Standard,ENERGY STAR	