

-

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Catalog Number	2, 2:1 Thin Wall, 48" Blue, 12 PCS FP3011248BLUE
Description	2NA 7010400204 2NAM Lie at Christy Thin
Weight per unit	
Product Category	
Descriptions	
Description	1/2,2:1 THIN WALL,48" BLUE,12 PCS
Features	3M [™] Heat Shrink Tubing FP-301 is color coded for quick and easy identification of the wire. This split resistant, flame retardant tubing is used as shrink fit, electrical insulation over cable splices or terminations. The high expansion ratio tubing is mechanically tough, easily markable and resists cold flow. It is ideal for lightweight wire harness covering, fire resistant covering, wire marking, wire bundling and component packaging. It withstands temperatures of 67 to 275 degrees F (55 to 135 degrees
Long Description	
Product Type	
Special Features	
Manufacturer Information	
Brand	3M
GTIN	00051128596739
Manufacturers Part Number	7010400294
UPC	051128596739
Taxonomies, Classifications, and (Categories
Category Description	HEAT/COLD SHRINK
Туре	Single (Thin) Wall
Availability	
Manufacturer Status	Inactive
Status	Inactive
Packaging	
Carton	
Weight Per each	0.13
Uses, Certifications, and Standard	ls
standard	UL, CSA, ABS