


ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685





FSC2SA 1G FS Dev Box, Alu 3/4" Crouse-Hinds

Catalog Number	FSC2SA
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Condulet FS Device Box, Shallow, Die Cast Aluminum, Single-Gang, C Shape, 3/4"
Weight per unit	0.5400 (lb.:/
Product Category	FS & FD Type Boxes & Covers

Features

Cable Entry	(1) End
dimensions	6.0300 IN X 1.8800 IN X 2.7500 IN
Material	Natural Finished Sand Copper Free Aluminum

Dimensions and Weight

Description 1G FS DEV BOX, ALU 3/4"

Descriptions

extra long description	CRS-H FSC2 SA 3/4 THRUFEED CST AL F
Features	Crouse-Hinds series FS and FD device boxes are installed in non-hazardous area conduit systems to accommodate wiring devices, act as pull boxes or provide openings for taps and splices. They are suitable for use in wet locations when used with gasketed covers. FS and FD device boxes are available in two box depths with a wide variety of gang configurations, hub configurations and hub sizes. They are manufactured in cast iron, aluminum, stainless steel and malleable iron. Malleable iron boxes are also a
Long Description	Eaton Crouse-Hinds series Condulet FS device box, Shallow, Die cast aluminum, Single-gang, C shape, 3/4"
Product Type	3/4 Thrufeed CST AI FS BX SGL GNG MT Lug
Special Features	Configuration Type FSC, With Mounting Lug and Ground Screw, Dimension 2-3/4 In Width X 1-7/8 In Depth X 6-1/32 In Height

Manufacturer Information

Brand	EATON CROUSE-HINDS SERIES
GTIN	00782274410906
Manufacturers Part Number	FSC2 SA
UPC	782274410906

Taxonomies, Classifications, and Categories

Category Description	FS BOXES AND COVERS
Туре	DEVICE BOX



standard

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging	
Carton	1
Package	5
Weight Per each	0.54
Uses, Certifications, and Standards	
Application	Ind Facilities & Factories - Industrial Facilities/Factories - Other
Mounting	FLUSH

UL 514, CSA C22.2, Federal Specification W-C-5860