

## Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

GASK045N 1-1/4"	& 1-1/2" Form 5 Conduit Body Gasket
Crouse-Hinds	•
Catalog Number	GASK045N
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Condulet Series 5 Gasket, Neoprene 1-1/4" or 1-1/2"
Weight per unit	0.0600 (lbs/each)
Product Category	Alum
Features	
connection	Threaded / Set Screw
dimensions	
Form	Series 5
Material, Color, and Finish	
Color	Gray
Finish	Epoxy Powder Coat
Dimensions and Weight	
Hub Size	1-1/4 ln, 1-1/2 ln
Descriptions extra long description	MIDWEST GASK045N 1 1/4 AND 1 1/2 NE
Features	Eaton's Crouse-Hinds Division Series 5 die cast copper-free
	aluminum conduit bodies, covers and gaskets are available for use with rigid or EMT conduit (with set screw). Conduit bodies are available in trade sizes 1/2" to 4", in the most popular conduit body shapes (C, LB, LL, LR, T) and 1/2" to 2" in TB and X shapes. The Series 5 family is available as components or pre-packaged in various configurations as a SnapPack assembly In addition, Series 5 is completely interchangeable with other manufacturer
Long Description	Eaton Crouse-Hinds series Condulet Series 5 gasket, Neoprene, 1-1/4" or 1-1/2"
Product Type	1 1/4 and 1 1/2 Neoprene Gasket
Special Features	Corrosion Resistant
Manufacturer Information	
Brand	Eaton
GTIN	00784564140746
Manufacturers Part Number	GASK045N
UPC	784564140746



## Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

## Taxonomies, Classifications, and Categories

Category Description	FORM 5 CONDULETS, COVERS, & GASKETS
Туре	Gasket
Packaging	
Carton	1
Package	50
Weight Per each	0.06
Uses, Certifications, and Standards	
Application	Commercial / Institutional Buildings / Structures - Commercial / Institutional Buildings / Structures - Other
Enclosure	Condulet
Mounting	Conduit
standard	UL, cUL