


ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685





JDL35 35A 600V Class J Time Delay Fuse Edison Fuses

Catalog Number	JDL35
Manufacturer	Edison Fuses
Description	Eaton Edison Series JDL Fuse, Time-Delay Current-Limiting Fuse, Non-Indicating, 35 A, Class J, 200 Kaic, Standard, 10, 600 V
Weight per unit	0.1800 (lbs/each)
Product Category	Dual Element

Features

10.100	
amperage rating	35 A
amps	35
class	Class J
dimensions	2.3800 IN X 1.0600 IN X 1.0600 IN
Fuse Type	Class J Time Delay Fuses
interrupt rating	200 kAIC
media	Yes
Voltage	600V
Voltage Rating	600 V
• • • • • • • • • • • • • • • • • • • •	

Descriptions

Description	35A 600V CLASS J TIME DELAY FUSE
extra long description	MOR T626-JDL35 Class J Time Delay F
Features	Edison's UL Class J fuse products are offered in both Dual-Element Time-Delay (JDL) and Fast-Acting (JFL) types. Both types have 200,000 amp interrupting rating at 600Vac RMS Sym amps. Their small physical size and high performance characteristics makes Class J fuses ideal for any space-limited applications. Edison's JFL fuses are best suited for the protection of non-inductive loads such as resistive heating and lighting circuits.
Long Description	Eaton Edison series JDL fuse, Time-delay current-limiting fuse, Non-indicating, 35 A, Class J, 200 kAIC, Standard, 10, 600 V
Product Type	Class J Time Delay Fuses 600V 35a
Special Features	Non-Indicating

Manufacturer Information

Brand	Eaton
GTIN	00782634803416
Manufacturers Part Number	JDL35
UPC	782634803416



standard

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Taxonomies, Classifications, and Categories		
Category Description	Fuses & Fuse Accessories	
Туре	FUSE	
Packaging		
Carton	1	
Package	10	
Woight Dor oach	0.18	
Uses, Certifications, and Standard	ls	
Application	Datacenters - Facilities: Critical Power	

UL Listed, CSA Certified, CE Marked, RoHS Compliant