

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



K250SG 2-1/"2 & 3" FM5 CVR Crouse-Hinds

Catalog Number	K250SG
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Condulet Form 5 Integral Gasket
	Cover, Sheet Steel, 2-1/2" or 3"
Weight per unit	
Product Category	Bodies & Covers
Features	
dimensions	12.1300 IN X 0.6600 IN X 4.3300 IN
Form	Form 5
Material, Color, and Finish	
Finish	ELECTROGALVANIZED
Dimensions and Weight	
Hub Size	2-1/2 ln, 3 ln
	2-1/2 111, 5 111
Descriptions	
Description	2-1/"2 & 3" FM5 CVR
extra long description	CRS-H K250SG 2-1/2 & 3 FORM 5 COVER
Features	Form 5 malleable iron conduit bodies, covers and gaskets from Eaton's Crouse-Hinds Division are used in conduit systems to act as pull outlets for conductors being installed, provide openings for making splices and taps in conductors, make 90 degree bends in conduit runs, and provide access to conductors for maintenance and future system changes. Form 5 conduit bodies are manufactured in trade sizes 1/2" to 4", and are interchangeable with Appleton Form 35 conduit bodies. They are also available with a h
Long Description	Eaton Crouse-Hinds series Condulet Form 5 integral gasket cover, Sheet steel, 2-1/2" or 3"
Product Type	2.1/2.8.2 Form E Cover Sheet Steel CSVT
Special Features	With Neoprene Integral Gasket, Weight 190 Lb per 100
Manufacturer Information	Faton
Brand	Eaton
GTIN Manufacturers Dart Number	
Manufacturers Part Number	K250SG
UPC	
Taxonomies, Classifications, and	•
Category Description	
Туре	Integral gasket cover



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging

Carton	1
Package	
Weight Per each	1.2

Uses, Certifications, and Standards

Application	Commercial / Institutional Buildings / Structures - Commercial / Institutional Buildings / Structures - Other
Enclosure	NEMA 4
standard	UL 514B, CSA C22.2, CUL